$\square 2$ 

# JHPS OF STAR FLEET

TERRANLGO LANGUAGE EDITION



AUTHORIZED PERSONINEL ONLY SECURITY LEVEL TWO

# UNITED FEDERATION OF PLANETS STAR FLEET DIVISION



# JAYNZ' GUIDE FEDERATION STAR FLEET SERIES

# RS: 480372-2

THE REFERENCE REPORTS CONTAINED HEREIN ARE FOR THE FAMILIARIZATION OF STAR FLEET ACADEMY MIDSHIPMEN AND ARE HARD FORMAT COMPILATIONS OF MATERIAL CONTAINED IN THE DATA FILES OF MASTERCOM, STAR FLEET HEADQUARTERS, SAN FRANSICO, EARTH.

UNTER THE INTELLECTUAL PROPERTY LAWS OF THE UNTIED FEDERATION OF PLANETS AND ITS MEMBERS, UNAUTHORIZED USE OR REPRODUCTION, IN WHOLE OR IN PART, OF THESE FLILES OF ANY SUBSEQUENTLY ISSUED, WITHOUT THE EXPRESS PERMISSION OF THE JUDGE ADVOCATE GENERAL OF STAR FLEET IS STRICTLY PROHIBITED.

TERRALANGLO LANGUAGE EDITION

UPDATED AND APPROVED FOR TERRAN YEAR 2272



JAYNZ FEDERATION STAR FLEET SERIES COMPILATION - 002

### JAYNZ'S GUIDE SERIES

THE JAYNZ'S GUIDE SERIES IS A HARD FORMAT COMPILATION OF FED-ERATION TECHNICAL ORDERS, ARTICLES, AND OTHER WORKS ISSED BY STAR FLEET COMMAND FOR USE IN THEIR TRAINING PROGRAMS. THE ARTICLES SO PUBLISHED IN JAYNZ'S GUIDES IS FOR FAMILIARIZATION PURPOSES FOR TRAINEES, INSTRUCTORS, AND ENTHUSIASTS WITH APPROPRIATE SECURITY CLEARANCE.

**ATTENTION:** CERTAIN MATERIAL CONTAINED HEREIN HAS BEEN CLASSI-FIED AS SECURITY LEVEL TWO BY STAR FLEET COMMAND AND THE BUREAU OF INTELLIGENCE. UNAUTHRIZED USE OF SUCH MATERIAL IS PUNISHABLE BY COURT MARTIAL, IMPRISONMENT, OR OTHER MEAS-URES DPENDING ON PLANETARY LAWS. STIPULATED BY TREATY.

CHIEF EDITOR: NEALE DAVIDSON, CIVILIAN ADVISOR, MASTERCOM

MEMORY ALPHA AND STARFLEET MASTERCOM CATALOGING DATA: UFP/SFD DTA RS:480372-2

COPYRIGHT © 2006 NEALE DAVIDSON MATERIAL HEREIN BASED ON MATERIAL WITHIN:

STAR TREK - © 1966-1969 DESILU INC, © 1972-2006 PARAMOUNT PICTURES, INC.STAR TREK BLUEPRINTS - ©1972 BALLIATINE BOOKS, INCSTAR TREK TECHNICAL MANUAL -©1975 BALLIATINE BOOKS, INCMR SCOTT'S GUIDE TO THE ENTERPRISE - ©1980 POCKET BOOKSSTAR TREK SPACEFLIGHT CHRONOLOGY- ©1980 POCKET BOOKSSTAR TREK: THE MOTION PICTURE: BLUEPRINTS - ©1980 WALLABY PRESSFEDERATION REFERENCE SERIES [#1 - #6] - ©1982 STAR FLEET PRINTING OFFICESTAR TREK: THE ROLE PLAYING GAME - ©1992-1991 FASA, INC., AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©1991-200X LAST UNICORN GAMES, INC, AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©2002-2005 DECIPHER, INC, AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©2002-2005 DECIPHER, INC, AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©2002-2005 DECIPHER, INC, AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©2002-2005 DECIPHER, INC, AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©2002-2005 DECIPHER, INC, AND RELATED WORKSSTAR TREK: THE ROLE PLAYING GAME - ©2002-2005 DECIPHER, INC, AND RELATED WORKSSTAR TREK ENCYCLOPEDIA - ©1994-2001 POCKET BOOKS, INC.

THIS DOCUMENT HAS BEEN ESTABLISHED FOR INFORMATIONAL AND ENTERTAINMENT PURPOSES ONLY. NO INFRINGEMENT OF COPY-RIGHT OR TRADEMARK IS INTENDED.

# DESTROYER CLASS

LARSON CLASS STARSHIPS

### GENERAL INFORMATION

THE LARSON WAS AN EARLIER CONSTITUTION-CLASS STYLE OF DESIGN MEANT TO SUPPLEMENT THE MILITARY NEEDS OF STARFLEET. AS WITH THE HERMES, IT WAS DECIDED TO GIVE THE SHIP ONLY ONE ENGINE TO SAVE ON COST AS WELL AS KEEP THE SHIP 'LIGHT'. A SECOND ENGINE WASN'T FELT NEEDED FOR A SHIP WITHOUT A SECONDARY HULL, DESPITE BEING VERY HEAVILY ARMED FOR HER SIZE.

LIKE THE *HERMES* AND *SALADIN*, THE *LARSON* SUFFERS FROM INSTABILITY PROBLEMS AT HIGH-END WARP SPEEDS. SEC-ONDLY, THE LONE WARP NACELLE WAS POWER-APLENTY FOR THE OLDER LASER BATTERIES AND SHIELDS, BUT IS A BIT WEAK TO POWER MORE MODERN PHASERS. DESPITE THESE WEAK-NESSES, HOWEVER, THE *LARSON* IS A POWERFUL FIGHTER IN THE HANDS OF A SKILLED COMMANDER AND ENGINEER.

Ships of the class have been present at most major Military encounters since their launch in 2248. In Par-Ticular, they gained notoriety in all but eradicating an TZENKETHI RAIDING FLEET IN SHORT ORDER. THE TZENKETHI HAVE SINCE RE-EVALUATED THEIR STRATEGIES IN THE WAKE OF THEIR DEFEATS.

### LARSON CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DANA KNUTSON UTOPIA PLANETIA JULY 2248, SD 1695 16

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS LARSON	NCC-4300	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS MIDWAY	NCC-4301	DECOMMISSIONED
USS TANNENBURG	NCC-4302	DECOMMISSIONED
USS TRAFALGAR	NCC-4303	DESTROYED
USS THELENTH	NCC-4304	ACTIVE / STARFLEET COMMAND
USS WATERLOO	NCC-4305	ACTIVE / STARFLEET COMMAND
USS BORODINO	NCC-4306	ACTIVE / STARFLEET COMMAND
USS AUSTERLITZ	NCC-4307	LOST IN ORION CONFLICT
USS NORMANDY	NCC-4308	ACTIVE / STARFLEET COMMAND
USS MARATHON	NCC-4309	ACTIVE / STARFLEET COMMAND
USS PHARSALUS	NCC-4310	ACTIVE / STARFLEET COMMAND
USS CRECY	NCC-4311	MISSING IN ACTION
USS POITIERS	NCC-4312	ACTIVE / STARFLEET COMMAND
USS AGINCOURT	NCC-4313	ACTIVE / STARFLEET COMMAND
USS BLENHEIM	NCC-4314	ACTIVE / STARFLEET COMMAND
USS TORGAU	NCC-4315	ACTIVE / STARFLEET COMMAND
USS EYLAU	NCC-4316	ACTIVE / STARFLEET COMMAND
USS LEYTE	NCC-4317	ACTIVE / STARFLEET COMMAND
USS LEIPZIG	NCC-4318	ACTIVE / STARFLEET COMMAND
USS BEUNA VISTA	NCC-4319	ACTIVE / STARFLEET COMMAND
USS GARBO	NCC-4320	DESTROYED
USS CATINIAN	NCC-4321	ACTIVE / STARFLEET COMMAND
USS GALLIPOLI	NCC-4322	ACTIVE / STARFLEET COMMAND
USS JUTLAND	NCC-4323	ACTIVE / STARFLEET COMMAND
USS ANZIO	NCC-4324	ACTIVE / STARFLEET COMMAND



UNITED FEDERATION OF PLANETS GENERAL PLANS:/RECOGNITION DETAIL

STAR FLEET DIVISION

DESTROYER (DD) / LARSON CLASS

### AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

DANA KNUTSON SD 2401.55 SD 7411.27

### STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



# DESTROYER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	43		TYPE H TRAVEL POD	2
	187		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	115,000 MT 271M 132M 84M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, DD 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWD DECK THREE DECK FOUR DECK FIVE DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) AFT (PYLON) AFT (PYLON) AFT (PYLON) AFT (PYLON) AFT (PYLON)	BRIDGE SCIENCE PHOTON OFFICER STORAG PLASMA AUXILLA AUXILLA EMEGEN CREW Q CREW Q TRAVEL FABRICA RECREA <sup>T</sup> PHASER	LABS I CONTROL, 'S GUARTERS 'S GUARTERS, PHASER CONTROL, I E, EMERGENCY PB-32 ACCESS A FLUSH, INTERMIX AND WARP CON RY MACHINERY, RY MACHINERY, CY SEAL AND SEPERATION, STORA UARTERS, ENGINEERING, IMPULSE F UARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY ACC TION FACILITIES, STORAGE TION DECKS, STORAGE COTNROL, PHASER BANK (F), SEN	PHASER BANKS (F/P, F/S) ITROL ROOMS AGE REACTOR CONTROL ELL GANGWAY ACCESS CESS, COMPUTER ARRAY SOR AND SCANNER CONTROL

# BATTLESHIP CLASS

DIRECTORATE CLASS STARSHIPS

### GENERAL INFORMATION

THE TERM DREADNOUGHT' NEVER SAT WELL WITH MANY MEMBERS OF THE FEDERATION COUNCIL, AND STAR FLEET FOUND ITSELF CONSTANTLY AT ODDS IN ATTEMPTING TO JUS-TIFY AND MAINTAIN A LINE OF CRAFT THAT MANY IN THE COUNCIL FELT WAS 'TOO POWERFUL' AND 'TOO MILITARISTIC'.

WHEN A VARIANT ARRANGEMENT OF THE THIRD PB-32 WAS PROPOSED TO THE USS DIRECTORATE, STAR FLEET DECIDED TO ALTER THE FUNCTION OF THE CLASS JUST SLIGHTLY, 'DOWNGRADING' THE DIRECTORATE TO A REGULAR-SERIES BATTLESHIP. ODDLY ENOUGH, DESPITE THE NEAR IDENTICAL ARRANGEMENT AND CAPABILITIES OF THE VESSEL, STAR FLEET WOUND UP HAVING A MUCH EASIER TIME OF THE APPROVAL PROCESS.

THE 'RE-CLASSIFICATION' OF THE HANDFUL OF SHIPS OF THE DIRECTORATE VARIANT WOULD, ACCORDING TO THE REGISTRY, CREATE A NEW 'BATTESHIP' CLASS. FUNCTIONALLY, HOWEVER, THE DIRECTORATE IS NEARLY IDENTICAL TO THE EXISTING FED-ERATION CLASS.

THE DIRECTORATE'S VARIANT ENGINE WAS HOPED TO ALLEVI-ATE SOME OF THE BALANCE ISSUES FOUND IN THE PB-32 'ODD ENGINE' DESIGNS. UNFORTUNATELY, AS WITH THE *SALADIN* (WHICH ALREADY HAD THE ROTATED ALIGNMENT), THE BAL-ANCE ISSUES CHANGED, BUT WENT UNSOLVED, KEEPING THE *DIRECTORATE* FROM REALIZING HER THEORHETICAL HIGHEST SPEEDS. DIRECTORATE CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED Franz Joseph Utopia planetia March 2269, SD 5920 3

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DIRECTORATE	NCC-2110	CLASS SHIP; ACTIVE / STARFLEET COMMAND
USS ORGANIZATION	NCC-2111	ACTIVE / STARFLEET COMMAND
USS STAR UNION	NCC-2112	ACTIVE / STARFLEET COMMAND
USS DOMINION	NCC-2115	ACTIVE / STARFLEET COMMAND

**BATTLESHIP CLASS** DIRECTORATE CLASS STARSHIPS - DORSAL VIEW PB32 WARP FIELD GENERATOR COWLING (P/C/S) PB-32 INTERCOOLER (P/S) ACTIVE SCANNER AND MK IV SINGLE EMITTER DEFLECTOR SYSTEM PHASER BANK (P/S) PB-32 PRIMARY WARP ENGINES (P/S) EMERGENCY FLUSH VENTS CENTRAL PB-32 WARP ENGINE AIRLOCK LIFT, LIFEBOAT LAUNCH [2X P/S] IPI86E IMPULSE UNIT HOUSING MK IV TWIN EMITTER PHASER BANK (P/S) o 0 NAVIGATION LIGHTS (P/S) PRIMARY HULL [SAUCER] VESSEL'S COMMISIONED NAME U.S.S. DIRECTORATE 00 2 -STARFLEET REGISTRY ID

> UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL BATTLESHIP (BB) / DIRECTORATE CLASS

### AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 2401.55 SD 7411.27

### STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



# GENERAL PLANS:/RECOGNITION DETAIL

BATTLESHIP (BB) / DIRECTORATE CLASS

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

FRANZ JOSEPH SD 2401.55 SD 7411.27

# BATTLESHIP CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT				
	ΓΛ.			2
CREW	387		TYPE F SHUTTLECRAFT	4
DIMENSIONS			TYPE HF SHUTTLECRAFT	2
DEADWEIGHT TONNAGE	285,000 MT		SECONDARY SYSTEMS	
LENGTH BREADTH HEIGHT	316M 140M 87M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE	DUDTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM
ARMAMENTS			LIFE SUPPORT	5 STD 7 4 EVAC 7 2 CAHGU MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S) MK IV SINGLE EMITTER (A X2 P/S V)		MISSION PROFILE	
PHOTON TORPEDOES	MK XII/IF TWIN LAUNCHER [F] MK XII/IF SINGLE LAUNCHER [A]		MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION/PATROL, CA 9 YEARS AT LYV
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	_		
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TRIPLE (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
[GENERAL]DECK ONEEDECK TWOSDECK TWOSDECK TWOCDECK FOURCDECK FOURCDECK FIVECDECK SIXCDECK SIXCDECK SEVENCDECK EIGHTFORWARD [SAUCER]DECK EIGHTFORWARD [SAUCER]DECK EIGHTFORWARD [SAUCER]DECK TENFORWARD [SAUCER]DECK TENFORWARD [SAUCER]DECK TENFORWARD [SAUCER]DECK TWELVEFORWARD [SAUCER]DECK TWELVEFORWARD [SAUCER]DECK TWELVEFORWARD [SAUCER]DECK TORTEENFORWARD [SAUCER]DECK FORTEENFORWARD [SAUCER]DECK NINEDORSAL [PYLON]DECK TENDORSAL [PYLON]DECK SEVENTEENFDECK SEVENTEENFDECK SEVENTEENFDECK SEVENTEENFDECK SEVENTEENFDECK TWENTY-ONEFDECK TWENTY-TWOCDECK TWENTY-THREECDECK TWENTY-FOURFDECK TWENTY-FOURF		BRIDGE SCIENCE GENERAI OFFICER CREW Q CREW Q TRAVEL MEDICAL CARGO I FABRICA RECREA <sup>T</sup> PHASER SENSOR EMEGEN AUXILLA STORAG FORWAF FORWAF FORWAF SHUTLLI SENSOR, RECREA <sup>T</sup> CREW Q CREW Q FABRICA	ELABS L FACILITIES, SCIENCE LABS 'S GUARTERS 'S GUARTERS, PHASER CONTROL, I UARTERS, ENGINEERING, IMPULSE F UARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY ACC . SECTION, CREW GUARTERS, AUX MAINTENANCE FACILITIES .TION FACILITIES, STORAGE TION DECKS, STORAGE COTNROL, PHASER BANK (F) AND SCANNER CONTROL CY SEAL AND SEPERATION, STORA RY MACHINERY, RY MACHINERY, REAR OBSERVATIO E, REAR OBSERVATION DECK 20 SHUTTLEBAY, MAIN ENGINEERIN 20 SHUTTLEBAY, MEDICAL SECTION E MAINTEINANCE, GYMNASIUM, LOI , SCANNER, AND DEFLECTION CONT TION AREA UARTERS UARTERS LIDN FACILITIES, FOOD STORES, W E, CARGO HOLDS	PHASER BANKS (F/P, F/S) REACTOR CONTROL ELL GANGWAY ACCESS CESS, COMPUTER ARRAY ENGINEEERING AGE ON DECK AVATION G, PHASER BANK (A) A, COMPUTERS JNGE FROL, SHUTTLECRAFT SUPPLIES

# EXPLORATION CRUISER CLASS

ACHERNAR CLASS STARSHIPS

### GENERAL INFORMATION

THE DESIGN FOR THE *ACHERNAR* IS, OBVIOUS, A *CONSTITUTION* CLASS VARIANT, DESIGNED PRIMARILY TO EXTEND THE PREVI-OUS DESIGN'S EXPLORATION AND RESEARCH CAPABLITIES AT THE EXPENSE OF SOME OF ITS COMBAT ABILITITIES AND OVER-ALL MASS. AS A RESULT, THE *ACHENRNAR* RETAINS MOST OF HER PARENT'S DESIGN, WITH ONLY SOME MODIFICATIONS MADE TO THE SECONDARY HULL.

THE MAIN DIFFERENCE BETWEEN THE CLASSES, HOWEVER, IS POLITICAL. THE *ACHENAR* WAS AUTHORIZED WITH THE INTENTI-TION THAT THEY BE CALLED PRIMARILY FOR EXPLORATION AND RESEARCH MISSIONS WITHIN THE FEDERATION FRONTIER, WITH MILITARY MISSIONS AT DRAMATICALLY REDUCED PRIORITY.

AT LEAST, THAT WAS THE THEORY. IN PRACTICE, THE MISSION PROFILES BETWEEN THE *CONSTITUTION* AND *ACHENAR* CLASS VESSELS OVERLAP HEAVILY AND OFTEN SWAP ASSIGNMENTS DEPENDING ON WHICH SHIP OF EITHER CLASS IS AVAILABLE.

WITH THIS IN MIND, CREWS AND EQUIPMENT ON BOARD ACHER-NAR CLASSES ARE SLIGHTLY HEAVIER IN THE 'SCIENTIFIC' FIELDS, AND LESS IN SECURITY. THESE AREN'T TRUE TRAITS OF THE CLASS ITSELF, BUT THE POLITICS INVOLVED WITHIN THE FEDERATION.

AS OF 2272, HOWEVER, THE DIFFERENCE IS BEGINNING TO BE RENDERED MOOT, AS SHIPS OF THE ACHENAR CLASS ARE UP-GRADED TO CONSTITUTION (REFIT) SPECIFICATIONS. ACHENAR CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN	FRANZ JOSEPH
PRIMARY SHIPYARD	utopia planetia
PROJECT INITIATION	MAY 2258, SD 1313
VESSELS CONSTRUCTED	13

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS ACHERNAR	NCC-1732	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS SOL	NCC-1733	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS JUPITER	NCC-1734	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS RIGIL KENTARUS	NCC-1735	DECOMISSIONED
USS QUINDAR	NCC-1736	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS PROXIMA	NCC-1737	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS ANDROCUS	NCC-1738	ACTIVE / STARFLEET COMMAND
USS ASTRAD	NCC-1739	ACTIVE / STARFLEET COMMAND
USS MONDOLOY	NCC-1740	ACTIVE / STARFLEET COMMAND
USS ALFR	NCC-1741	ACTIVE / STARFLEET COMMAND
USS THELONI	NCC-1742	DESTROYED
USS XANTHII	NCC-1743	ACTIVE / STARFLEET COMMAND
USS SIRIUS	NCC-1744	ACTIVE / STARFLEET COMMAND

**EXPLORATION CRUISER CLASS** ACHERNAR CLASS STARSHIPS PB32 WARP FIELD GENERATOR COWLING (P/S) SHUTTLEBAY PB-32 INTERCOOLER (P/S) PB-32 PRIMARY WARP ENGINES (P/S) EMERGENCY FLUSH VENTS (P/S) **IPI86E IMPULSE UNIT HOUSING** 888 MK IV TWIN EMITTER PHASER BANK (P/S) NAVIGATION LIGHTS (P/S) PRIMARY HULL (SAUCER) 00 C VESSEL'S COMMISIONED NAME AIRLOCK LIFT, LIFEBOAT LAUNCH [2X P/S] U.S.S. ACHERNAR Ŷ STARFLEET REGISTRY ID 

> UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL EXP. CRUISER (EX) / ACHERNAR CLASS

### AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 2401.55 SD 7411.27



# EXPLORATION CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	41		TYPE H TRAVEL POD	2
CREW	357		SECONDARY SYSTEMS	
DIMENSIONS			MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
deadweight tonnage Length Breadth Height	185,000 MT 287M 127M 75M			
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION, EC 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	

(GENERAL)		
DECK ONE DECK TWO DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK EIGHT DECK TEN THRU FOURTEEN DECK EIGHT DECK TEN THRU FOURTEEN DECK SIXTEEN DECK SEVENTEEN DECK SEVENTEEN DECK SEVENTEEN DECK SEVENTEEN DECK TWENTY-ONE DECK TWENTY-TWO DECK TWENTY-THREE DECK TWENTY-FOUR	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	<ul> <li>BRIDGE</li> <li>SCIENCE LABS</li> <li>PHOTON CONTROL,</li> <li>OFFICER'S GUARTERS</li> <li>OFFICER'S GUARTERS, PHASER CONTROL, PHASER BANKS (F/P, F/S)</li> <li>CREW GUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL</li> <li>CREW GUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS</li> <li>TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY</li> <li>FABRICATION FACILITIES, STORAGE</li> <li>RECREATION DECKS, STORAGE</li> <li>PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL</li> <li>EMEGENCY SEAL AND SEPERATION, STORAGE</li> <li>AUXILLARY MACHINERY,</li> <li>AUXILLARY MACHINERY, REAR OBSERVATION DECKS, LOUNGES</li> <li>SHUTTLEBAY, SHUTTLE OBERSAVATION</li> <li>SHUTTLEBAY, MEDICAL SECTION, COMPUTERS</li> <li>SHUTTLE MAINTEINANCE, GYMINASIUM, LOUNGE</li> <li>SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES</li> <li>RECREATION AREA</li> <li>CREW GUARTERS</li> <li>FABRICATION FACILITIES, FOOD STORES, WASTE RETREATMENT</li> <li>STORAGE, CARGO HOLDS</li> </ul>

# TRANSPORT/TUG CLASS

PTOLEMY CLASS STARSHIPS

### GENERAL INFORMATION

THE *PTOLEMY* CLASS WAS ONE OF THE FIRST FEW 'SISTER DESIGNS' TO BE CONCEIVED TO BE CONSTRUCTED FROM *CON-STITUTION*-STYLE PARTS. INDEED, A NEW CLASS OF 'ALL PUR-POSE TRANSPORT' WAS SORELY NEEDED, AS OLD-TECHNOLOGY TRANSPORTS WERE EITHER BECOMING HOPE-LESSLY OBSOLETE, OR PROVED OTHERWISE INSUFFICIENT FOR DELIBERING GOODS, CARGO, AND PERSONNEL INTO THE FEDERA-TION FRONTIER.

THE *PTOLEMY*, PERHAPS, MAY BE OVERKILL FOR ITS INTENDED ASSIGNMENT. WITH THE HEAVY PRIMARY HULL, THE CLASS BOATS STRONG DEFENSE CAPABILITIES AND PLENTY OF INTE-RIOR HULL FOR SUPPLIES AND CREW FOR LONG-DISTANCE MISSIONS.

IN ADDITION TO THE SACUER'S CAPABILITIES, THE *PTOLEMY* IS THE LEAD SHIP IN THE 'TRANSPORT POD' PROJECT. BORROWING REFINING, AND EXPANDING ON THE IDEA OF 'CARGO PODS' FIRST INITIIATED ON THE DY SERIES,

TRANSPORT PODS ARE LARGE, MODULAR SYSTEMS WHICH CAN BE ADAPTED TO DIFFERENT ROLES. MOST PODS CURRENTLY IN USE ARE FOR ONE FORM OR CARGO OR ANOTHER, BUT THERE ARE ALSO PODS FOR STARLINERS, DEFENSE, FIGHTER-DEPLOYMENT, AND SO ON. THE ABILITIES OF A *PTOLEMY* MAY VARY WIDELY DEPENDING ON THE PODS SHE'S HAULING. POMPEY CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

FRANZ JOSEPH UTOPIA PLANETIA MAY 2258, SD 1313 15

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS PTOLEMY	NCC-3801	CLASS SHIP, DECOMISSIONED
USS AL RASHID	NCC-3802	INACTIVE/ UNDERGOING RECONSTRUCTION TO AL RASHID SPEC.
USS ANAXAGORIS	NCC-3803	INACTIVE/ UNDERGOING RECONSTRUCTION TO AL RASHID SPEC.
USS ANAXIMANDER	NCC-3804	INACTIVE/ UNDERGOING RECONSTRUCTION TO AL RASHID SPEC.
USS ARISTARCHUS	NCC-3805	ACTIVE / UESPA DEFENSE COMMAND
USS IBN DAUD	NCC-3806	ACTIVE / UESPA DEFENSE COMMAND
USS ERATOSTHENES	NCC-3807	ACTIVE / UESPA DEFENSE COMMAND
USS GALILEI	NCC-3808	DECOMISSIONED
USS HIPPARCHOS	NCC-3809	ACTIVE / STARFLEET COMMAND
USS ULUGH BEG	NCC-3810	ACTIVE / STARFLEET COMMAND
USS PHILOLAUS	NCC-3811	ACTIVE / STARFLEET COMMAND
USS PYTHAGORAS	NCC-3812	ACTIVE / STARFLEET COMMAND
USS THALES	NCC-3813	ACTIVE / STARFLEET COMMAND
USS HEVELIUS	NCC-3814	ACTIVE / STARFLEET COMMAND
USS COPERNICUS	NCC-3815	ACTIVE / STARFLEET COMMAND



GENERAL PLANS:/RECOGNITION DETAIL TUG/TRANS. (TT) / PTOLEMY CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 2401.55 SD 7411.27

### STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



# TUG/TRANSPORT CLASS

CLASS SPECIFICS

DECK EIGHT

DECK NINE

DECK TEN

DECK ELEVEN

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	22		TYPE H TRAVEL POD	2
	198		SECONDARY SYSTEMS	
DIMENSIONS			MAIN COMPUTER	DUOTRONIC MK II CU
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	126,500 MT 222M 127 M 66 M		ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS	MK IV TWIN EMITTER (F) MK IV SINGLE EMITTER (R/P, R/S)		MISSION TYPE MAXIMUM OPERATING RANGE	SUPPLY TRANSPORT (TT) 5 YEARS AT LYV
PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)			
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)	_		
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK TEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER)	BRIDGE SCIENCE PHOTON OFFICER OFFICER CREW Q CREW Q TRAVEL FABRICA RECREA	: LABS I CONTROL, 'S QUARTERS 'S QUARTERS, PHASER CONTROL, UARTERS, ENGINEERING, IMPULSE UARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY AC ITION FACILITIES, STORAGE TION DECKS, STORAGE	Phaser Banks (R/P, R/S) Reactor Control Iell Gangway Access Cess, Computer Array
DECK ELEVEN	FORWARD (SAUCER)	PHASER	COTNROL, PHASER BANK (F), SEN	ISOR AND SCANNER CONTROL

DORSAL (PYLON) EMEGENCY SEAL AND SEPERATION, STORAGE

DORSAL (PYLON) EMEGENCY SEAL AND SEPERATION, STORAGE DORSAL (PYLON) AUXILLARY MACHINERY,

 DORSAL (PYLON)
 AUXILLARY MACHINERY, REAR OBSERVATION DECK

 DORSAL (PYLON)
 POD CONNECTION MOORING CONTROLS, AUXILLARY SYSTEMS

### RS: 480372-1 TO 01:04:21

# HEAVY TRANSPORT/TUG CLASS

DOLLAND CLASS STARSHIPS

### GENERAL INFORMATION

THE *DOLLAND* WAS BORN OF THE SUCCESS OF THE *COVENTRY* CLASS, AND IS, EFFECTIVELY, A MODIFIED VERSION OF THAT SHIP. THE *DOLLAND* IS RIGGED AS A 'LONG RANGE' TRANSPORT, WITH GREATER CAPABILITIES EVEN THAN THAT OF THE *PTOLEMY* CLASS.

THE BENEFITS OF THE CLASS ARE THE HEAVIER FIREPOWER, COMBAT CAPABILITIES AND INCREASED SUPPORT SYSTEMS FOUND IN THE 'TEARDROP' HULL. INDEED, *DOLLAND* CLASS TRANSPORTS HAVE EVEN TRIUMPHED IN BATTLE OVER KLINGO-GON AND ORION FRIGATES MATCHING HER WEIGHT, NEARLY UNHEARED OF FOR A MERE TRANSPORT!

THE *DOLLAND*, HOWEVER, IS AN EXTREMELY EXPENSIVE TRANSPORT CRAFT TO PRODUCE, AND ITS CARGO CAPACITY ISN'T ANY GREATER THAN THAT OF THE *PTOLEMY*. AS A RE-SULT, MOST OF THE PLANNED RUN OF FORTY SHIPS WERE CUT BACK, WITH INTENDED DUTIES ASSIGNED TO MORE-AFFORDABLE VESSELS.

WITH THE EXPENSE IN MAINTAINING THESE VESSELS, *DOLLAND* CLASS TRANSPORTS PRIMARY SERVE IN FRONTIER AREAS DEEMED 'VULERNABLE' AND TOO UNSAFE FOR 'LESSER' TRANS-PORTS TO GO WITHOUT ESCORT. AS SUCH, THE SHIPS ARE PLACED IN HARM'S WAY MORE OFTEN THAN NOT. DESPITE THIS, THE LOSS RECORD FOR *DOLLAND* CLASS TRANSPORTS HAVE BEEN REMARKABLY STRONG. DOLLAND CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

Patrick Lichty Rakala Fleet Yards March 2259, SD 1740 20

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DOLLAND	NCC-3900	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS GOLDREICH	NCC-3901	ACTIVE / STARFLEET COMMAND.
USS HERTZSPRUING	NCC-3902	ACTIVE / STARFLEET COMMAND
USS IRWIN	NCC-3903	ACTIVE / STARFLEET COMMAND
USS KOHLSHUTTER	NCC-3904	DECOMISSIONED
USS MOULTON	NCC-3905	ACTIVE / STARFLEET COMMAND
USS POGSON	NCC-3906	ACTIVE / STARFLEET COMMAND
USS RUSSEL	NCC-3907	ACTIVE / STARFLEET COMMAND
USS SLIPHER	NCC-3908	ACTIVE / STARFLEET COMMAND
USS VAN DE HULST	NCC-3909	DESTROYED
USS YOUNG	NCC-3910	ACTIVE / STARFLEET COMMAND
USS BESSEL	NCC-3911	ACTIVE / STARFLEET COMMAND
USS CHALLIS	NCC-3912	ACTIVE / STARFLEET COMMAND
USS FLAMSTEED	NCC-3913	ACTIVE / STARFLEET COMMAND
USS HENDERSON	NCC-3914	ACTIVE / STARFLEET COMMAND



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL HVY TUG/TRANS. (TT+) / DOLLAND CLASS

### AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE PATRICK LICHTY SD 2401.55 SD 7411.27

### STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



# HEAVY TUG/TRANSPORT CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	32 195	TYPE H TRAVEL POD TYPE F SHUTLECRAFT	2 4
DIMENSIONS		SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	152,000 MT 244M 149 M 65 M	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO
ARMAMENTS			MK IV CT-3 SUITE
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE MAXIMUM OPERATING RANGE	SUPPLY TRANSPORT (TT+) 7 YEARS AT LYV
PROPULSION SYSTEMS			
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)		

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE		BRIDGE
DECK TWO		SCIENCE LABS
DECK THREE		PHOTON CONTROL,
DECK FOUR		OFFICER'S QUARTERS
DECK FIVE		OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS (F/P, F/S)
DECK SIX		CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL
DECK SEVEN		CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS
DECK EIGHT	FORWARD (SAUCER)	TRAVEL PODS, PERSONNEL GANGWAY ACCESS, SHUTTLEBAYS
DECK NINE	FORWARD (SAUCER)	FABRICATION FACILITIES, STORAGE
DECK TEN	FORWARD (SAUCER)	RECREATION DECKS, STORAGE
DECK ELEVEN	FORWARD (SAUCER)	PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL
DECK EIGHT	DORSAL (PYLON)	EMEGENCY SEAL AND SEPERATION, STORAGE
DECK NINE	DORSAL (PYLON)	AUXILLARY MACHINERY,
DECK TEN	DORSAL (PYLON)	AUXILLARY MACHINERY, REAR OBSERVATION DECK
DECK ELEVEN	DORSAL (PYLON)	POD CONNECTION MOORING CONTROLS, AUXILLARY SYSTEMS

# CRUISER CLASS

ANTON CLASS STARSHIPS

### GENERAL INFORMATION

THE ANTON CLASS, ORIGINALLY, WAS DESIGNED AS A HEAVY CRUISER BACKUP FOR THE VENERABLE BATON ROUGE DESIGN, THE APPROVAL PROCESS FOR THE SHIP KEPT GETTING DE-LAYED, WITH EACH DELAY CAUSING THE DETERMINED DESIGN-ERS TO REVISIT THE DESIGN AND UPDATE IT TO THE NEWEST SPECIFICATIONS.

IN 2235, THE CLASS WAS ACTUALLY FORMALLY APPROVED, BUT WAS DELAYED BEFORE CONSTRUCTION COULD BEGIN PENDING THE RESULTS OF THE NEW FB-32 ENGINES. IT WOULD BE THIRTEEN YEARS BEFORE THE SHIP CLASS WAS FINALLY LAUNCHED.

THOUGH EFFECTIVE AS A CRUISER, THE ANTON NEVER SEEMED TO BE POPULAR WITH HER CREWS, AND WOULD PLAY A DIS-TANT SECOND-FIDDLE TO THE BETTER-RECEIVED *CONSTITU-TION* CLASS STARSHIP. .

THE LEGACY OF THE *ANTON* CONTINUES, HOWEVER, AS NEW DESIGNS TOOK THE MORE SUCCESSFUL ELEMENTS AND CON-CEPTS FROM HER AND GAVE BIRTH TO THE *SURYA* AND *CON-VENTRY* CLASSES. IRONICALLY, THE REMAINING *ANTON* CLASS VESSELS ARE SCHEDULED FOR REFIT AND REBUILDING TO ITS OWN GRANDCHILD DESIGN, THE NEW *MIRANDA* CLASS.

ANTON CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DANA KNUTSON UTOPIA PLANETIA JULY 2248, SD 1695 8

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS ANTON USS ANDERSON USS HAMMANN USS HUGHES USS SIMES USS MUSTIN USS RUSSELL USS O'BRIEN	NCC-1825 NCC-1826 NCC-1827 NCC-1828 NCC-1829 NCC-1830 NCC-1831 NCC-1831	CLASS SHIP, DESTROYED DESTROYED INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC. INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC. ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND

RS: 480372-1 TO 01:04:26

AUTHENTICATED STARDATE 7411.27



### STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



VERSION RELEASE

SD 7411.27



# CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SU	PPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	43 215	TY TY	PE H TRAVEL POD PE F SHUTTLECRAFT	2
DIMENSIONS		TY	PE AF SHUTTLECRAFT PE HF SHUTTLECRAFT	2
Deadweight Tonnage Length	160,000 MT 265M	SEC	CONDARY SYSTEMS	
BREADTH HEIGHT	179M 68M	MA	NN COMPUTER TIVE SCANNER SUITE	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM
ARMAMENTS		PA: TR	SSIVE SENSOR SUITE ANSPORTERS	MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A	LIFI	LIFE SUPPORT	MK IV CT-3 SUITE
PHOTON TORPEDDES DEFENSE DEFLECTOR SHIELD		MIS	SSION PROFILE	
PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK VI/AS MK IV SS MICRO-COMPRESSOR (F, A)	MIS MA	SSION TYPE AXIMUM OPERATING RANGE	PATROL COMBATANT, CA 5 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			

DECK ARRANGEMENT [GENERAL]	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWD DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK TEN DECK TEN DECK TWELVE DECK TWILVE DECK THIRTEEN		BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S QUARTERS OFFICER'S QUARTERS OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, SHUTTLEBAYS COMPUTER ARRAY, FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER COTNROL, PHASER BANK [F], SENSOR AND SCANNER CONTROL CARGO HOLD, AUXILLARY MACHINERY

# FRIGATE CLASS

SURYA CLASS STARSHIPS

### GENERAL INFORMATION

THE *SURYA* BEGAN LIFE AS AN INTENDED VARIANT OF THE *ANTON* CLASS CRUISER, BUT WOUND UP BEING A COMPLETELY REWORKED VERSION OF THE OLDER CLASS, TAKING MANY VALUABLE LESSONS IN ENGINEERING AND DESIGNED LEARNED THROUGH THE ANTON'S WEAKNESSES.

THE NEW CLASS PROVED FORMIDABLE IN MOST REPSECTS, AND WAS IMMEDIATELY DISPATCHED TO 'STARSHIP' DUTIES ALONG-SIDE THE *CONSTITUTION* CLASS., FULFILLING A VARIETY OF MISSION PROFILES. THE SHIPS HAVE ALREADY EARNED A STRONG REPUTATION WITH HER CREWS, AND HAVE BECOME A 'DE FACTO' WORKHORSE FOR THE FEDERATION.

MOST OF THE *SURYA* VESSELS HAVE BEEN ASSIGNED TO THREE YEAR EXPLORATION MISSIONS, AS WELL AS SERVING AS DE-FENSE PATROL SHIPS ALONG THE FRONTIER. WHILE NOT AS PRESTIGIOUS AS SERVING ABOARD THE *CONSTITUTION* CLASS, GETTING AN ASSIGNMENT ABOARD A *SURYA* WAS CONSIDERED AN HONOR.

THOUGH THE *SURYA* HAS PROVEN TO BE MORE THAN A WOR-THY VESSEL A REWORKED VERSION OF THIS BASIC DESIGN, THE *USS MIRANDA* WOULD EFFECTIVELY TAKE HER PLACE IN 2270. ALREADY, SEVERAL MEMBERS OF THE *SURYA* CLASS, AND OTHER CLASSES, ARE SCHEDULED FOR UPRATING TO THE NEW DEISNG.

### SURYA CLASS - BOW VIEW



### CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED ARIDAS SOFIA UTOPIA PLANETIA MARCH 2259, SD 1740 23

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS SURYA	NCC-1850	CLASS SHIP;
USS ILLUSIVE	NCC-1851	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS ANTRIM	NCC-1852	DESTROYED
USS DURMITOV	NCC-1853	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS KANARIS	NCC-1854	ACTIVE / UESPA DEFENSE COMMAND
USS PRALAYA	NCC-1855	MISSING IN ACTION
USS HASHIRA	NCC-1856	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS ADALUCIA	NCC-1857	ACTIVE / STARFLEET COMMAND
USS BRILLIANT	NCC-1858	ACTIVE / STARFLEET COMMAND
USS THETIS	NCC-1859	ACTIVE / STARFLEET COMMAND
USS MIRANDA	NCC-1860	ACTIVE / STARFLEET COMMAND
USS TIAN AN MEN	NCC-1861	ACTIVE / STARFLEET COMMAND
USS TEMPEST	NCC-1862	ACTIVE / STARFLEET COMMAND
USS DEMETER	NCC-1863	ACTIVE / STARFLEET COMMAND
USS RELIANT	NCC-1864	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS VIGILANT	NCC-1865	DECOMISSIONED
USS OBERON	NCC-1866	DESTROYED
USS SARATOGA	NCC-1867	ACTIVE / STARFLEET COMMAND
USS ENFORCER	NCC-1868	ACTIVE / STARFLEET COMMAND
USS VALHALLA	NCC-1869	ACTIVE / STARFLEET COMMAND
USS SUTHERLAND	NCC-1870	ACTIVE / STARFLEET COMMAND
USS REDAN	NCC-1871	ACTIVE / STARFLEET COMMAND
USS PERSEUS	NCC-1872	ACTIVE / STARFLEET COMMAND

RS: 480372-1 TO 01:04:30

AUTHENTICATED STARDATE 7411.27



VERSION RELEASE

SD 7411.27

FRIGATE (FF) / SURYA CLASS

### STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



### STARFLEET TECHNICAL ORDER AUTHENTICATED STARDATE 7411.27

# FRIGATE CLASS

CLASS SPECIFICS

DECK THREE

DECK FOUR

DECK FIVE

DECK SIX

DECK SEVEN DECK EIGHT

DECK NINE

DECK TEN

DECK ELEVEN

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	32 195		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT TYPE HF SHUTTLECRAFT	2 2 1
			SECONDARY SYSTEMS	
LENGTH BREADTH HEIGHT ARMAMENTS	155,000 MT 214M 127M 61M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S)		MISSION PROFILE	
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, FF 5 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	РВ-32 МК III—TANDEM (WF 6/8) IPI86E (.75С) CCR45C (500КРМ)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO		BRIDGE SCIENCE	LABS	

PHOTON CONTROL,

OFFICER'S QUARTERS

RECREATION DECKS, STORAGE

OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S]

AUX CONTROL, PERSONELL GANGWAY ACCESS, SHUTTLE-BAY ACCESS

TRAVEL PODS, PERSONNEL GANGWAY ACCESS, SHUTTLE-BAY ACCESS

PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL

CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL

FABRICATION FACILITIES, STORAGE, COMPUTER ARRAY

## WARP ENGINE - PB-32

STARSHIP "FASTER THAN LIGHT" MAIN DRIVE SYSTEM

### GENERAL INFORMATION

THE PB-32 FTL ENGINE WOULD BE THE FIRST PRODUCED DILITHIUM-FOCUSED MATTER/ANTI-MATTER WARP DRIVE SYSTEM. INTRODUCED IN 2240 ON THE PROTOTYPE *USS BONA VENTURE*, THE SYSTEM PROVED TO BE MORE POWERFUL, MORE CAPABLE, AND MORE VER-SATILE THAN ANY ENGINE FIELED BY ANY FEDERATION WORLD BE-FORE. THE DRAMATIC IMPROVEMENTS IN WARP SPEEDS (ALONG WITH REDUCTION IN TIME DILATION PROBLEMS) WOULD BE CONSID-ERED BY MANY TO BE 'BREAKING THE TMIE BARRIER' IN FASTER-THAN-LIGHT TRAVEL.

THE PB-32 WOULD GO THROUGH A FEW MINIOR REVISIONS OVER HER DESIGN HISTORY (WITH THE LATEST BEING MOD 3), WITH ENGI-NEERS IN MANY SHIPS (SUCH AS THE *ENTERPRISE*) TAKING THE IMPRESSIVE ENGINES AND PUSHING THEIR PERFORMANCE TO UN-HEARD-OF LEVELS.

THE BASIC DESIGN OF THE PB-32 WOULD NOT ONLY SPAWN TRUE VARIANTS OF THE ENGINE, BUT ALSO A NUMBER OF CLOSE RELA-TIVES FOR USE IN OTHER SHIP CLASSES. EVEN THE TYPE F SHUT-TLECRAFT MAKES USE OF THE PB-32'S OVERALL ARCHETETCTURE WITH ITS FB-24 MICRO-WARP ENGINES,

By the 2260's, however, it was becoming ovevious that the Venerable PB-32 engine design was beginning to hit the END of its 'heyday'. Though tweaks and modifications continued to make the PB-32 driven *enterprise* the fastest of all starships within the fleet, it was becoming increasingly clear that it was time to look for New Designs.

AS OF 2265, THE LN-48, CONSIDERED BY MANY ENGINEERS TO BE A 'STOP GAP' MEASURE TO TECHNOLOGICAL IMPROVEMENTS WAS TO BE USED ON NEW SHIPS OF THE LINE, THOUGH NO UPRATING PRO-GRAMS WERE AUTHORIZED. IN 2270, OF COURSE, THE LN-64 ENGINE SERIES FINISHED THEIR TRIALS, MARKING A FORMAL END TO THE PB-32'S RUN AS THE FEDERATIONS' MAINSTAY ENGINE..

### VARIANT ENGINES OF THE SERIES

### PB-32-S

INTRODUCED IN 2244 AND COMMONLY FOUND ON LIGHTER, 'SUPPORT' SHIPS, THE PB-32-S IS, IN A PRACTICAL SENSE, THE PB-32 WITHOUT THE SECONDARY COMPRESSOR FIELDS AND A REDUCED OVERALL POWER OUTPUT. AS A RESULT, THE PB-32-S IS CONSID-ERED THE 'SHORT' MODEL, WITH SLIGHTLY LESS OPTIMAL PERFORM-ANCE THAN THE PB-32.

PB-32-L

INTRODUCED IN 2255, THE "LONG" VERSION OF THE PB-32 ENGINE IS RESERVED PRIMARILY FOR ULTRA-HEAVY SHIPS, SUCH AS CARRIERS AND PROPOSED HEAVY BATTLESHIPS. AS EXPECTED, THESE ENGINES EXTEND THE SECONDARY COMPRESSOR FIELD SYSTEM AND GENER-ATE A HIGHER OVERALL POWER OUTPUT. THOUGH RATED AT HIGHER SPEEDS THAN THE PB-32 ITSELF, THE GENERAL HIGH COST AND MAINTENANCE REQUIREMENTS ON THE ENGINES HAVE KEPT THEM OUT OF FAVOR FOR MOST DESIGNS.

### PB-32 VARIANT COMPARISON SCHEMATIC



PB-32-S "SHORT" VARIANT



PB-32 MAIN DESIGN



PB-32-L "LONG" VARIANT

STSTEIVI DETAILS			
DESIGNATION SYSTEM COMMISION SYSTEM FUNCTION	PB-32 'FTL" WARP ENGINE MARCH 2240, SD 1113 MAIN WARP DRIVE UNIT M/AM POWER SOURCE	PB-32-S "FTL" WARP ENGINE FEBRURARY 2244, SD 1217 MAIN WARP DRIVE UNIT M/AM POWER SOURCE	PB-32-S 'FTL' WARP ENGINE FEBRURARY 2255, SD 3141 MAIN WARP DRIVE UNIT M/AM POWER SOURCE
SYSTEM SPECIFICS			
LENGTH WIDTH HEIGHT MASS	157M 18M 18M 35,000MT	130M 18M 18M 28,000MT	183M 18M 18M 45,000MT
PERFORMANCE INFORMATION			
WARP SPEED RATING	SINGLE WF 5/7* TANDEM WF 6/8 TRIPLE WF 7/9*	SINGLE WF 4/6* TANDEM WF 5/7 TRIPLE WF 6/8*	SINGLE WF 6/8* TANDEM WF 7/9 TRIPLE WF 8/10*

WARP ENGINE - PB-32 STARSHIP "FASTER THAN LIGHT" MAIN DRIVE SYSTEM NANO-POROUS BUSSARD PRIMARY CHILLERS INTERCOOLER HOUSING NORMALIZER COWLING COLLECTOR COWLING SPACE WARP M/AM REACTION SECONDARY CONTROL SENSORS CONTROL LOOP CHILLERS (P/V/S) DILITHIUM CRYSTAL DEUTERIUM EMERGENCY FLUSH **REGEN DEUTERIUM** ECM M/AM INTERMIX SUBSPACE COLLECTION GRID NORMALIZER ANTI-DEUTERIUM CONVERTOR ASSEMBLY VENT FUEL STORES MAIN POWER CONDIUT PRIMARY ACCESS SECONDARY BUSSARD COLLECTOR FIELD COMPRESSORS (P/S) GANGWAY FIELD COMPRESSORS (P/S) UNITED FEDERATION OF PLANETS AUTHENTICATION NOTICE STAR FLEET DIVISION CHIEF OF DESIGN MATTHEW JEFFERIES

General Plans:/recognition detail Warp Engine - PB-32 CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MATTHEW JEFFERIES SD 2401.55 SD 7411.27

