JAYNZ SHIPS OF STAR FLEET COMPENDIUM

UNITED FEDERATION OF PLANETS STAR FLEET DIVISION



JAYNZ' GUIDE FEDERATION STAR FLEET SERIES

RS: 480372-C

THE REFERENCE REPORTS CONTAINED HEREIN ARE FOR THE FAMILIARIZATION OF STARFLEET ACADEMY MIDSHIPMEN AND ARE HARD FORMAT COMPILATIONS OF MATERIAL CONTAINED IN THE DATA FILES OF MASTERCOM, STAR FLEET HEADQUARTERS, SAN FRANSISCO, EARTH.

UNDER THE INTELLECTUAL PROPERTY LAWS OF THE UNTIED FEDERATION OF PLANETS AND ITS MEMBERS, UNAUTHORIZED USE OR REPRODUCTION, IN WHOLE OR IN PART, OF THIS COMPILATION OR ANY SUBSEQUENTLY ISSUED, WITHOUT THE EXPRESS PERMISSION OF THE JUDGE ADVOCATE GENERAL OF STAR FLEET IS STRICTLY PROHIBITED.

TERRANGLO LANGUAGE EDITION

UPDATED AND APPROVED FOR TERRAN YEAR 2272



JAYNZ FEDERATION STAR FLEET SERIES COMPENDIUM 01

JAYNZ' GUIDE SERIES

THE JAYNZ'S GUIDE SERIES IS A HARD FORMAT COMPILATION OF FED-ERATION TECHNICAL ORDERS, ARTICLES, AND OTHER WORKS ISSUED BY STAR FLEET COMMAND FOR USE IN THEIR TRAINING PROGRAMS. THE ARTICLES SO PUBLISHED IN JAYNZ' GUIDES ARE FOR FAMILIARIZATION PURPOSES AND ARE AVAILABLE TO TRAINEES, INSTRUCTORS, AND EN-THUSIASTS WITH APPROPRIATE SECURITY CLEARANCE.

ATTENTION: CERTAIN MATERIAL CONTAINED HEREIN IS CLASSIFIED AS SECURITY LEVEL TWO BY STAR FLEET COMMAND AND THE BUREAU OF INTELLIGENCE. UNAUTHORIZED USE OF SUCH MATERIAL IS PUNISHABLE BY COURT MARTIAL, IMPRISONMENT, OR OTHER MEASURES DEPENDING ON PLANETARY LAWS AS STIPULATED BY TREATY.

CHIEF EDITOR:

NEALE DAVIDSON, CIVILIAN ADVISOR, MASTERCOM (WWW.PIXELSAGAS.COM) ASSISTANCE:

STEPHEN CHARLES GREEN, CIVILIAN ADVISOR, MASTERCOM

MEMORY ALPHA AND STARFLEET MASTERCOM CATALOGING DATA: UFP/SFD DTA RS:480372-1-REV 01

COPYRIGHT ©2006 NEALE DAVIDSON

MATERIAL HEREIN BASED ON MATERIAL WITHIN:

Star Trek ©1966-1969 desilu productions Inc. / ©1967-2006 paramount pictures, Inc. / ©2006 CBS Studios, Inc.

 STAR TREK BLUEPRINTS © 1972 BALLANTINE BOOKS

 STAR TREK TECHNICAL MANUAL © 1975 BALLANTINE BOOKS

 MR SCOTT'S GUIDE TO THE ENTERPRISE © 1980–1987 POCKET BOOKS

 STAR TREK SPACEFLIGHT CHRONOLOGY© 1980 POCKET BOOKS

 STAR TREK: THE MOTION PICTURE: 14 OFFICIAL BLUEPRINTS © 1980 WALLABY PRESS

 FEDERATION REFERENCE SERIES [VOL. 1–6] © 1985 STAR FLEET PRINTING OFFICE

 STAR TREK: THE ROLE PLAYING GAME , AND RELATED WORKS © 1982–1991 FASA, CORP.

 STAR TREK: THE ROLE PLAYING GAME , AND RELATED WORKS © 1991–200X LAST UNICORN GAMES, INC.

 STAR TREK: THE ROLE PLAYING GAME © 2002–2005 DECIPHER, INC, AND RELATED WORKS

 STAR TREK: THE ROLE PLAYING GAME © 2002–2005 DECIPHER, INC, AND RELATED WORKS

 STAR TREK: THE ROLE PLAYING GAME © 2002–2005 DECIPHER, INC, AND RELATED WORKS

 STAR FLEET BATTLES AND RELATED WORKS © 2006 ARMARILLO DESIGN BUREAU

 STAR TREK ENCYCLOPEDIA © 1994–1999 POCKET BOOKS

THIS DOCUMENT HAS BEEN ESTABLISHED FOR INFORMATIONAL AND ENTERTAINMENT PURPOSES ONLY. NO INFRINGEMENT OF COPY-RIGHT OR TRADEMARK IS INTENDED.

SECTION INDEX

MANUAL SUMMARY

SUBJECT	PAGE REFERENCE
STARFLEET REGISTRY	0:1:04.7
STARFLEET REGISTRATION	0:1:04:9
STARBASE (K-SERIES)	0:1:04:11
SCOUT CLASS (HERMES)	0:1:04:15
SCOUT CLASS (DIANA)	0:1:04:19
SCOUT CLASS (MONOCEROS)	0:1:04:23
SCOUT CLASS (NELSON)	0:1:04:27
SURVEYOR CLASS (DONOVAN)	0:1:04:31
	0:1:04:35
	0:1:04:39
PROSPECTOR CLASS [CAPELLA]	0:1:04:43
	0:1:04:47
	U:1:U4:51
	U:1:U4:55
	U:1:U4:59
	U:1:U4:63
	U: 1:U4:07
	0:1:04:73
	0:1:04:73
באסו הסאדותאו רסו וופבס רו אפג לארשבסאאסיז	0:1:04:83
	0.1.04.87
	0.1.04.95
	0.1.04.99
	0.1.04.103
BATTLESHIP CLASS (DIRECTORATE)	0:1:04:107
TRANSPORT CLASS (OSMANIEH)	0:1:04:111
TRANSPORT/TUG CLASS (PTOLEMY)	0:1:04:115
HEAVY TRANSPORT/TUG CLASS [DOLLAND]	0:1:04:119
CIVILIAN TRANSPORT (DY-250 SERIES)	0:1:04:123
COLONY TRANSPORT [EDWARD CLASS]	0:1:04:127
AUTOMATED FREIGHTER (SHERMAN CLASS)	0:1:04:131
ARMED FREIGHTER (INDEPENDENCE)	0:1:04:135
TRANSPORT CONTAINER (DRY BULK)	0:1:04:139
TRANSPORT CONTAINER (LIQUIDS)	0:1:04:141
TRANSPORT CONTAINER (PRODUCTS)	0:1:04:143
TRANSPORT CONTAINER (REEFER)	0:1:04:145
TRANSPORT CONTAINER (STARLINER)	0:1:04:147
BEAM EMITTER (MK IV PHASER)	0:1:04:149
TORPEDO (MK III PHOTON TORPEDO)	0:1:04:151
WARP ENGINE (PB-32)	0:1:04:153
WARP ENGINE (LN-40)	0:1:04:155

STAR FLEET VESSEL REGISTRY

OVERVIEW

AUTHORITY

THE STAR FLEET VESSEL REGISTER (SFVR) IS A PRODUCT OF THE FLEET OPERATIONS SUPPORT OFFICE IN COOPERATION WITH CHIEF OF STAR FLEET OPERATIONS AND CHIEF OF LOGISTICS.

MISSION STATEMENT

TO SUPPORT THE STAR FLEET AND ITS AFFILIATES IN THE EXECU-TION OF SHIPBUILDING AND MAJOR WEAPONS ACQUISITION PRO-GRAMS THROUGH MANUFACTURING, ENGINEERING AND INDUSTRIAL PLANNING, AND TO PERFORM SUCH OTHER FUNCTIONS AS MAY BE DIRECTED BY STAR FLEET COMMAND.

OFFICIAL FUNCTIONS

SERVE AS A CENTRALIZED TECHNICAL SOURCE FOR PERFORMING ASSESSMENTS OF THE INDUSTRIAL BASE CAPABILITY AND CAPACITY TO EXECUTE STAR FLEET SHIPBUILDING AND MAJOR WEAPON AC-GUISITION PROGRAMS AS REGUIRED BY DEPARTMENT OF STAR FLEET ACQUISITION REGULATIONS.

PROVIDE TECHNICAL SUPPORT FOR ALL PHASES OF VESSEL ACQUI-SITION PROGRAMS INCLUDING SOURCE SELECTION, CONTRACT AWARD AND SURVEILLANCE, CONSTRUCTION MONITORING, ANALYSIS OF SHIPBUILDING TECHNOLOGY, AND COST AND SCHEDULE ANALYSIS.

PERFORM ANNUAL SURVEYS OF SHIPYARDS AND SHIPBOARD EQUIP-MENT AND SYSTEM MANUFACTURERS IN ORDER TO DETERMINE, VALIDATE, AND RECORD THEIR CAPABILITIES, CAPACITIES, FACILITIES, WORKLOAD, MANUFACTURING LEAD TIMES, FINANCIAL VIABILITY, AND OVERALL ABILITY TO SUPPORT STAR FLEET SHIPBUILDING, MAINTE-NANCE, AND REPAIR.

CENTRALIZE DATA COLLECTION FOR STAR FLEET VESSEL CON-STRUCTION AND MAINTENANCE PROGRAMS. TO THAT END, OVERSEE AND MAINTAIN THE INDUSTRIAL BASE RELATIONAL DATABANK.

Support development of star fleet "annual industrail capabilities" report to the federation council's defense committee.

MAINTAIN THE FEDERATION COUNCIL MANDATED SFVR THAT SERVES AS THE OFFICIAL INVENTORY OF FEDERATION STARSHIPS, SPACE VESSELS AND SERVICE CRAFT.

PROVIDE RECOMMEDATIONS FOR TECHNICAL AND SERVICE UP-GRADES TO EXISTING STARSHIPS AND SPACE VESSELS, AS WELL AS RECOMMEND 'NEW TECHNOLOGY'' PROGRAMS TO STAR FLEET AND THE FEDERATION COUNCIL.

SEE TO THE STANDARDIZATION OF THE SFVR TO INCLUDE ALL SHIPS AND SPACE VESSELS OF FEDERATION MEMBER WORLDS, OF ANY SERVING CAPACITY, FOR THE PURPOSE OF CATALOGING THOSE SHIPS AND THEIR CAPABILITIES.

ORGANIZATIONAL CAPABILITIES

INDUSTRIAL BASE SUPPORT INDUSTRIAL BASE DATA AND ASSESSMENTS MANUFACTURER AND VENDOR RISK ANALYSES EQUIPMENT AND SYSTEM PROCUREMENT EVALUATIONS COST TRENDS AND FORECASTING

SHIP AND VESSEL ACQUISITION PLANNING AND APPRAISAL PROGRAM DEVELOPMENT SUPPORT ADVANCE PLANNING SCHEDULE NETWORK DEVELOPMENT/REVIEW PERFORMANCE AND COST ANALYSIS SHIPYARD SURVEYS AND ASSESSMENTS SHIPYARD FACILITIES DATA WAR GAME SUPPORT

ORGANIZATIONAL HIERARCHY



NOTE: REGISTRY PERSONNEL ARE OBLIGATED TO MAKE RECOMMEN-DATIONS TO ANY AND ALL STAFFERS ABOVE THEM IN THE STAR FLEET CHAIN OF COMMAND ON MATTERS OUTLINED IN MISSION STATEMENT OFFICIAL AND FUNCTIONS.

THE REGISTRY ALSO PERFORMS CERTAIN FUNCTIONS THAT MAY NOT AND CANNOT BE OVERRULED BY THOSE HIGHER IN THE COM-MAND HIERARCHY, AS DETERMINED BY THE REGISTRAR MISSION STATEMENT AND OFFICIAL FUNCTIONS. RS: 480372-1 TO 01:04:8

STARFLEET TECHNICAL ORDER AUTHENTICATED STARDATE 7411.27

BLANK FILE

STAR FLEET VESSEL REGISTRATION

OVERVIEW

CHIEF OF REGISTRY ORDER - SD 0085

STAR FLEET VESSEL REGISTRIES SHALL ADHERE TO THE FOLLOWING:

1) SHIPS OF THE LINE SHALL HAVE THE 'UNITED SPACE SHIP' (U.S.S.) PREFIX BEFORE THEIR NOMENCLATURE. ALL SHIPS OF THE LINE SHALL HAVE THE REGISTRY PREFIX 'NAVAL CONSTRUCTION CON-TRACT' (N.C.C.) FOR PURPOSES OF THE STAR FLEET REGISTRY.

REMAINING REGISTRIES IN THE RANGE OF NCC-001 THRU NCC-499 SHALL BE RESERVED FOR SHIPS SERVING UNDER UNITED EARTH SPACE PROBE AGENCY [UESPA] COMMAND, REGARDLESS OF TYPE.

AVAILABLE REGISTRIES IN THE RANGE OF NCC-500 THRU NCC-999 ARE RESERVED FOR SHIPS LIGHTER THAN FRIGATE-LEVEL VESSELS.

AVAILABLE REGISTRIES IN THE RANGE OF NCC-1000 THRU NCC-1999 ARE RESERVED FOR SHIPS EQUAL TO OR GREATER THAN FRIGATE-LEVEL.

AVAILABLE REGISTRIES IN THE RANGE OF NCC-3000 THRU NCC-3999 ARE RESERVED FOR MILITARY PURPOSE TRANSPORTS.

2) SUPPORT VESSELS ATTACHED TO STAR FLEET SHALL HAVE THE 'SPACE SHIP' [S.S.] PREFIX BEFORE THEIR NOMENCLATURE. IN ADDI-TION, THE NUMERICALS REGISTRIES OF EACH VESSEL SHALL BE PRE-FIXED WITH 'NCC' FOLLOWED BY A LETTER DESIGNATING SHIP TYPE.

THE LETTERS 'A' THRU 'H' DESIGNATES CARGO TRANSPORT VES-SELS. THE LETTERS 'L' THRU 'N' DESIGNATE PASSENGER TRANS-PORT VESSELS. THE LETTERS 'R' AND 'S' DESIGNATE ALL OTHER SUPPORT VESSELS.

NUMERICAL REGISTRIES FOR THESE TYPES WILL BE ASSIGNED IN THE ORDER OF APPROVAL AND ENTRY INTO THE VESSEL REGISTRY.

3] SHUTTLECRAFT AND OTHER 'ATTACHED' LIGHT VESSELS SHALL BE GIVEN A NUMERICAL REGISTRY DENOTED BY THEIR ASSIGNMENT, FOLLOWED BY A '/X' SUFFIX FOR EACH SPECIFIC CRAFT.

CHIEF OF REGISTRY ORDER - SD 2141

THIS ORDER SUPERCEDES ORDER SD 0085, WHERE APPLICABLE

1) THE USS *YAMATO* SHALL BE GIVEN SPECIAL DISPENSATION FOR STARFLEET REGISTRIES, AND SHALL BE ASSIGNED THE ALPHANU-MERICAL REGISTRY 'NCC-1305-X' IN HONOR OF HER LOSS. EACH SHIP DESIGNATED *YAMATO* SHALL SUCCESSIVELY APPEND A LETTER TO THE END OF HER REGISTRY.

2) BY REQUEST, THE FOLLOWING PROVISIONS HAVE BEEN MADE FOR THE NEW 'CONTAINER' PODS FROM STAR FLEET TRANSPORT COM-MAND:

LIQUID SERIES - AR FROM NCC-1000 THRU NCC-1999 DRY BULK SERIES - AR FROM NCC-2000 THRU NCC-2999 REEFER SERIES - AR FROM NCC-3000 THRU NCC-3999 STARLINER SERIES - AR FROM NCC-4000 THRU NCC-4999 PRODUCTS SERIES - AR FROM NCC-5000 THRU NCC-5999 CHIEF OF REGISTRY ORDER - SD 6400

THIS ORDER SUPERCEDES ORDER SD 2141, WHERE APPLICABLE

1) GENERAL PURPOSE CIVILIAN SHIPS ATTACHED TO STAR FLEET SHALL BE GIVEN THE NUMERICAL REGISTRY PREFIX 'NAR' (NAVAL ATTACHED RESERVE) TO DENOTE THEIR STATUS. EXISTING SHIPS WITH THIS STATUS SHALL BE RENUMBERED PENDING THEIR NEXT OVERHAUL.

2) STAR FLEET PERSONNEL TRANSPORTS, COURIERS, AND STARLIN-ERS SHALL BE GIVEN THE NUMERICAL REGISTRY PREFIX 'NDT' (NAVAL DIPLOMATIC TRANSPORT) TO DENOTE THEIR STATUS. EXISTING SHIPS WITH THIS STATUS SHALL BE RENUMBERED PENDING THEIR NEXT OVERHAUL.

2) STAR FLEET CARGO TRANPORTS AND COURIERS SHALL BE GIVEN THE NUMERICAL REGISTRY PREFIX 'NFT' (NAVAL FREIGHT TRAN-PORT) TO DONTE THEIR STATUS. EXISTING SHIPS WITH THIS STATUS SHALL BE RENUMBERED PENDING THEIR NEXT OVERHAUL.

4) CIVILIAN SCIENCE VESSELS ATTACHED TO STAR FLEET, BUT ARE NOT TO SERVE IN COMBAT SITUATIONS SHALL BE GIVEN A NUMERI-CAL REGISTRY PREFIX 'NSP' (NAVAL SCIENCE PROBE). EXISTING SHIPS WITH THIS STATUS SHALL BE RENUMBERED PENDING THEIR NEXT OVERHAUL.

5) TRANSPORT PODS CURRENTLY UNDER STAR FLEET TRANSPORT COMMAND SHALL BE ASSIGNED NEW REGISTRIES BASED ON ABOVE ORDERS AT THE COMPLETION OF THEIR CURRENT MISSIONS.

6) AVAILABLE REGISTRIES IN THE RANGE OF NCC-2000 THRU NCC-2099 ARE RESERVED (CLASSIFIED).

7] AVAILABLE REGISTRIES IN THE RANGE OF NCC-2100 THRU 2499 ARE RESERVED FOR SHIPS OF THE LINE LARGER THAN HEAVY CRUIS-ERS.

8) ANY AND ALL REGISTRIES MADE AVAILABLE FROM THE ABOVE CHANGES MAY BE REASSIGNED TO NEW VESSELS.

9) VESSELS RE-APPRORPRIATED FROM OTHER CLASSES MAY, AT DISCRETION OF THE REGISTRY, KEEP THE ORIGINALLY INTENDED NU-MERICAL REGISTRY VALUES.

CHIEF OF REGISTRY ORDER - SD 7215

THIS ORDER SUPERCEDES ORDER SD 6400, WHERE APPLICABLE

1) THE 'NX' (NAVAL EXPERIMENTAL) REGISTRY PREFIX IS OFFICIALLY ADDED TO THE STAR FLEET REGISTRY. (THE PREFIX HAD BEEN USED 'UNOFFICIALLY' FOR YEARS). 'NX' REGISTRIES SHALL ADHERE TO THE 'NCC' CONVENTIONS OUTLINED PREVIOUSLY, DEPENDING ON THE TYPE OF SHIP UNDERGOING TESTING.

2) Given the repeated use of certain starship names, Fed-Eration ships will no longer have roman numeral suffixes Appended to their names. RS: 480372-1 TO 01:04:10

STARFLEET TECHNICAL ORDER AUTHENTICATED STARDATE 7411.27

BLANK FILE

STARBASE

'Κ' SERIES, GENERAL PURPOSE

GENERAL INFORMATION

The 'K' series starbase was designed to fufill a variety of roles, and is considered a large 'general purpose' starbase. The bases often act as a center for trade, commerce, or defense in those areas where a plane-tary base isn't deemed practical.

THE K SERIES STARBASE WAS DESIGNED TO BE QUICKLY CON-STRUCTED AND ASSEMBLED, WITH EACH ASSEMBLE ABLE TO BE TOWED IN A COMPACT 'MODE', AND EXPANDED ON SITE. USING THIS APPROACH, THE FOURTEEN K-SERIES STABASES SEEMED TO POP UP OVERNIGHT ALONG VULNERABLE FEDERA-TION TRADE ROUTES, PARTICULARLY THOSE TOO NEAR THE KLINGON BORDER [SUCH AS THE K-7 STARBASE].

WITH LAVISH QUARTERS, NUMEROUS SERVICES, AND A WIDE VARIETY OF EQUIPMENT ON EACH OF THESE BASES, MANY ASSIGNED TO THESE BASES CONSIDER THEM THE NEXT-BEST THING TO BEING PLANET-SIDE. ASIDE FROM THESE COMFORTS, HOWEVER, THE K-SERIES STARBASE ALSO BOSTS A POWERFUL ARRAY OF PHASERS FOR DEFENSE, AND ACTS AS SUBSPACE RADIO BOOSTERS AND LONG-RANGE SCANNING OUTPOSTS.

DESPITE THE IMPRESSIVE CAPABILITIES OF THE DESIGN, THE K-SERIES WAS ONLY DESIGNED FOR A NORMAL LIFESPAN OF 35 YEARS, AND THE OLDEST OF THE K SERIES ARE BEGINNING TO SHOW THEIR AGE. WHILE IT'S UNLIKELY THAT ANY WILL BE RETIED SOON, THE DESIGN HAS BEEN PASSED UP IN FAVOR OF NEW, MORE 'MODERN' STARBASE DESIGNS.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

MATTHEW JEFFERIES UTOPIA PLANETIA JULY 2245, SD 0965 14

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
K-1	K-1	ACTIVE / STARFLEET COMMAND
к-2	к-2	ACTIVE / STARFLEET COMMAND
К-З	К-З	ACTIVE / STARFLEET COMMAND
K-4	K-4	ACTIVE / STARFLEET COMMAND
К-5	K-5	ACTIVE / STARFLEET COMMAND
К-6	K-6	ACTIVE / STARFLEET COMMAND
К-7	K-7	ACTIVE / STARFLEET COMMAND
К-8	К-В	ACTIVE / STARFLEET COMMAND
К-9	K-9	ACTIVE / STARFLEET COMMAND
K-10	K-10	ACTIVE / STARFLEET COMMAND
K-11	K-11	ACTIVE / STARFLEET COMMAND
К-12	K-12	ACTIVE / STARFLEET COMMAND
К-13	K-13	ACTIVE / STARFLEET COMMAND
K-14	K-14	ACTIVE / STARFLEET COMMAND

TYPE K STARBASE - BOW VIEW



GENERAL PLANS:/RECOGNITION DETAIL STARBASE / K-SERIES

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MATHEW JEFFERIES SD 4840.55 SD 7411.27

STARFLEET TECHNICAL ORDER

STARBASE / K-SERIES

AUTHENTICATED STARDATE 7411.27



VERSION RELEASE

SD 7411.27

STARBASE

TYPE SPECIFICS

STARFLEE	t technical order
AUTH	ENTICATED STARDATE 7411.27

4 8 4

DUOTRONIC MK III CU

GENERAL PURPOSE 25 YEARS

6 PERSONAL MK IV CT-3 SUITE

MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 8 STD / 8 EVAC / 6 CARGO /

SUPPLEMENTAL CRAFT

STANDARD COMPLEMENT

OFFICERS (COMMAND) CREW	43 387	TYPE H TRAVEL POD TYPE F SHUTTLECRAFT TYPE HF SHUTTLECRAFT
DIMENSIONS		
DEADWEIGHT TONNAGE	455,000 MT	 SECONDART STSTEMS
LENGTH	354M	MAIN COMPUTER
BREADTH	321M	ACTIVE SCANNER SUITE
HEIGHT	161M	PASSIVE SENSOR SUITE
ARMAMENTS		TRANSPORTERS
PHASERS	MK IV TWIN EMITTER	LIFE SUPPORT
	(X2A, X2 F/S, X2 F/P) MK IVH SINGLE EMITTER (X2A)	MISSION PROFILE
PHOTON TORPEDOES	NONE	MISSION TYPE
DEFENSE DEFLECTOR SHIELD	PFF3AE	MAXIMUM OPERATING RATING
PASSIVE DEFLECTOR	MK VI/AS	
TRACTOR BEAM EMITTER	MK IV SS MICRO-COMPRESSOR (A)	
PROPULSION SYSTEMS		

WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM NONE NONE CCR50C (500KPM)

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
[GENERAL] DECK ONE DECK TWD DECK TWD DECK THREE DECK FOUR THRU SIX DECK SEVEN, EIGHT DECK NINE THRU SLEVEN DECK NINE THRU ELEVEN DECK TWELVE THRU SEVENTEEN DECK TWELVE THRU SEVENTEEN DECK TWENTY-FIVE DECK TWENTY-FIVE DECK TWENTY-FIVE DECK TWENTY-FIVE DECK THIRTY THRU THIRTY-TWO DECK THIRTY-THREE, THIRTY-FOUR DECK THIRTY-THREE, THIRTY-FOUR DECK THIRTY-THREE, THIRTY-FOUR DECK THIRTY-THREE, THIRTY-TWO DECK FOURTY THRU FOURTY-TWO DECK FOURTY-THREE DECK THIRTY THRU THIRTY-TWO DECK EIGHTEEN DECK NINETEEN DECK NINETEEN	MAIN COMPLEX MAIN COMPLEX SUPPORT SPOKE SECONDARY COMPLEX SECONDARY COMPLEX	SUBSPACE TRANSCIEVER/BOOSTER, MAIN SENSORS COMMAND CENTER COMMUNICATIONS CENTER ADMINISTRATION OFFICES / ADMINISTRATION QUARTERS SPECIAL ACCOMODATIONS, SCIENCE LABS PRIVATE QUARTERS, LEISURE CENTERS, STORES PROMENADE ENGINEERING, STORES, LEISURE CENTERS EMERGENCY DORSAL SEPERATION STARFLEET LOUNGES, OBSERVATION DECKS SICKBAY, MEDICAL CENTERS, MAIN TRANSPORTERS TRANSPORTATION CONDIUT, BASE MACHINERY, STORES PRIMARY COMPUTERS CARGO STORES PRIMARY SHUTTLE BAY SHUTTLEBAY SUPPORT AND SUPPLIES CREW QUARTERS, SUPPLY CONDUITS, STORES SECONDARY SENSORS, HOMING BEACON, NAVIGATION CONTROL BAR,/LOUNGE, OBERSVATION DECK STATERDOMS, PRIVATE QUARTERS
DECK TWENTY-NINE, THIRTY DECK THIRTY-ONE, THIRTY-TWO DECK THIRTY-THREE, THIRTY-FOUR DECK THIRTY-FIVE	SECONDARY COMPLEX SECONDARY COMPLEX SECONDARY COMPLEX SECONDARY COMPLEX	LEISURE AREAS, PRIVATE OFFICES CREW DINING AREA, FOOD PREPARATION, ARMORY, BRIG MAINTENANCE FACILITIES, MACHINERY SECONDARY POWER SYSTEMS

SCOUT CLASS

HERMES CLASS STARSHIPS

GENERAL INFORMATION

THE HERMES CLASS MAY BE A MODEL EXERCISE IN OPTIMISM, DESIGNED MORE TO PLACATE CERTAIN MEMBER WORLDS OF THE FEDERATION. WITH THE 'CONSTITUTION PROJECT' SEEN AS TOO MILITARISTIC, STAR FLEET WAS ORDERED TO CREATE A DEDICATED EXPLORER WITH THE NEWEST TECHNOLOGIES TO FUFILL AS PURELY 'SCIENTIFIC EXPLORATION ROLE'. THE RE-SULT WAS THE SOMEWHAT ILL-CONCEIVED HERMES CLASS.

THOUGH THE HERMES CLASS BOASTS IMPRESSIVE SENSOR CAPABILITIES FOR HER TIME, THEIR LIGHT ARMAMENT AND PROBLEMATIC USE OF A SINGLE PB-32 ENGINE LEFT THEIR EXTREMELY VULNERABLE IN THE FIELD. WHILE EFFECTIVE AT STELLAR CARTOGRAPHY AND SCIENTIFIC WORK, SEVERAL HER-MES CLASS SHIPS WERE LOST EARLY IN THEIR CAREER, CAUS-ING STAR FLEET TO RETHINK THEIR USE.

THE REMAINING SCOUTS SERVE LARGELY WITHIN LARGER TASK FORCES OR IN 'SAFE ZONES', RESIGNED LARGELY TO SCIENTIFIC WORK OR ACTING AS LEAD 'SCOUTS' WITH OTHER, MORE HARDY SHIPS PROVIDING ESCORT.

THE *HERMES* CLASS WAS DECLARED 'COMPLETE' IN 2259, AND REPLACED BY A VARIETY OF OTHER DESIGNS. DESPITE THE HARDSHIPS, THE CLASS MAY GET A SECOND LEASE ON LIFE ONCE THE UPGRADED *HERMES* [REFIT] CLASS, WHICH WOULD REMOVE THE SB-32 FLAW.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

Franz Joseph Utopia planetia JULY 2245, SD 0965 9

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS HERMES	NCC-585	INACTIVE/ UNDERGOING RECONSTRUCTION TO HERMES (R) CLASS SPECIFICATIONS
USS ANUBIS	NCC-586	INACTIVE/ UNDERGOING RECONSTRUCTION TO HERMES (R) CLASS SPECIFICATIONS
USS AEOLUS	NCC-588	DECOMISSIONED
USS QUINTILLUS	NCC-590	DESTROYED
USS BRIDGER	NCC-591	ACTIVE / STARFLEET COMMAND
USS CODY	NCC-594	ACTIVE / STARFLEET COMMAND
USS REVERE	NCC-595	ACTIVE / STARFLEET COMMAND
USS BOWIE	NCC-597	ACTIVE / STARFLEET COMMAND
USS SACAJAWEA	NCC-598	DESTROYED



HERMES CLASS - BOW VIEW

RS: 480372-3 TO 01:04:16

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



SCOUT CLASS

CLASS SPECIFICS

DECK TWELVE

DECK THIRTEEN

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	2
CREW	180		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	95,000 MT 242 M 127 M 60 M	1	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F,) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	SURVEY, SCOUT, SC 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—SINGLE (WF 5/7) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SI	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK ELEVEN DECK EIGHT DECK NINE DECK TEN DECK TEN DECK ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE PHOTON OFFICER CREW G CREW G TRAVEL FABRICA RECREA PHASER EMEGEN AUXILLA PLASMA	E LABS I CONTROL, I'S GUARTERS I'S GUARTERS, PHASER CONTROL, QUARTERS, ENGINEERING, IMPULSE QUARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY AC ATION FACILITIES, STORAGE TION DECKS, STORAGE I COTNROL, PHASER BANK (F), SEN ICY SEAL AND SEPERATION, STORA ARY MACHINERY, NAY MACHINERY, REAR OBSERVATION A FLUSH CONTROL.	REACTOR CONTROL IELL GANGWAY ACCESS CESS, COMPUTER ARRAY ISOR AND SCANNER CONTROL AGE ON DECK

PLASMA FLUSH CONTROL, WARP GENERATION CONTROL INTERMIX CONTROL ROOMS

SCOUT CLASS

DIANA CLASS STARSHIPS

GENERAL INFORMATION

WHEN THE BALANCE PROBLEMS OF THE PB-32 SINGLE ENGINE ARRANGEMENT CAME TO LIGHT, OPINION WAS SHARPLY DI-VIDED ON WHAT TO DO ABOUT IT. THE BALANCE ISSUES ONLY MANIFEST BEYOND THE 'CRUISE' RATING OF EACH SHIP SO EQUIPPED. FOR COMBAT SHIPS, THIS WAS SEEN AS A CRITICAL ISSUE, BUT FOR SCOUTS SUCH AS THE *HERMES*, THERE WASN'T NEARLY AS MUCH IMPETUS TO CORRECT THE ISSUE WITH A RUNNING DESIGN CHANGE.

It's not supprising, then, that the *Diana* class would come to live as an 'outgrowth' of the *Pompey* class correction to the *Saladin*. When the *Pompey* was put up as a 'fix' for the remaining *Saladin* class builds, the decision to make a similar correction to the remaining *Hermes* class builds was a Natural.

The New Design would correct the warp imbalance issue by Replacing the `NECK' and single engine with an inverted `t' pylon with two warp engines at its side. This design would allow for a minimal amount of Reengineering to the ship's overall lines, keeping the ships relatively close to their initial budget.

IN ADDITION TO THE CORRECTION OF THE IMBALANCE, THE RATED SPEEDS OF THE *DIANA* CLASS WOULD ALSO INCREASE, GREATILY EXTENDING THE SCOUTING RANGE OF THE SHIP'S CLASS.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED TODD GUENTHER UTOPIA PLANETIA MAY 2258, SD 1313 6

USS DIANANCC-589ACTIVE / STARFLEET COMMANDUSS CARSONNCC-592ACTIVE / STARFLEET COMMANDUSS BATIDDRNCC-593ACTIVE / STARFLEET COMMANDUSS SPAKERNCC-596ACTIVE / STARFLEET COMMANDUSS TONTINCC-599ACTIVE / STARFLEET COMMAND	VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS CROKETT NCC-600 ACTIVE / STARFLEET COMMAND	USS DIANA	NCC-589	ACTIVE / STARFLEET COMMAND
	USS CARSON	NCC-592	ACTIVE / STARFLEET COMMAND
	USS BATIDOR	NCC-593	ACTIVE / STARFLEET COMMAND
	USS SPAKER	NCC-596	ACTIVE / STARFLEET COMMAND
	USS TONTI	NCC-599	ACTIVE / STARFLEET COMMAND
	USS CROKETT	NCC-600	ACTIVE / STARFLEET COMMAND



POMPEY CLASS - BOW VIEW



GENERAL PLANS:/RECOGNITION DETAIL SCOUT (SC) / DIANA CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE TODD GUENTHER SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



SCOUT CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	2
	180		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	133,000 MT 234M 127 M 49 M	1	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	SURVEY, SCOUT, SC 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT	VESSEL SECTION	DECK SI	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK ELEVEN DECK EIGHT DECK KINE DECK TEN DECK TEN DECK TEN DECK ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE PHOTON OFFICER CREW G CREW G TRAVEL FABRICA RECREA PHASER EMEGEN AUXILLA PLASMA	E LABS I CONTROL, I'S QUARTERS I'S QUARTERS, PHASER CONTROL, IVARTERS, ENGINEERING, IMPULSE IVARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY ACI ATION FACILITIES, STORAGE TION FACILITIES, STORAGE I COTNROL, PHASER BANK (F), SEN ICY SEAL AND SEPERATION, STORA ICY SEAL AND SEPERATION, STORA ICY MACHINERY, INY MACHINERY, REAR OBSERVATI A FLUSH, INTERMIX AND WARP CO	REACTOR CONTROL IELL GANGWAY ACCESS CESS, COMPUTER ARRAY ISOR AND SCANNER CONTROL AGE DN DECK NTROL ROOMS

SCOUT CLASS

MONOCEROS CLASS STARSHIPS

GENERAL INFORMATION

THE *MONOCEROS* IS A UNIQUE SHIP IN ITS OWN CLASS, DE-SIGNED PRIMARILY AS A TESTBED VESSEL FOR 'NEW GENERA-TION' TECHNOLOGY. THE MOST STRIKING DIFFERENCE WITH THE *MONOCEROS* FROM PREVIOUS SHIPS IS THE NEW PAIR OF LN-40 WARP ENGINES MOUNTED ABOVE THE MAIN SAUCER. IT IS FOR THESE ENGINES THAT THE SHIP WAS CREATED.

THE *MONOCEROS* IS OFFICIALLY DESIGNATED A 'SCOUT' AND AN UPRATED DESIGN FROM THE *HERMES* FAMILY OF SCOUTS, THOUGH THERE'S LITTLE THE SAME BETWEEN THE *MONOCEROS* AND HER WOULD-BE SISTER SHIPS CONSIDERING THE NEW TECHNOLOGY PLACED WITHIN HER.

DESPITE BEING CONSIDERED A MODERATELY SUCCESSFUL TEST VESSEL, THE AXE FELL ON THE *MONOCEROS* DESIGN ITSELF, WITH NO NEW BUILDS ALLOCATED FOR SHIPS OF THE TYPE. INSTEAD, A NEW DESIGN, EMPLOYING SOME OF THE LESSONS LEARNED FROM THE TEST PROJECT, WOULD BE DEPLOYED IN 2271, THE *OBERTH* CLASS. MONOCEROS CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

STATUS AS OF SD 7411.3 (JANUARY 2272)

ARIDAS SOFIA SAN FRANCISCO ORBITAL MARCH 2264, SD 4840 1

VESSEL NAME

USS MONOCEROS

REGISTRY NX-601

ACTIVE / STARFLEET COMMAND

RS: 480372-3 TO 01:04:24



AUTHENTICATION APPROVAL

VERSION RELEASE

SD 4840.55

SD 7411.27

GENERAL PLANS:/RECOGNITION DETAIL

SCOUT (SX) / MONOCEROS CLASS

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



SCOUT CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	2
CREW	180		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	125,000 MT 226M 127M 56M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	SURVEY, SCOUT, SC 12 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-LN MK III—TANDEM (WF 7/9) IPI86E (.75C) CCR5OC (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SI	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK ELGHT DECK NINE DECK TEN DECK ELEVEN		BRIDGE SCIENCE PHOTON OFFICER OFFICER CREW G CREW G TRAVEL FABRICA RECREA PHASER	E LABS I CONTROL, I'S GUARTERS, MAIN RECREATION I I'S GUARTERS, PHASER CONTROL, IUARTERS, ENGINEERING, IMPULSE I IUARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY ACI ATION FACILITIES, STORAGE TION DECKS, STORAGE I COTNROL, PHASER BANK (F), SEN	DECK REACTOR CONTROL ELL GANGWAY ACCESS CESS, COMPUTER ARRAY SOR AND SCANNER CONTROL

RS: 480372-4 TO 01:04:27

SCOUT CLASS

NELSON CLASS STARSHIPS

GENERAL INFORMATION

THE *NELSON* CLASS WAS AN OBVIOUS VARIANT AND REWORK-ING OF THE *HERMES* CLASS SCOUT, SOMEWHAT OVERCOMING SOME OF ITS WEAKNESSES TO SERVE AS A BORDER OBSERVA-TION SHIP. THESE SHIPS ENGAGED IN SOME SCIENTIFIC WORK, BUT THEIR ENHANCED SENSORS AND COMPUTER SYSTEMS ARE DESIGNED PRIMARILY TO SCAN THE SKIES FOR HOSTILE THREATS, INCLUDING PENETRATING THE EARLY CLOAKING DE-VICES USED AT THE TIME.

THE NELSON CLASS STILL SUFFERS FROM THE LONE SB-32 ENGINE DRAWBACKS, THOUGH AN ATTEMPT TO 'BALANCE' THE INTERMIX SYSTEM WAS EXPERIMENTED WITH, RESULTING IN THE SPLIT-PYLON APPROACH USED HERE, REINFORCING THE SHIP'S OVERALL STRUCTURE. THIS DIDN'T ALLEVIATE THE PROBLEM OF THE IMBALANCE, BUT DID MAKE THE SHIP OVER-ALL MORE SURVIVABLE IN CASE TROUBLE DID ARISE. HERMES CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DANA KNUTSON UTOPIA PLANETIA MAY 2258, SD 1313 6

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS NELSON	NCC-7350	INACTIVE/ UNDERGOING RECONSTRUCTION TO HERMES (R) CLASS SPECIFICATIONS
USS SAGER	NCC-7351	INACTIVE/ UNDERGOING RECONSTRUCTION TO HERMES (R) CLASS SPECIFICATIONS
USS MOISANEN	NCC-7352	DECOMISSIONED
USS MANZER	NCC-7353	DESTROYED
USS WEBLO	NCC-7354	ACTIVE / STARFLEET COMMAND
USS NOSTBOMO	NCC-7355	ACTIVE / STARFLEET COMMAND
USS EAGLE	NCC-7356	DECOMISSIONED
USS HAWK	NCC-7357	ACTIVE / STARFLEET COMMAND
USS SCAVENGER	NCC-7358	ACTIVE / STARFLEET COMMAND
USS FALCON	NCC-7359	ACTIVE / STARFLEET COMMAND
USS RAVEN	NCC-7360	ACTIVE / STARFLEET COMMAND

RS: 480372-4 TO 01:04:28

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL SCOUT (SC) / NELSON CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE DANA KNUTSON SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



SCOUT CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT
OFFICERS (COMMAND)	20	TYPE H TRAVEL POD 2
	180	SECONDARY SYSTEMS
DEADWEIGHT TONNAGE	105.000 MT	MAIN COMPUTER DUOTRONIC MK II CU ACTIVE SCANNER SUITE MK III LX HVY SENSORY SYSTEM
LENGTH BREADTH HEIGHT	265 M 127 M 61 M	PASSIVE SENSOR SUITEMK III HVY SENSORY SYSTEMTRANSPORTERS2 STD / 2 EVAC / 2 CARGOLIFE SUPPORTMK IV CT-3 SUITE
ARMAMENTS		MISSION PROFILE
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F,) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE SURVEY, SCOUT, SC MAXIMUM OPERATING RANGE 9 YEARS AT LYV
PROPULSION SYSTEMS		
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—SINGLE (WF 5/7) IPI86E (.75C) CCR45C (500KPM)	
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER)	BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S GUARTERS OFFICER'S GUARTERS, PHASER CONTROL, CREW GUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW GUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL

SURVEYOR CLASS

DONOVAN CLASS STARSHIPS

GENERAL INFORMATION

THE *DONOVAN* CLASS IS AN OUTGROWTH OF THE *ORTEGA* DESTROYER DESIGN. AS WITH THE *SALADIN* AND *HERMES* CLASSES, THE CONCEPT WAS TO HAVE A NEARLY-IDENTICAL SHIP TO THE DESTROYER, BUT TO CHANGE THE EQUPIMETN WITHIN TO ALLOW FOR AN EXPLORATION AND SCIENTIFIC ROLE, RATHER THAN ONE FOR A WARPSHIP.

ONLY A SMALL HANDFUL OF *DONOVAN* CLASS VESSELS WERE APPROVED, HOWEVER, AS MANY IN APPROPRIATIONS FELT THAT THE ROLE WAS ALREADY MORE THAN FULFILLED BY VARIOUS OTHER CLASSES ALREADY IN PRODUCTION. THE DONOVAN'S ALLOWED WOULD BE TO REPLACE SHPS OF THE *CAPELLA* OR *HERMES* CLASS WHICH WERE EITHER LOST OR DEEMED UNSUITABLE FOR REPAIR AND REFIT.

THOUGH NOT EVEN NEAR THE END OF THEIR LIFE-SPANS, THE CLASS HAS BEEN DECLARED 'COMPLETE', AS HER INTENDED ROLE IS TO BE SUPERCEEDED BY THE UPCOMING *OBERTH* CLASS OF SCOUT SHIPS.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

STEVEN COLE SAN FRANCISCO ORBITAL MARCH 2264, SD 3220 7

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DONOVAN USS GEHLEN USS CASEY USS DZHERZINSKI USS CANARIS	NCC-651 NCC-652 NCC-653 NCC-654 NCC-655	CLASS SHIP, ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND
	1122 222	

DONOVAN CLASS - BOW VIEW





GENERAL PLANS:/RECOGNITION DETAIL SURVEYOR (SA) / DONOVAN CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE STEVEN COLE SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



SURVEYOR CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	2
CREW	180		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	136,000 MT 207M 112M 62M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 3 STD / 3 EVAC / 3 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	SURVEY, SCOUT, SA 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-325 MK III—TRIPLE (WF 6/8) IPI86E (.75C) CCR5OC (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK ELEVEN DECK EIGHT DECK TEN DECK TEN DECK TEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE PHOTON OFFICER CREW G CREW G TRAVEL FABRICA RECREA PHASER AUXILLA PLASMA WARP G INTERMI	BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S QUARTERS, MAIN RECREATION DECK OFFICER'S QUARTERS CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL AUXILLARY MACHINERY, REAR OBSERVATION DECK PLASMA FLUSH CONTROL, WARP GENERATION CONTROL INTERMIX CONTROL ROOMS	

SURVEYOR CLASS

DERF CLASS STARSHIPS

GENERAL INFORMATION

AN EARLY 'COSNTITUTION' CLAS CONTEMPRORARY, THE DERF FUNCTIONS PRIMARILY AS A LONG RANGE SURVEYOR, TASKED WITH DUTIES SUCH AS STELLAR CARTOGRAPHY, ESTABLISHING SUBSPACE RELAY COMMUNICATION LINES, AND PLANETARY/ RESOURCE MAPPING. SINCE MUCH OF THE DUTIES OF THE DERF INVOLVE MAINTENANCE, SHE'S OFTEN ERRONENOUSLY RE-FERRED TO AS A 'TENDER' CLASS.

AS SUCH, THE DERF CLASS IS LESS ABOUT EXPLORING THE UNKNOWN', BUT MORE ABOUT SECURING THE FEDERATION'S INFRASTRUCTURE ON THE FRONTIER. THE UNUSUALLY HEAVY DESIGN FOR A SHIP OF THIS TYPE IS DUE TO THE MULTIPLE TASKS REQUIRED AND OFTEN LONG-DURATION VOYAGES THAT THESE SHIPS ARE OFTEN ASSIGNED.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

DANA KNUTSON UTOPIA PLANETIA MAY 2258, SD 1313 24

VESSEL NAME [MUST RECENT]	REGISTRY	STATUS AS UP SU 7411.3 [JANUARY 2272]
USS DERF	NCC-20100	CLASS SHIP; REFIT TO DERF (REFIT) CLASS IN 2272
USS ACROPOLIS	NCC-20101	DESTROYED
USS KERAMEIKOS	NCC-20102	INACTIVE/ UNDERGOING RECONSTRUCTION TO DERF (R) CLASS SPEC.
USS AMLEV	NCC-20103	INACTIVE/ UNDERGOING RECONSTRUCTION TO DERF (R) CLASS SPEC.
USS HEPHAISTAION	NCC-20104	INACTIVE/ UNDERGOING RECONSTRUCTION TO DERF (R) CLASS SPEC.
USS YBOOCS	NCC-20105	ACTIVE / STARFLEET COMMAND
USS ERECHTHEUM	NCC-20106	ACTIVE / STARFLEET COMMAND
USS KORE	NCC-20107	DECOMISSIONED
USS PARTHENON	NCC-20108	ACTIVE / STARFLEET COMMAND
USS PLACA	NCC-20109	ACTIVE / STARFLEET COMMAND
USS YGGAHS	NCC-20110	ACTIVE / STARFLEET COMMAND
USS HERODES	NCC-20111	ACTIVE / STARFLEET COMMAND
USS ENHPAD	NCC-20112	ACTIVE / STARFLEET COMMAND
USS PROPYLAEA	NCC-20113	ACTIVE / STARFLEET COMMAND
USS PINAKOTHEKE	NCC-20114	DECOMISSIONED
USS ATTALOS	NCC-20115	ACTIVE / STARFLEET COMMAND
USS THRASYLLOS	NCC-20116	ACTIVE / STARFLEET COMMAND
USS PHILOPAPPOS	NCC-20117	ACTIVE / STARFLEET COMMAND
USS PANATHENA	NCC-20118	INACTIVE/ UNDERGOING RECONSTRUCTION TO DERF (R) CLASS SPEC.
USS KALLIAKMANIS	NCC-20119	INACTIVE/ UNDERGOING RECONSTRUCTION TO DERF (R) CLASS SPEC.
USS COCLANUS	NCC-20120	ACTIVE / STARFLEET COMMAND
USS ANDREA	NCC-20121	ACTIVE / STARFLEET COMMAND
USS GRONHOLM	NCC-20122	ACTIVE / STARFLEET COMMAND
USS AURIOL	NCC-20123	ACTIVE / STARFLEET COMMAND

DERF CLASS - BOW VIEW





GENERAL PLANS:/RECOGNITION DETAIL SURVEYOR (SCA) / DERF CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

DANA KNUTSON SD 2401.55 SD 7411.27


SURVEYOR CLASS

CLASS SPECIFICS

DECK ONE

DECK TWO

DECK THREE

DECK FOUR

DECK SEVEN

DECK EIGHT

DECK NINE

DECK TEN

DECK ELEVEN

DECK FIVE

DECK SIX

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	43 187		TYPE H TRAVEL POD TYPE W 'WORKBEE" POD	2 4
DIMENSIONS			SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	135,000MT 287M 127M 81M	N A P T	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO
ARMAMENTS				
PHASERS	MK IV TWIN EMITTER (F)		MISSION PROFILE	
Photon torpedoes Defense deflector shield Passive deflector Tractor beam emitter	NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	EXP/INFRASTRUCTURE., SCA 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	РВ-32 МК III—ТАNDEM (WF 6/8) IPI86E (.75С) ССR45С (500КРМ)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER)	BRIDGE SCIENCE PHOTON OFFICER OFFICER	: LABS I CONTROL, 'S QUARTERS 'S QUARTERS, PHASER CONTROL, I	PHASER BANKS (F/P, F/S)

STORAGE, EMERGENCY PB-32 ACCESS

FABRICATION FACILITIES, STORAGE

RECREATION DECKS, STORAGE

EMEGENCY SEAL AND SEPERATION, STORAGE

AUXILLARY MACHINERY

AUXILLARY MACHINERY,

PLASMA FLUSH, INTERMIX AND WARP CONTROL ROOMS

CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL

CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS

TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY

PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL

AFT (PYLON)

AFT (PYLON)

AFT (PYLON)

AFT (PYLON)

AFT (PYLON)

SURVEYOR CLASS

CAHUYA CLASS STARSHIPS

GENERAL INFORMATION

THE FIVE SHIPS OF THE CAHUYA CLASS WERE ORIGINALLY DESIGNED AS MILITARY-ORIENTED CRUISERS, BUT THE SPECIF-ICS OF THE CLASS WAS SOUNDLY OUT-PERFORMED BY THE THEN-NEW CONSTITUTION CLASS VESSELS. STAR FLEET HAD COMMISSIONED FIVE SHIPS THAT NOW SEEMED OBSOLETE BEFORE THEY HAD EVEN BEEN COMPLETED!

RATHER THAN WASTE THE VESSELS, HOWEVER, STAR FLEET RE-APPROPRIATED THE FIVE SHIPS ALREADY STARED AND MADE THEM INTO LONG-RANGE SURVEYORS., ALLOWING CON-STRUCTION OF EACH SHIP TO BE COMPLETED WITH MORE MODERN COMPONENTS.

THE CLASS, UNDER ITS NEW MISSION OBJECTIVE, WAS A LIM-ITED SUCCESS. THOUGH THE SHIPS PERFORMED REASONABLY WELL EARLY IN THEIR CAREERS, THE DATED HULL FRAME PROVED UNWORKABLE FOR CONSISTANT UPGRADES. OTHER SHIPS CLASSES WITH LESS 'RIGID' DESIGNS SOON OVERTOOK THE CAHUYA IN TERMS OF DESIRABILITY AND THESE SHIPS HAVE FALLEN BY THE WAYSIDE IN THEIR USE.

THE REMAINING TWO SHIPS OF THE CLASS HAVE REACHED THE END OF THEIR LIFE CYCLE, AND ARE SCHEDULED FOR DECOM-MISSIONING WITHIN THE 2270S.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

TODD GUENTHER UTOPIA PLANETIA MAY 2258, SD 1313 5

VESSEL NAME (MOST RECENT)	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS CAHUYA	NCC-745	CLASS SHIP; DECOMISSIONED
USS DATOR	NCC-746	DECOMISSIONED
USS TURA	NCC-747	DECOMISSIONED
USS NONOY	NCC-748	ACTIVE / STARFLEET COMMAND
USS CAMANAY	NCC-749	ACTIVE / STARFLEET COMMAND



CAHUYA CLASS - BOW VIEW



GENERAL PLANS:/RECOGNITION DETAIL SURVEYOR (SCA) / CAHUYA CLASS

STAR FLEET DIVISION

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

TODD GUENTHER SD 4840.55 SD 7411.27



SURVEYOR CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT				SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	25 360		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT		2 4
DIMENSIONS				SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	165,000 MT 231M 130M 53M			MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUOTRONIC MK III CU MK III LX SENSORY SYSTEM MK III SENSORY SYSTEM 3 STD / 3 EVAC / 2 CARGO
ARMAMENTS					VIK IV CT-3 SUITE
PHASERS	MK IV SINGLE EMITTE	R			
PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	(X2A, X2 F, X2V) NONE PFF3AE MK VI/AS MK IV SS MICRO-CON	X2V) IICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RATING	SURVEYOR (SCA) 25 YEARS
PROPULSION SYSTEMS					
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	NONE NONE CCR5OC (500KPM)				
DECK ARRANGEMENT (GENERAL)	VESSEL	SECTION D	JECK SU	IMMARY	
DECK ONE DECK 'A' DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK TEN	FORWAI AFT AFT	RD E S S C C C C C C C C C C C C C C C C C	BRIDGE DBSERV/ STELLAF SCIENCE PHOTON DFFICER DFFICER CREW QI CREW QI CREW QI CREW QI CREW QI CREW QI CREW QI CREW QI CREW QI CREW QI	ATION DECK CARTOGRAPHY LABS CONTROL, S GUARTERS S GUARTERS, PHASER CONTROL, F UARTERS, ENGINEERING, IMPULSE R UARTERS, AUX CONTROL, PERSONE PODS, COMPUTER ARRAY, SENSOR TION FACILITIES, STORAGE TION DECKS, STORAGE	PHASER BANKS (F/P, F/S) EACTOR CONTROL ELL GANGWAY ACCESS AND SCANNER CONTROL

RS: 480372-5 TO 01:04:43

PROSPECTOR CLASS

CAPELLA CLASS STARSHIPS

GENERAL INFORMATION

THE *CAPELLA*'S DESIGN BEGAN LIFE AS A LATE *BATON ROUGE* CONTEMPRORARY BUT SAW A MAJOR REDESIGN SHORTLY BEFORE THE CLASS WAS TO BE LAUNCHED, OWING TO THE INNOVATIONS OF THE PB-32 WARP ENGINE. FORTUNATELY, THE SHIP WAS ABLE TO COME OUT ON SCHEULDE AND MUCH OF THE REDESIGN CONSITED OF ACCOMMODATING THE NEW EN-GINES AND NEW STANDARDIZED 'SAUCER' SECTION NOW FA-MILIAR ON MANY STARSHIPS.

AS ENVISIONED, THE SHIPS WOULD CHART AND SCAN THE SYS-TEMS WITHIN 'CLAIMED' FEDERATION AND EXPLORATION SPACE, LARGELY OUT OF REACH OF THE HOSTILE VESSELS. SINCE THAT TIME, THE *CAPELLA* CLASS CRAFT ALSO ENJOYED SUC-CESS AS LONG-DURATION SCIENFITIC VESSELS.

A *CAPELLA*'S SMALL CREWS ARE WELL EQUIPPED AND OFTEN MAY SPEND WEEKS OR MONTHS AWAY FROM A FACILITY AS THEY EMBARK ON THEIR PROSPECTING MISSIONS ON NEW FEDERATION-CLAIMED WORLDS. CAPELLA CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED BRIAN PIMENTA UTOPIA PLANETIA MAY 2258, SD 1313 16

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS CAPELLA	NCC-710	DECOMISSIONED
USS ARGONNE	NCC-711	DECOMISSIONED
USS ECHO	NCC-712	DECOMISSIONED
USS LLOYDS	NCC-713	ACTIVE / STARFLEET COMMAND
USS OREGON	NCC-714	ACTIVE / STARFLEET COMMAND
USS ROEBUCK	NCC-715	DECOMISSIONED
USS GLEANER	NCC-716	ACTIVE / STARFLEET COMMAND
USS ANTARES	NCC-717	DESTROYED
USS DARKHAK	NCC-718	ACTIVE / STARFLEET COMMAND
USS DOWDITCH	NCC-719	ACTIVE / STARFLEET COMMAND
USS DALS	NCC-720	ACTIVE / STARFLEET COMMAND
USS PARIZEAU	NCC-721	ACTIVE / STARFLEET COMMAND
USS FRIBERGA	NCC-722	ACTIVE / STARFLEET COMMAND
USS ABILITY	NCC-723	ACTIVE / STARFLEET COMMAND
USS MERCURY	NCC-724	ACTIVE / STARFLEET COMMAND
USS HASKINS	NAR-1324	DECOMISSIONED



GENERAL PLANS:/RECOGNITION DETAIL PROSPECTOR (SCP) / CAPELLA CLASS BRIAN PIMENTA SD 2401.55 SD 7411.27

AUTHENTICATION APPROVAL

VERSION RELEASE



PROSPECTOR CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	10 45		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT TYPE 'W' WORKBEE POD	2 4 4
			SECONDARY SYSTEMS	
DEADWEIGHT TUNNAGE LENGTH BREADTH HEIGHT	89,000MT 230 M 110 M 54 M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE	DUDTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM
ARMAMENTS			TRANSPORTERS LIFE SUPPORT	2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F,)		MISSION PROFILE	
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	PROSPECTOR, SCOUT, SCP 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32-S MK III—TANDEM (WF 5/7) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO, THREE DECK FOUR, FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK ELEVEN		BRIDGE SCIENCE ,OFFICEF CREW G AUX COI TRAVEL FABRICA RECREA PHASER	LABS I'S QUARTERS, UARTERS, ENGINEERING, IMPULSE F NTROL, PERSONELL GANGWAY ACC PODS, PERSONNEL GANGWAY ACC TION FACILITIES, STORAGE, PLANE TION DECKS, STORAGE, PLANETAR COTNROL, PHASER BANK (F), SEN	REACTOR CONTROL CESS, SHUTTEBAY, SCIENCE LABS CESS, COMPUTER ARRAY TARY SENSOR SYSTEM Y SENSOR SYSTEM SOR AND SCANNER CONTROL

DESTROYER CLASS

SALADIN CLASS STARSHIPS

GENERAL INFORMATION

THE SALADIN CLASS WAS, IN THEORY, THE 'PERFECT' LIGHT COMBAT SHIP. THE IDEA WAS TO TAKE THE SUCCESSFUL COM-PONENTS OF THE CONSTITUTION CLASS SHIPS AND STRIP THEM DOWN TO A LIGHTER BUT STILL POTENT DESTROYER. AND, IN MANY WAYS, THE SALADIN DOES INDEED PERFORM MODERATELY WELL.

EARLY INTO THE CLASS PRODUCTION, HOWEVER, A POTEN-TIALLY SEVERE PROBLEM BEGAN TO MANIFEST ITSELF. UNLIKE THE PREVIOUS GENERATION ENGINES, THE PB-32 USED ON THE SALADIN WOULD GENERATE INSTABILITY THAT COULD LEAD TO ACCIDENTAL WORMHOLE EFFECTS OR STRUCTURAL DAMAGE IF PRESSED NEAR MAXIMUM OUTPUTS.

EVEN THOUGH A SKILLED ENGINEER COULD COMPENSATE FOR THIS FLAW, THIS WAS STILL, OBVIOUSLY, NOT CONSIDERED AN ACCEPTABLE SITUATION FOR A SHIP DESIGNED TO SERVE UN-DER HIGH-STRESS CONDITIONS, AND AT A MOMENT'S NOTICE!

DESPITE THIS SHORTCOMING, THE POWER GENERATED BY THE PB-32 WAS STILL SUBSTANTIALLY GREATER THAN ITS PREDE-CESSOR AND THE "SAFE" WARP SPEEDS ALSO MATCHED OR SLIGHTLY BETTERED THE PREVIOUS GENERATION AS WELL.

THOUGH NOT AS STELLAR A PERFORMER AS HOPED. DUE TO THE INSTABILITY OF THE SINGLE PB-32 ENGINE. THE DE-STROYER WAS PUT INTO HEAVY PRODUCTION TO SERVE AS NEEDED DEFENSE ALONG THE NEUTRAL ZONES AND ALONG VITAL BUT HOT-ZONE TRADE ROUTES.

CONSTRUCTION DETAILS

SALADIN CLASS - BOW VIEW

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

FRANZ JOSEPH UTOPIA PLANITIA JULY 2245, SD 0965 16

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS SALADIN	NCC-500	CLASS SHIP, DECOMISSIONED
USS FERRARA	NCC-422	ACTIVE / UESPA DEFENSE COMMAND
USS MILAN	NCC-423	ACTIVE / UESPA DEFENSE COMMAND
USS POMPEII	NCC-424	DESTROYED
USS JENGHIZ	NCC-501	DECOMMISSIONED
USS DARIUS	NCC-502	ACTIVE / STARFLEET COMMAND
USS ALEXANDER	NCC-503	UPRATED TO JENGHIZ CLASS SPECIFICATIONS (2271)
USS SARGON	NCC-504	UPRATED TO JENGHIZ CLASS SPECIFICATIONS (2271)
USS XERXES	NCC-505	ACTIVE / STARFLEET COMMAND
USS ETZEL	NCC-509	DESTROYED
USS TAMERLANE	NCC-510	INACTIVE / UNDERGOING UPRATING TO JENGHIZ CLASS SPECIFICATIONS
USS ALARIC	NCC-511	INACTIVE / UNDERGOING UPRATING TO JENGHIZ CLASS SPECIFICATIONS
USS HANNIBAL	NCC-512	ACTIVE / STARFLEET COMMAND
USS RAHMAN	NCC-514	ACTIVE / STARFLEET COMMAND
USS ADAD	NCC-515	ACTIVE / STARFLEET COMMAND
USS SHAITAN	NCC-519	DESTROYED





VERSION RELEASE

SD 7411.27

DESTROYER (DD) / SALADIN CLASS



DESTROYER CLASS

CLASS SPECIFICS

DECK TWELVE

DECK THIRTEEN

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	2
CREW	180	- 1	SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	95,000 MT 242 M 127 M 60 M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, DD 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—SINGLE (WF 5/7) IPI86E (0.75C) CCR45C (500 KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUN	MMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK ELEVEN DECK EIGHT DECK NINE DECK TEN DECK TEN DECK TEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE L PHOTON (OFFICER'S CREW QU CREW QU TRAVEL F FABRICAT RECREATI PHASER (EMERGEN AUXILARY PLASMA I	LABS CONTROL & GUARTERS & GUARTERS, PHASER CONTROL, IARTERS, ENGINEERING, IMPULSE I IARTERS, AUX. CONTROL, PERSON PODS, PERSONNEL GANGWAY ACC ODS, PERSONNEL GANGWAY ACC ODS, PERSONNEL GANGWAY ACC ODS, PERSONNEL GANGWAY CONTROL, PHASER BANK (F), SEN CY SEAL AND SEPARATION, STOP MACHINERY MACHINERY, REAR OBSERVATIO FLUSH CONTROL	PHASER BANKS (F/P, F/S) REACTOR CONTROL INEL GANGWAY ACCESS CESS, COMPUTER ARRAY ISOR AND SCANNER CONTROL RAGE N DECK

WARP GENERATION CONTROL

INTERMIX CONTROL ROOMS

DESTROYER CLASS

POMPEY CLASS STARSHIPS

GENERAL INFORMATION

THOUGH THE *SALADIN* CLASS WAS A MAINSTAY OF FEDERA-TION DEFENSE SINCE ITS LAUNCH IN 2245, THE CLASS WAS NOTORIOUS FOR WARP IMBALANCES (SOMETIMES DANGEROUS WHEN PRESSED) BEYOND ITS RATED CRUISING SPEED. THIS WAS DUE TO BALANCE ISSUES OF THE PB-32 ENGINES, WHICH HAVE DIFFICULTY MAINTAINING A STABLE WARP FIELD AT HIGH VELOCITIES.

This imbalance was seen as a critical issue. Though the two single nacelle destroyer classes would remain in service throughout the "constitution era", starfleet decided to put a halt to the commissioning of New *Saladin* class ships, and ordered an upgraded type of ship which would correct the warp problem.

THE NEW DESIGN WOULD CORRECT THE WARP IMBALANCE ISSUE IN A RATHER SIMPLE WAY. THE 'NECK' AND SINGLE EN-GINE WAS REPLACED WITH AN INVERTED 'T' PYLON WITH TWO WARP ENGINES AT ITS SIDE. THIS DESIGN WOULD ALLOW FOR A MINIMAL AMOUNT OF RE-ENGINEERING TO THE SHIP'S OVERALL LINES, KEEPING THE SHIPS COST SOMEWHAT CLOSE TO THE INITIAL BUDGET, RATHER THAN LEVY THE EXPENSE OF AN EN-TIRELY NEW CLASS.

IN ADDITION TO THE CORRECTION OF THE WARP ENGINE IMBAL-ANCE, THE MAXIMUM RATED SPEEDS OF THE *POMPEY* CLASS WOULD INCREASE FROM WARP SEVEN TO WARP EIGHT, ADDING A GUICK-RESPONSE CAPABILITY TO THE NEW CLASS OVER THE OTHER DESTROYERS. CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

Todd Guenther Utopia Planitia May 2258, SD 1313 7

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS POMPEY USS KUBLAI USS SULEIMAN USS AHRIMAN USS HASHISHIYUN USS AZRAEL	NCC-506 NCC-507 NCC-508 NCC-513 NCC-516 NCC-517	CLASS SHIP, ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND
USS HASHISHIYUN USS AZRAEL USS HAMILCAR	NCC-516 NCC-517 NCC-518	ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND

POMPEY CLASS - BOW VIEW





AUTHENTICATION APPROVAL

VERSION RELEASE

SD 2401.55

SD 7411.27

GENERAL PLANS:/RECOGNITION DETAIL

DESTROYER (DD) / POMPEY CLASS



DESTROYER CLASS

CLASS SPECIFICS

		_		
STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	2
CREW	180		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	133,000 MT 234 M 127 M 49 M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, DD 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (0.75C) CCR45C (500 KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK ELEVEN DECK EIGHT DECK KINE DECK TEN DECK TEN DECK ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE PHOTON OFFICER OFFICER CREW G CREW G TRAVEL FABRICA RECREA ^T PHASER EMERGE AUXILAR AUXILAR PLASMA	i LABS CONTROL S GUARTERS G GUARTERS, PHASER CONTROL, I UARTERS, ENGINEERING, IMPULSE I UARTERS, AUX. CONTROL, PERSON PODS, PERSONNEL GANGWAY ACO TION FACILITIES, STORAGE TION FACILITIES, STORAGE CONTROL, PHASER BANK (F), SEN NCY SEAL AND SEPARATION, STOF IY MACHINERY IY MACHINERY, REAR OBSERVATIO IN FLUSH, INTERMIX AND WARP CON	PHASER BANKS (F/P, F/S) REACTOR CONTROL INEL GANGWAY ACCESS CESS, COMPUTER ARRAY SOR AND SCANNER CONTROL RAGE N DECK ITROL ROOMS

DESTROYER CLASS

LARSON CLASS STARSHIPS

GENERAL INFORMATION

THE LARSON WAS AN EARLIER CONSTITUTION-CLASS STYLE OF DESIGN MEANT TO SUPPLEMENT THE MILITARY NEEDS OF STARFLEET. AS WITH THE HERMES, IT WAS DECIDED TO GIVE THE SHIP ONLY ONE ENGINE TO SAVE ON COST AS WELL AS KEEP THE SHIP 'LIGHT'. A SECOND ENGINE WASN'T FELT NEEDED FOR A SHIP WITHOUT A SECONDARY HULL, DESPITE BEING VERY HEAVILY ARMED FOR HER SIZE.

LIKE THE *HERMES* AND *SALADIN*, THE *LARSON* SUFFERS FROM INSTABILITY PROBLEMS AT HIGH-END WARP SPEEDS. SEC-ONDLY, THE LONE WARP NACELLE WAS POWER-APLENTY FOR THE OLDER LASER BATTERIES AND SHIELDS, BUT IS A BIT WEAK TO POWER MORE MODERN PHASERS. DESPITE THESE WEAK-NESSES, HOWEVER, THE *LARSON* IS A POWERFUL FIGHTER IN THE HANDS OF A SKILLED COMMANDER AND ENGINEER.

Ships of the class have been present at most major Military encounters since their launch in 2248. In Par-Ticular, they gained notoriety in all but eradicating an TZENKETHI RAIDING FLEET IN SHORT ORDER. THE TZENKETHI HAVE SINCE RE-EVALUATED THEIR STRATEGIES IN THE WAKE OF THEIR DEFEATS.

LARSON CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DANA KNUTSON UTOPIA PLANETIA JULY 2248, SD 1695 16

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS LARSON	NCC-4300	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS MIDWAY	NCC-4301	DECOMMISSIONED
USS TANNENBURG	NCC-4302	DECOMMISSIONED
USS TRAFALGAR	NCC-4303	DESTROYED
USS THELENTH	NCC-4304	ACTIVE / STARFLEET COMMAND
USS WATERLOO	NCC-4305	ACTIVE / STARFLEET COMMAND
USS BORODINO	NCC-4306	ACTIVE / STARFLEET COMMAND
USS AUSTERLITZ	NCC-4307	LOST IN ORION CONFLICT
USS NORMANDY	NCC-4308	ACTIVE / STARFLEET COMMAND
USS MARATHON	NCC-4309	ACTIVE / STARFLEET COMMAND
USS PHARSALUS	NCC-4310	ACTIVE / STARFLEET COMMAND
USS CRECY	NCC-4311	MISSING IN ACTION
USS POITIERS	NCC-4312	ACTIVE / STARFLEET COMMAND
USS AGINCOURT	NCC-4313	ACTIVE / STARFLEET COMMAND
USS BLENHEIM	NCC-4314	ACTIVE / STARFLEET COMMAND
USS TORGAU	NCC-4315	ACTIVE / STARFLEET COMMAND
USS EYLAU	NCC-4316	ACTIVE / STARFLEET COMMAND
USS LEYTE	NCC-4317	ACTIVE / STARFLEET COMMAND
USS LEIPZIG	NCC-4318	ACTIVE / STARFLEET COMMAND
USS BEUNA VISTA	NCC-4319	ACTIVE / STARFLEET COMMAND
USS GARBO	NCC-4320	DESTROYED
USS CATINIAN	NCC-4321	ACTIVE / STARFLEET COMMAND
USS GALLIPOLI	NCC-4322	ACTIVE / STARFLEET COMMAND
USS JUTLAND	NCC-4323	ACTIVE / STARFLEET COMMAND
USS ANZIO	NCC-4324	ACTIVE / STARFLEET COMMAND



STAR FLEET DIVISION GENERAL PLANS:/RECOGNITION DETAIL DESTROYER (DD) / LARSON CLASS

UNITED FEDERATION OF PLANETS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

DANA KNUTSON SD 2401.55 SD 7411.27



DESTROYER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	43		TYPE H TRAVEL POD	2
	187		SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	115,000 MT 271M 132M 84M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, DD 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK S	UMMARY	
DECK ONE DECK TWO DECK TWO DECK FOUR DECK FOUR DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) AFT (PYLON) AFT (PYLON) AFT (PYLON) AFT (PYLON) AFT (PYLON)	BRIDGE SCIENCI PHOTOP OFFICEP STORAC PLASM, AUXILLA AUXILLA EMEGEN CREW C CREW C TRAVEL FABRIC, RECREA PHASEF	E LABS N CONTROL, R'S QUARTERS R'S QUARTERS, PHASER CONTROL, GE, EMERGENCY PB-32 ACCESS A FLUSH, INTERMIX AND WARP COL ARY MACHINERY ARY MACHINERY, NCY SEAL AND SEPERATION, STOR/ QUARTERS, ENGINEERING, IMPULSE QUARTERS, AUX CONTROL, PERSON . PODS, PERSONNEL GANGWAY AC ATION FACILITIES, STORAGE ITION DECKS, STORAGE R COTNROL, PHASER BANK (F), SEN	PHASER BANKS (F/P, F/S) NTROL ROOMS AGE REACTOR CONTROL IELL GANGWAY ACCESS CESS, COMPUTER ARRAY ISOR AND SCANNER CONTROL

HEAVY DESTROYER CLASS

ORTEGA CLASS STARSHIPS

GENERAL INFORMATION

THE *ORTEGA* WAS A RELATIVE LATE-COMER TO THE *CONSTI-TUTION* GENERATION OF STARSHIPS, REPLACING A MUCH EAR-LIER BUT ULTIMATELY REJECTED PROPOSAL. THE SHIP WAS DESIGNED AS A FAST, HEAVY, BUT AFFORDABLE DESTROYER TO BE DEPLOYED IN DEFENSE OF NEW FEDERATION MEMBERS NEAR THE KLINGON BORDER, REPLACING THE ANTIGUATED DEFENSE FLEETS FOUND THERE.

THE DISTINCTIVE FEATURE OF THE *ORTEGA* IS ITS UNUSUAL TRIPLE-ENGINE LAYOUT, MAKING USE OF TWO 'PRIMARY' PB-32S WARP ENGINES FOR ITS MAIN POWER AND PROPULSION, AND A SECONDARY ENGINE, LOCATED BELOW THE HULL, TO ADD EXTRA POWER WHEN NEEDED.

OVERALL, THE DESIGN PROVED MORE SUCCESSFUL THAN AN-TICIPATED, EVEN WHEN CONSIDERING THE WARP IMBALANCE' THAT THE PB-32 ENGINES ARE SOMEWHAT INFAMOUS FOR. WITH HEAVY ARMAMENTS AND THE POWER TO BACK IT UP, THOUGH, IT'S EASY TO SEE WHY THE *ORTEGA* PROVED POPU-LAR AS A DETERRENT TO KLINGON AGGRESSION.

THOUGH THERE ARE NO IMMEDIATE PLANS TO UPRATE THE *ORTEGA* CLASS WITH NEW TECHNOLOGY, SUCH A MOVE SEEMS SOMEWHAT INEVITABLE TO MANY IN STAR FLEET'S PLANNING.

ORTEGA CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED STEVEN COLE SAN FRANCISCO ORBITAL MARCH 2264, SD 3220 10

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS ORTEGA	NCC-700	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS MANDELA	NCC-701	ACTIVE / STARFLEET COMMAND
USS BARZANI	NCC-702	DECOMISSIONED
USS BIN SULTAN	NCC-703	ACTIVE / STARFLEET COMMAND
USS ZAMORA	NCC-704	ACTIVE / STARFLEET COMMAND
USS GEMAYAL	NCC-705	ACTIVE / STARFLEET COMMAND
USS JABRIL	NCC-706	ACTIVE / STARFLEET COMMAND
USS PEREZ	NCC-707	ACTIVE / STARFLEET COMMAND
USS BEN BEN	NCC-708	ACTIVE / STARFLEET COMMAND
USS JUMBLAIT	NCC-709	ACTIVE / STARFLEET COMMAND



GENERAL PLANS:/RECOGNITION DETAIL HEAVY DESTROYER (DA) / ORTEGA CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE STEVEN COLE SD 4840.55 SD 7411.27



HEAVY DESTROYER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT
OFFICERS (COMMAND)	20	TYPE H TRAVEL POD 2
CHEW	180	SECONDARY SYSTEMS
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	138,000 MT 207M 112M 62M	MAIN COMPUTERDUOTRONIC MK II CUACTIVE SCANNER SUITEMK III LX ADV SENSORY SYSTEMPASSIVE SENSOR SUITEMK III ADV SENSORY SYSTEMTRANSPORTERS3 STD / 3 EVAC / 3 CARGOLIFE SUPPORTMK IV CT-3 SUITE
ARMAMENTS		MISSION PROFILE
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE HVY DEST. COMBATANT, CA MAXIMUM OPERATING RANGE 9 YEARS AT LYV
PROPULSION SYSTEMS		
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-325 MK III—TRIPLE (WF 6/8) IPI86E (.75C) CCR5OC (500KPM)	
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWD DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK EIGHT DECK NINE DECK TEN DECK TEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S GUARTERS, MAIN RECREATION DECK OFFICER'S GUARTERS, PHASER CONTROL, CREW GUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW GUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION FACILITIES, STORAGE PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL AUXILLARY MACHINERY, REAR OBSERVATION DECK PLASMA FLUSH CONTROL, WARP GENERATION CONTROL

DORSAL (PYLON)

HEAVY DESTROYER CLASS

DETROYAT (UPRATED) CLASS STARSHIPS

GENERAL INFORMATION

THE *DETROYAT* WAS ONE OF A SMALL NUMBER OF *BATON ROUGE* CLASSES CHOSEN FOR FULL UPRATING WHEN THE COMPONENTS OF THE *CONSTITUTION* CLASS WERE MADE AVAILABLE IN 2245.

DESPITE THE SEEMINGLY LOGICAL CHOICE, THE DESTROYER WOULD TAKE SOME TIME BEFORE UPRATING WOULD BEGIN. THE DETROYAT CLASS HAD GAINED SOME PRESTIGE FOR THE UESPA FLEET, AND EARTH HAD BECOME DECIDEDLY RELIANT ON THE VESSELS FOR DEFENSE. STAR FLEET COMMAND WAS RELUC-TANT TO PULL THE SHIPS FROM ACTIVE DUTY FOR THE LENGTHY PERIOD OF TIME REGUIRED.

BY 2255. However, it was clear that the detroyat's original design had become antiguated, and the 'modernization' of the design commenced. The result dramatically changed the primary saucer, as well as the use of the New PB-32 engines, along with more powerful weaponry. The New design is a powerhouse of a destroyer, and enjoyed a renewed prestige for the 2260's.

AS THE SHIPS HIT WELL BEYOND THE ORIGINALLY PLANNED LIFE-SPANS, HOWEVER, IT SEEMS UNLIKELY THAT THE HULLS WILL BE UPRATED AGAIN IN THE 2270'S. THE SHIPS OF THE CLASS ARE EXPECTED TO BE SLOWLY REPLACED WITH NEW *MIRANDA* CLASS BUILDS. DETROYAT CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

TODD GUENTHER UTOPIA PLANETIA MAY 2258, SD 1313 6

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DETROYAT	NCC-1100	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS RESOLUTION	NCC-1101	DESTROYED
USS MIRAMA	NCC-1102	DECOMISSIONED
USS TRODEN	NCC-1103	DECOMISSIONED
USS BRECKENRIDGE	NCC-1104	ACTIVE / STARFLEET COMMAND
USS NIANTIC	NCC-1105	DESTROYED
USS WARANGAL	NCC-1106	ACTIVE / STARFLEET COMMAND
USS COMMANGER	NCC-1107	ACTIVE / STARFLEET COMMAND
USS STRATHCLAIR	NCC-1108	ACTIVE / STARFLEET COMMAND
USS DONAR	NCC-1109	ACTIVE / STARFLEET COMMAND
USS KALININ	NCC-1110	ACTIVE / STARFLEET COMMAND
SS KUTAISI	NCC-1111	ACTIVE / STARFLEET COMMAND
SS SANGAMON	NCC-1112	ACTIVE / STARFLEET COMMAND
USS KELKIT	NCC-1113	ACTIVE / STARFLEET COMMAND
USS ANAIZA	NCC-1114	ACTIVE / STARFLEET COMMAND



GENERAL PLANS:/RECOGNITION DETAIL HVY DESTROYER (DA) / DETROYAT CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE TODD GUENTHER SD 2401.55 SD 7411.27

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL HVY DESTROYER (DA) / DETROYAT CLASS AUTHENTICATION APPROVAL VERSION RELEASE

SD 2401.55 SD 7411.27



HEAVY DESTROYER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	30 240		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT	2 4
DIMENSIONS			SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	165,000 MT 221M 163M 53M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
AHMAMENTS			MISSION PROFILE	
PHASENS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN ENTITIER (F, F/F, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	SURVEY, SCOUT, SC 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SU	IMMARY	
DECK ONE DECK TWO DECK THREE DECK FOLID		BRIDGE SCIENCE PHOTON	LABS CONTROL, S DUARTERS	

(GENERAL)	VESSEL SECTION	
DECK ONE DECK TWO DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK ELEVEN DECK EIGHT DECK EIGHT	Forward (Saucer) Forward (Saucer) Forward (Saucer) Forward (Saucer) Aft (ENG Hull)	BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S QUARTERS OFFICER'S QUARTERS, PHASER CONTROL, CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL EMEGENCY SEAL AND SEPERATION, STORAGE CDEW QUARTERS, DECREATION DODAGE
		AUXILLAHI IVIAUHINEHI, FADHIJA HUN
		SIUHAGE

FRIGATE CLASS

SURYA CLASS STARSHIPS

GENERAL INFORMATION

THE *SURYA* BEGAN LIFE AS AN INTENDED VARIANT OF THE *ANTON* CLASS CRUISER, BUT WOUND UP BEING A COMPLETELY REWORKED VERSION OF THE OLDER CLASS, TAKING MANY VALUABLE LESSONS IN ENGINEERING AND DESIGNED LEARNED THROUGH THE ANTON'S WEAKNESSES.

THE NEW CLASS PROVED FORMIDABLE IN MOST REPSECTS, AND WAS IMMEDIATELY DISPATCHED TO 'STARSHIP' DUTIES ALONG-SIDE THE *CONSTITUTION* CLASS., FULFILLING A VARIETY OF MISSION PROFILES. THE SHIPS HAVE ALREADY EARNED A STRONG REPUTATION WITH HER CREWS, AND HAVE BECOME A 'DE FACTO' WORKHORSE FOR THE FEDERATION.

MOST OF THE *SURYA* VESSELS HAVE BEEN ASSIGNED TO THREE YEAR EXPLORATION MISSIONS, AS WELL AS SERVING AS DE-FENSE PATROL SHIPS ALONG THE FRONTIER. WHILE NOT AS PRESTIGIOUS AS SERVING ABOARD THE *CONSTITUTION* CLASS, GETTING AN ASSIGNMENT ABOARD A *SURYA* WAS CONSIDERED AN HONOR.

THOUGH THE *SURYA* HAS PROVEN TO BE MORE THAN A WOR-THY VESSEL A REWORKED VERSION OF THIS BASIC DESIGN, THE *USS MIRANDA* WOULD EFFECTIVELY TAKE HER PLACE IN 2270. ALREADY, SEVERAL MEMBERS OF THE *SURYA* CLASS, AND OTHER CLASSES, ARE SCHEDULED FOR UPRATING TO THE NEW DEISNG.

SURYA CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED ARIDAS SOFIA UTOPIA PLANETIA MARCH 2259, SD 1740 23

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS SURYA	NCC-1850	CLASS SHIP;
USS ILLUSIVE	NCC-1851	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS ANTRIM	NCC-1852	DESTROYED
USS DURMITOV	NCC-1853	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS KANARIS	NCC-1854	ACTIVE / UESPA DEFENSE COMMAND
USS PRALAYA	NCC-1855	MISSING IN ACTION
USS HASHIRA	NCC-1856	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS ADALUCIA	NCC-1857	ACTIVE / STARFLEET COMMAND
USS BRILLIANT	NCC-1858	ACTIVE / STARFLEET COMMAND
USS THETIS	NCC-1859	ACTIVE / STARFLEET COMMAND
USS MIRANDA	NCC-1860	ACTIVE / STARFLEET COMMAND
USS TIAN AN MEN	NCC-1861	ACTIVE / STARFLEET COMMAND
USS TEMPEST	NCC-1862	ACTIVE / STARFLEET COMMAND
USS DEMETER	NCC-1863	ACTIVE / STARFLEET COMMAND
USS RELIANT	NCC-1864	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC.
USS VIGILANT	NCC-1865	DECOMISSIONED
USS OBERON	NCC-1866	DESTROYED
USS SARATOGA	NCC-1867	ACTIVE / STARFLEET COMMAND
USS ENFORCER	NCC-1868	ACTIVE / STARFLEET COMMAND
USS VALHALLA	NCC-1869	ACTIVE / STARFLEET COMMAND
USS SUTHERLAND	NCC-1870	ACTIVE / STARFLEET COMMAND
USS REDAN	NCC-1871	ACTIVE / STARFLEET COMMAND
USS PERSEUS	NCC-1872	ACTIVE / STARFLEET COMMAND

RS: 480372-1 TO 01:04:68

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL FRIGATE (FF) / SURYA CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

ARIDAS SOFIA SD 2401.55 SD 7411.27



STARFLEET TECHNICAL ORDER AUTHENTICATED STARDATE 7411.27

FRIGATE CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	32 195		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT TYPE HF SHUTTLECRAFT	2 2 1
			SECONDARY SYSTEMS	
LENGTH BREADTH HEIGHT	214M 127M 61M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM
ARMAMENTS			LIFE SUPPORT	2 STD 7 2 EVAC 7 2 CAHGU MK IV CT-3 SUITE
PHASERS MK IV TWIN E	MK IV TWIN EMITTER (F, F/P, F/S) MK XIVIE TWINLLALINCHER (E)		MISSION PROFILE	
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	NK XINF TWIN LAUNCHER [F]) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR [A]		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, FF 5 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SI	JMMARY	
DECK ONE		BRIDGE		

DECK ONE	BRIDGE
DECK TWO	SCIENCE LABS
DECK THREE	PHOTON CONTROL,
DECK FOUR	OFFICER'S QUARTERS
DECK FIVE	OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS (F/P, F/S)
DECK SIX	CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL
DECK SEVEN	AUX CONTROL, PERSONELL GANGWAY ACCESS, SHUTTLE-BAY ACCESS
DECK EIGHT	TRAVEL PODS, PERSONNEL GANGWAY ACCESS, SHUTTLE-BAY ACCESS
DECK NINE	FABRICATION FACILITIES, STORAGE, COMPUTER ARRAY
DECK TEN	RECREATION DECKS, STORAGE
DECK ELEVEN	PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL

FRIGATE CLASS

LOKNAR CLASS STARSHIPS

GENERAL INFORMATION

THOUGH TECHNICALLY 'EARTH-BORNE' IN DESIGN, THE *LOKNAR* REPRESENTED THE FIRST FLEET DESIGN PRIMARILY INTENDED FOR USE BY THE ANDORIANS. THE ANDOR DEFENSE FLEET [WRAPPED INTO STARFLEET COMPLETELY SD 1400] WAS RAP-IDLY FALLING BEHIND TECHNOLOGICALLY [SLIGHTLY INFERIOR TO *BATON ROUGE* ERA VESSELS], AND ANDOR WAS BECOMING INCREASINGLY DESPERATE TO HAVE A MODERN VESSEL FOR THEIR DEFENSE.

THE ANDORIAN ARGUMENT WON OUT, AND THEIR INPUT, BOTH IN DESIGN AND PURPOSE CREATED ONE OF THE MOST WIDELY ACCEPTED DESIGNS IN STARFLEET. THE *LOKNAR* PROVED HER-SELF QUICKLY IN BORDER DEFENSE ROLES AS WELL AS SERV-ING IN DIRECT ACTION DURING THE AXANAR REBELLION. AFTER THAT BRIEF WAR, THE *LOKNAR* QUICKLY BECAME THE BATTLE FRIGATE OF CHOICE FOR STAR FLEET.

THOUGH A HANDFUL OF *LOKNAR* CLASS VESSELS STILL REMAIN UNDER ANDOR'S DIRECT COMMAND, THE MAJORITY OF BUILDS WERE LATER APPROPRIATED AS PART OF STAR FLEET'S GEN-ERAL COMMAND, ENABLING THEIR USE FOR HOT-SPOTS ACROSS THE FEDERATION.

LOKNAR CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DANA KNUTSON RAKALA FLEET YARDS MARCH 2259, SD 1740 20

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JAUARY 2272)
USS LOKNAR	NCC-2700	CLASS SHIP, UPRATED TO LOKNAR CLASS (U) SPECIFICATIONS (2271)
USS AHKEIL	NCC-2701	UPRATED TO LOKNAR CLASS (U) SPECIFICATIONS (2271)
USS VERNOL	NCC-2702	INACTIVE/ UNDERGOING RECONSTRUCTION TO LOKNAR CLASS (U) SPECIFICATIONS
USS TARNTIS	NCC-2703	INACTIVE/ UNDERGOING RECONSTRUCTION TO LOKNAR CLASS (U) SPECIFICATIONS
USS ALEXANDRETTA	NCC-2704	ACTIVE / ANDOR DEFENSE COMMAND
USS MORGAN CITY	NCC-2705	ACTIVE / ANDOR DEFENSE COMMAND
USS TROY	NCC-2706	ACTIVE / ANDOR DEFENSE COMMAND
USS FARSIDE	NCC-2707	DESTROYED
USS NEW AMERICA	NCC-2708	DECOMMISSIONED
USS KOSK	NCC-2709	ACTIVE / STARFLEET COMMAND
USS BORGA	NCC-2710	DESTROYED
USS PEKING	NCC-2711	ACTIVE / STARFLEET COMMAND
USS EPCOT	NCC-2712	ACTIVE / STARFLEET COMMAND
USS ALDEBARAN	NCC-2713	ACTIVE / STARFLEET COMMAND
USS ARGUS CITY	NCC-2714	ACTIVE / STARFLEET COMMAND
USS YORKSHIRE	NCC-2715	ACTIVE / STARFLEET COMMAND
USS BOIRDI	NCC-2718	MISSING IN ACTION
USS NEW CORINTH	NCC-2717	ACTIVE / STARFLEET COMMAND
USS KYOTO	NCC-2718	ACTIVE / STARFLEET COMMAND
USS PETROGRAD	NCC-2719	ACTIVE / STARFLEET COMMAND



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL FRIGATE (FF) / LOKNAR CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE Dana Knutson SD 2401.55 SD 7411.27
STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



STARFLEET TECHNICAL ORDER AUTHENTICATED STARDATE 7411.27

FRIGATE CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	32 145	TYPE H TRAVEL POD TYPE F SHUTTLECRAFT	2 2
DIMENSIONS		SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	140,000 MT 288 M 127 M 76 M	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUDTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO
ARMAMENTS			
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, FF 9 YEARS AT LYV
PROPULSION SYSTEMS			
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (0.75C) CCR45C (500 KPM)		
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK ONE DECK TWO DECK THREE DECK FOUR DECK FOUR DECK SIX DECK SEVEN DECK SEVEN DECK EIGHT DECK NINE	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) AFT (PYLON) AFT (PYLON) AFT (PYLON) AFT (PYLON) AFT (PYLON)	BRIDGE SCIENCE LABS PHOTON CONTROL OFFICER'S QUARTERS OFFICER'S QUARTERS, PHASER CONTROL, STORAGE, EMERGENCY PB-32 ACCESS PLASMA FLUSH, INTERMIX AND WARP COM AUXILARY MACHINERY, REAR OBSERVATIO AUXILARY MACHINERY EMEGENCY SEAL AND SEPERATION, STORA CREW QUARTERS, ENGINEERING, IMPULSE I CREW QUARTERS, AUX. CONTROL, PERSON TRAVEL PODS, PERSONNEL GANGWAY ACC	PHASER BANKS (F/P, F/S) NTROL ROOMS N DECK AGE REACTOR CONTROL INEL GANGWAY ACCESS CESS, COMPUTER ARRAY

HEAVY FRIGATE CLASS

COVENTRY CLASS STARSHIPS

GENERAL INFORMATION

THE *COVENTRY* CLASS WAS ONE OF SEVERAL DESIGNS AP-PROVED TO FILL OUT THE FEDERATION RANKS FOR MID-LEVEL CAPITAL SHIPS. THE DESIGN WOULD TAKE ASPECTS OF THE FAMILIAR *CONSTITUTION* CLASS, BUT SECURE A LARGE ENGI-NEERING SECTION TO THE AFT OF THE SAUCER, MAKING A MORE COMPACT, BUT EFFECTIVE, DESIGN.

THE CONVENTRY IS A WELL-BALANCED AND POWER SHIP, MUCH LIKE HER LARGER CONSTITUTION CLASS COUSIN, PRI-MARILY ONLY SACRIFICING SOME OF THE ADVANCED SENSOR CAPABILITY, AND EXTENDED LABS AND SHUTTLE-CRAFT SUP-PORT.

INITIALLY DEPLOYED ALONG THE KLINGON FRONTIER, THE CLASS QUICKLY ESTABLISHED ITSELF AS A COMBAT-CAPABLE FRIGATE, OCCAISIONALLY PERFORMING ABOVE ITS WEIGHT. THIS HAS LEAD SOME ENGINEERS AND ADMIRALS TO DEBATE RE-CLASSIFING THE SHIP AS A 'LIGHT CRUISER' INSTEAD.

THE OVERALL DESIGN OF THE COVENTRY WOULD PROVE SO SUCCESSFUL THAT THE *MIRANDA* DESIGN WOULD LOOK TO HER AS THE MAIN INSPIRATION FOR HER DESIGN. AS OF 2270, RE-MAINING COVENTRY CLASS VESSELS WILL BE SCHEDULED FOR UPRATING TO THE NEW *MIRANDA* DESIGN. COVENTRY CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED Todd Guenther Utopia planetia March 2259, SD 1740 14

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS COVENTRY	NCC-1230	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA CLASS SPECIFICATIONS
USS SOCORRO	NCC-1231	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA CLASS SPECIFICATIONS
USS SANTANDER	NCC-1232	ACTIVE / STARFLEET COMMAND
USS ASSURANCE	NCC-1233	INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA CLASS SPECIFICATIONS
USS DAHLGREN	NCC-1234	ACTIVE / STARFLEET COMMAND
USS JEN MIRI	NCC-1235	ACTIVE / STARFLEET COMMAND
USS CONSTANT	NCC-1236	ACTIVE / STARFLEET COMMAND
USS ASHANTI	NCC-1237	DESTROYED
USS SVERDLOV	NCC-1238	DESTROYED
USS ELTANIN	NCC-1239	ACTIVE / STARFLEET COMMAND
USS RESURGENT	NCC-1240	ACTIVE / STARFLEET COMMAND
USS AURIGA	NCC-1241	ACTIVE / STARFLEET COMMAND
USS CARRIACOU	NCC-1242	INACTIVE / UNDERGOING RECONSTRUCTION TO MIRANDA CLASS SPECIFICATIONS
USS INDUS	NCC-1243	DESTROYED



VERSION RELEASE

SD 7411.27

HEAVY FRIGATE (FA) / COVENTRY CLASS

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL HEAVY FRIGATE (FA) / COVENTRY CLASS AUTHENTICATION APPROVAL VERSION RELEASE

SD 2401.55 SD 7411.27



HEAVY FRIGATE CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	35 260		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT	2 4
DIMENSIONS			SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	160,000 MT 221M 127M 49M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SIJTE
ARMAMENTS				
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (F, A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, FA 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SU	MMARY	
DECK ONE DECK TWO DECK TWO DECK FOUR DECK FOUR DECK SIX DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK ELEVEN DECK EIGHT DECK NINE THRU ELEVEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE PHOTON OFFICER'3 OFFICER'3 CREW GU CREW GU TRAVEL I FABRICA' RECREAT PHASER EMEGEND AUXILLAR	LABS CONTROL, S QUARTERS S QUARTERS, PHASER CONTROL, J JARTERS, ENGINEERING, IMPULSE F JARTERS, AUX CONTROL, PERSON PODS, PERSONNEL GANGWAY ACC TION FACILITIES, STORAGE TION FACILITIES, STORAGE COTNROL, PHASER BANK [F], SEN CY SEAL AND SEPERATION, STORA RY MACHINERY	PHASER BANKS (F/P, F/S) REACTOR CONTROL ELL GANGWAY ACCESS CESS, SHUTTLEBAYS SOR AND SCANNER CONTROL IGE

CRUISER CLASS

ANTON CLASS STARSHIPS

GENERAL INFORMATION

THE ANTON CLASS, ORIGINALLY, WAS DESIGNED AS A HEAVY CRUISER BACKUP FOR THE VENERABLE BATON ROUGE DESIGN, THE APPROVAL PROCESS FOR THE SHIP KEPT GETTING DE-LAYED, WITH EACH DELAY CAUSING THE DETERMINED DESIGN-ERS TO REVISIT THE DESIGN AND UPDATE IT TO THE NEWEST SPECIFICATIONS.

IN 2235, THE CLASS WAS ACTUALLY FORMALLY APPROVED, BUT WAS DELAYED BEFORE CONSTRUCTION COULD BEGIN PENDING THE RESULTS OF THE NEW FB-32 ENGINES. IT WOULD BE THIRTEEN YEARS BEFORE THE SHIP CLASS WAS FINALLY LAUNCHED.

THOUGH EFFECTIVE AS A CRUISER, THE ANTON NEVER SEEMED TO BE POPULAR WITH HER CREWS, AND WOULD PLAY A DIS-TANT SECOND-FIDDLE TO THE BETTER-RECEIVED *CONSTITU-TION* CLASS STARSHIP. .

THE LEGACY OF THE *ANTON* CONTINUES, HOWEVER, AS NEW DESIGNS TOOK THE MORE SUCCESSFUL ELEMENTS AND CON-CEPTS FROM HER AND GAVE BIRTH TO THE *SURYA* AND *CON-VENTRY* CLASSES. IRONICALLY, THE REMAINING *ANTON* CLASS VESSELS ARE SCHEDULED FOR REFIT AND REBUILDING TO ITS OWN GRANDCHILD DESIGN, THE NEW *MIRANDA* CLASS.

ANTON CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DANA KNUTSON UTOPIA PLANETIA JULY 2248, SD 1695 8

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS ANTON USS ANDERSON USS HAMMANN USS HUGHES USS SIMES USS MUSTIN USS RUSSELL USS O'BRIEN	NCC-1825 NCC-1826 NCC-1827 NCC-1828 NCC-1829 NCC-1830 NCC-1831 NCC-1832	CLASS SHIP, DESTROYED DESTROYED INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC. INACTIVE/ UNDERGOING RECONSTRUCTION TO MIRANDA SPEC. ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND

RS: 480372-1 TO 01:04:80

AUTHENTICATED STARDATE 7411.27



STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



VERSION RELEASE

SD 7411.27



CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	43 215		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT	2
DIMENSIONS			TYPE HE SHUTTLECRAFT	2
Deadweight Tonnage Length	160,000 MT 265M		SECONDARY SYSTEMS	
BREADTH HEIGHT	179M 68M		MAIN COMPUTER ACTIVE SCANNER SUITE	Duotronic MK II Cu MK III LX ADV SENSORY SYSTEM
ARMAMENTS			PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S) DES MK XII/IF TWIN LAUNCHER (F) TOB SHIELD, PEE24			
PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD			MISSION PROFILE	
PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK VI/AS MK IV SS MICRO-COMPRESSOR (F, A)		MISSION TYPE MAXIMUM OPERATING RANGE	PATROL COMBATANT, CA 5 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT		BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S QUARTERS OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, SHUTTLEBAYS
DECK NINE DECK TEN DECK ELEVEN DECK TWELVE DECK THIRTEEN		Computer Array, Fabrication Facilities, Storage Recreation Decks, Storage Phaser Cotnrol, Phaser Bank (F), Sensor and Scanner Control Cargo Hold, Auxillary Machinery Cargo Hold, Auxillary Machinery

CRUISER CLASS

DECATUR CLASS STARSHIPS

GENERAL INFORMATION

THE *DECATUR* IS ONE OF THE LAST OF THE 'TRUE *CONSTITU-TION-*ERA' VESSELS TO BE COMMISSIONED. THE SHIP WAS DESIGNED AS A LIGHTER VERSION OF THE *CONSTITUTION*, SAC-RIFICING MOST OF ITS AMINITIES TO CREATE A DEDICATED WARSHIP. AS A RESULT, THE *DECATUR* IS VERY SIMILAR IN COMBAT PERFORMANCE TO HER LARGER SISTER, BUT WITH SUBSTANTIALLY LESS WEIGHT AND OPERATIONS COST.

THE DECATUR IS DEPLOYED THROUGHOUT THE FEDERATION TO SERVE AS A COMBAT MAINSTAY IN SENSITIVE OR IMPORTANT AREAS OF FEDERATION INTEREST, PRIMARILY SERVING AS LINE DEFENSE AND NOT OFTEN FOR FIRST-RESPONSE. IN MILITARY ACTIONS, THEY'RE FAR MORE LIKELY TO BE ASSIGNED TO TASK FORCES THAN PATROLLING ON THEIR OWN.

THE REASON FOR THIS ASSIGNMENT IS PRETTY SIMPLE, THE DECATUR'S 'STRIPPED DOWN' CONFIGURATION ELIMINATES MANY OF THE FUNCTIONS THAT ALLOW THE LARGER CONSTI-TUTION CLASS TO PERFORM AS A VERSATILE MULTI-MISSION VESSEL, LEAVING A SHIP PRIMARILY CAPABLE AT COMBAT AND DEFENSE, WITH ONLY AVERAGE CAPABILITY IN OTHER ROLES.

DESPITE THIS LIMITATION, THE SHIP IS CONSIDERED A BOTH SUCCESSFUL AND EFFECTIVE, DESIGN. AS A RESULT, THE *DECA*-*TUR* CLASS HAS BEEN UPRATED TO THE NEW *BELKNAP* CLASS, MAKING USE OF THE NEW LN-SERIES WARP DRIVE (AND OTHER COMPONENTS). THE UPRATING PROGRAM BEGAN IN JUNE OF 2271. DECATUR CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN	TODD GUENTHER
PRIMARY SHIPYARD	COSMODYNE SHIPYARDS
PROJECT INITIATION	MARCH 2264, SD 3220
VESSELS CONSTRUCTED	15

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DECATUR	NCC-2500	INACTIVE/ UNDERGOING RECONSTRUCTION TO BELKNAP CLASS SPECIFICATIONS
USS BELKNAP	NCC-2501	INACTIVE/ UNDERGOING RECONSTRUCTION TO BELKNAP CLASS SPECIFICATIONS
USS BRADLEY	NCC-2502	ACTIVE / STARFLEET COMMAND
USS KHIRIRAT	NCC-2503	INACTIVE/ UNDERGOING RECONSTRUCTION TO BELKNAP CLASS SPECIFICATIONS
USS HAVERSHAM	NCC-1234	DECOMISSIONED
USS SOVEREIGN	NCC-2505	ACTIVE / STARFLEET COMMAND
USS CONCORD	NCC-2506	DECOMISSIONED
USS RISHIRI	NCC-2507	INACTIVE/ UNDERGOING RECONSTRUCTION TO BELKNAP CLASS SPECIFICATIONS
USS ESSAHIR	NCC-2508	INACTIVE/ UNDERGOING RECONSTRUCTION TO BELKNAP CLASS SPECIFICATIONS
USS JARRETT	NCC-2509	ACTIVE / STARFLEET COMMAND
USS FAHRION	NCC-2510	ACTIVE / STARFLEET COMMAND
USS ESTOCIN	NCC-2511	ACTIVE / STARFLEET COMMAND
USS MATSURRA	NCC-2512	INACTIVE/ UNDERGOING RECONSTRUCTION TO BELKNAP CLASS SPECIFICATIONS
USS BAIKAL	NCC-2513	ACTIVE / STARFLEET COMMAND
USS HAVEN	NCC-2514	ACTIVE / STARFLEET COMMAND



UNITED FE STAR FLE GENERAL CRUISER (

UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL CRUISER (CC) / DECATUR CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE TODD GUENTHER SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



CRUISER CLASS

- . . - - -

ULASS SPECIFICS		
STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT
OFFICERS (COMMAND) CREW	32 280	TYPE H TRAVEL POD 2 TYPE F SHUTTLECRAFT 4
DIMENSIONS		SECONDARY SYSTEMS
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	175,000 MT 277M 127M 78M	MAIN COMPUTERDUOTRONIC MK II CUACTIVE SCANNER SUITEMK III LX ADV SENSORY SYSTEMPASSIVE SENSOR SUITEMK III ADV SENSORY SYSTEMTRANSPORTERS4 STD / 3 EVAC / 2 CARGOLIES SUPPORTMK IV CT=2 SUITE
ARMAMENTS		
PHASERS PHOTON TORPEDOES	MK IV TWIN EMITTER (F, F/P, F/S) MK IV SINGLE EMITTER (A X2) MK XII/IF TWIN LAUNCHER (F)	MISSION TYPE PATROL COMBATANT, CC MAXIMUM OPERATING RANGE 3 YEARS AT LYV
PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	
PROPULSION SYSTEMS		
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)	
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK EIGHT DECK TEN DECK EIGHT DECK EIGHT DECK TEN THRU FOURTEEN DECK FIFTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SEVENTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK TWENTY-ONE DECK TWENTY-TWO DECK TWENTY-THREE	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE LABS PHOTON CONTROL, OFFICER'S GUARTERS OFFICER'S GUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW GUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW GUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER COTNROL, PHASER BANK [F], SENSOR AND SCANNER CONTROL EMEGENCY SEAL AND SEPERATION, STORAGE AUXILLARY MACHINERY, AUXILLARY MACHINERY, REAR OBSERVATION DECKS, LOUNGES SHUTTLEBAY, SHUTTLE OBERSAVATION SHUTTLEBAY, MAIN ENGINEERING, PHASER BANK [A] SHUTTLEBAY, MAIN ENGINEERING, PHASER BANK [A] SHUTTLEBAY, MAINTEINANCE, GYMINASIUM, LOUNGE SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES RECREATION AREA CREW GUARTERS FABRICATION FACILITIES, FOOD STORES, WASTE RETREATMENT STURAGE CARED HOL DS

EXPLORATION CRUISER CLASS

ACHERNAR CLASS STARSHIPS

GENERAL INFORMATION

THE DESIGN FOR THE *ACHERNAR* IS, OBVIOUS, A *CONSTITUTION* CLASS VARIANT, DESIGNED PRIMARILY TO EXTEND THE PREVI-OUS DESIGN'S EXPLORATION AND RESEARCH CAPABLITIES AT THE EXPENSE OF SOME OF ITS COMBAT ABILITITIES AND OVER-ALL MASS. AS A RESULT, THE *ACHENRNAR* RETAINS MOST OF HER PARENT'S DESIGN, WITH ONLY SOME MODIFICATIONS MADE TO THE SECONDARY HULL.

THE MAIN DIFFERENCE BETWEEN THE CLASSES, HOWEVER, IS POLITICAL. THE *ACHENAR* WAS AUTHORIZED WITH THE INTEN-TION THAT THEY BE CALLED PRIMARILY FOR EXPLORATION AND RESEARCH MISSIONS WITHIN THE FEDERATION FRONTIER, WITH MILITARY MISSIONS AT DRAMATICALLY REDUCED PRIORITY.

AT LEAST, THAT WAS THE THEORY. IN PRACTICE, THE MISSION PROFILES BETWEEN THE *CONSTITUTION* AND *ACHENAR* CLASS VESSELS OVERLAP HEAVILY AND OFTEN SWAP ASSIGNMENTS DEPENDING ON WHICH SHIP OF EITHER CLASS IS AVAILABLE.

WITH THIS IN MIND, CREWS AND EQUIPMENT ON BOARD ACHER-NAR CLASSES ARE SLIGHTLY HEAVIER IN THE 'SCIENTIFIC' FIELDS, AND LESS IN SECURITY. THESE AREN'T TRUE TRAITS OF THE CLASS ITSELF, BUT THE POLITICS INVOLVED WITHIN THE FEDERATION.

AS OF 2272, HOWEVER, THE DIFFERENCE IS BEGINNING TO BE RENDERED MOOT, AS SHIPS OF THE ACHENAR CLASS ARE UP-GRADED TO CONSTITUTION (REFIT) SPECIFICATIONS. ACHENAR CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN	FRANZ JOSEPH
PRIMARY SHIPYARD	utopia planetia
PROJECT INITIATION	MAY 2258, SD 1313
VESSELS CONSTRUCTED	13

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS ACHERNAR	NCC-1732	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS SOL	NCC-1733	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS JUPITER	NCC-1734	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS RIGIL KENTARUS	NCC-1735	DECOMISSIONED
USS QUINDAR	NCC-1736	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS PROXIMA	NCC-1737	INACTIVE/ UNDERGOING RECONSTRUCTION TO CONSTITUTION (REFIT) SPEC.
USS ANDROCUS	NCC-1738	ACTIVE / STARFLEET COMMAND
USS ASTRAD	NCC-1739	ACTIVE / STARFLEET COMMAND
USS MONDOLOY	NCC-1740	ACTIVE / STARFLEET COMMAND
USS ALFR	NCC-1741	ACTIVE / STARFLEET COMMAND
USS THELONI	NCC-1742	DESTROYED
USS XANTHIII	NCC-1743	ACTIVE / STARFLEET COMMAND
USS SIRIUS	NCC-1744	ACTIVE / STARFLEET COMMAND



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL EXP. CRUISER [EX] / ACHERNAR CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 2401.55 SD 7411.27



GENERAL PLANS:/RECOGNITION DETAIL EXP. CRUISER [EX] / ACHERNAR CLASS AUTHENTICATION APPROVAL VERSION RELEASE

SD 2401.55 SD 7411.27



EXPLORATION CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	41		TYPE H TRAVEL POD	2
CREW	357		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	185,000 MT 287M 127M 75M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F, F/P, F/S) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION, EC 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT	VESSEL SECTION	DECK SU	IMMARY	

[GENERAL]		
DECK ONE		BRIDGE
DECK TWO		SCIENCE LABS
DECK THREE		PHOTON CONTROL,
DECK FOUR		OFFICER'S QUARTERS
DECK FIVE		OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS (F/P, F/S)
DECK SIX		CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL
DECK SEVEN		CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS
DECK EIGHT	FORWARD (SAUCER)	TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY
DECK NINE	FORWARD (SAUCER)	FABRICATION FACILITIES, STORAGE
DECK TEN	FORWARD (SAUCER)	RECREATION DECKS, STORAGE
DECK ELEVEN	FORWARD (SAUCER)	PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL
DECK EIGHT	DORSAL (PYLON)	EMEGENCY SEAL AND SEPERATION, STORAGE
DECK NINE	DORSAL (PYLON)	AUXILLARY MACHINERY,
DECK TEN THRU FOURTEEN	DORSAL (PYLON)	AUXILLARY MACHINERY, REAR OBSERVATION DECKS, LOUNGES
DECK FIFTEEN		SHUTTLEBAY, SHUTTLE OBERSAVATION
DECK SIXTEEN		SHUTTLEBAY, MAIN ENGINEERING, PHASER BANK (A)
DECK SEVENTEEN		SHUTTLEBAY, MEDICAL SECTION, COMPUTERS
DECK EIGHTEEN		SHUTTLE MAINTEINANCE, GYMNASIUM, LOUNGE
DECK NINETEEN		SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES
DECK TWENTY		RECREATION AREA
DECK TWENTY-ONE		CREW QUARTERS
DECK TWENTY-TWO		FABRICATION FACILITIES, FOOD STORES, WASTE RETREATMENT
DECK TWENTY-THREE		STORAGE, CARGO HOLDS
DECK TWENTY-FOUR		CARGO HOLDS

HEAVY CRUISER CLASS

CONSTITUTION CLASS STARSHIPS

GENERAL INFORMATION

THE *CONSTITUTION* CLASS WAS LAUNCHED IN 2245 AS A 'NEW GENERATION' WORKHORSE TO REPLACE THE AGING *BATON ROUGE* CLASS OF SHIPS. WHILE THE *BATON ROUGE* WOULD REPRESENT THE PINNACLE OF EARTH DESIGN, TECHNICAL IN-NOVATIONS FROM SEVERAL FEDERATION WORLDS WOULD TAKE THE STEPS LAID DOWN BY THE *BATON ROUGE*, REFINE THEM, AND CREATE AN AWE-INSPIRING NEW CLASS OF VESSEL.

IT HAS BEEN SAID THAT THE *CONSTITUTION* CLASS MADE BOTH THE FEDERATION AND STAR FLEET WHAT THEY ARE TODAY. WHILE THAT MAY BE OVERSTATING THINGS, THERE IS NO DE-NYING THAT THE VESSELS HAVE HAD A PROFOUND IMPACT. THE FIRST MAIN-LINE SHIPS EQUIPPED WITH DILITHIUM FOCUS M/AM WARP DRIVES, THEY COULD EASILY OUTPACE MOST SHIPS SENT AGAINST THEM. WHEN EVENTUALLY EQUIPPED WITH THE THEN-NEW PHASER MK III AND MK IV SUITES, HER COMBAT ABILITIES PROVED MORE THAN DECISIVE MANY TIMES.

BEYOND COMBAT, HOWEVER, THE *CONSTITUTION* CLASS WAS SENT OUT TO EXPLORE THE FEDERATION FRONTIER, WITH PRO-FOUND IMPROVEMENTS IN SCIENCE AND SENSOR CAPABILITIES. SHIPS OF THE CLASS WOULD EXPAND THE BORDERS OF THE FEDERATION, AS WELL AS THE FEDERATION'S KNOWLEDGE OF WHAT'S IN OUR GALAXY.

As of 2271, however, the class was beginning to show Her Age, but a radical 'refit" uprating program was begun with the *constitution* herself to keep the ships In the fleet for at least the Next Guarter-Century. CONSTITUTION CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED MATTHEW JEFFERIES UTOPIA PLANITIA JULY 2245, SD 0965 18



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL HEAVY CRUSIER (CA) / CONSTITUTION CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MATTHEW JEFFERIES SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL HEAVY CRUISER (CA) / CONSTITUTION CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MATTHEW JEFFERIES SD 2401.55 SD 7411.27



HEAVY CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW DIMENSIONS	43 387	TYPE H TRAVEL POD TYPE F SHUTTLECRAFT TYPE HF SHUTTLECRAFT	2 4 2
	190.000 MT	TYPE AF SHUTTLECRAFT	2
LENGTH	290 M	SECUNDARY SYSTEMS	
BREADTH HEIGHT	127 M 72 M	MAIN COMPUTER ACTIVE SCANNER SUITE	DUOTRONIC MK II CU MK III LX HVY SENSORY SYSTEM
ARMAMENTS		TRANSPORTERS	MK III HVY SENSORY SYSTEM 5 STD / 4 EVAC / 2 CARGO MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S)	LIFE SUPPORT	
MK IV SINGLE EMITTER (A X2) PHOTON TOBPEDOES MK XII/IF TWIN LAUNCHER (F)			
PHOTON TORPEDOES	MK XII/IF TWIN LAUNCHER [F]	MISSION PROFILE	
PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD	MK XII/IF TWIN LAUNCHER (F) PFF2A	MISSION PROFILE MISSION TYPE	EXPLORATION/PATROL, CA
PHOTON TORPEDDES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION PROFILE MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION/PATROL, CA 9 YEARS AT LYV
PHOTON TORPEDDES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER PROPULSION SYSTEMS	MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION PROFILE MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION/PATROL, CA 9 YEARS AT LYV
PHOTON TORPEDDES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER PROPULSION SYSTEMS WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	MK XII/IF TWIN LAUNCHER [F] PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR [A] PB-32 MK III—TANDEM [WF 6/8] IPI86E [0.75C] CCR45C [500 KPM]	MISSION TYPE MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION/PATROL, CA 9 YEARS AT LYV

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK TWE DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK SEVEN DECK EIGHT DECK NINE DECK EIGHT DECK EIGHT DECK EIGHT DECK FIFTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK KINNETEEN DECK SIXTEEN DECK TWENTY-ONE DECK TWENTY-TWO DECK TWENTY-THREE DECK TWENTY-FOUR	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE LABS PHOTON CONTROL OFFICER'S GUARTERS OFFICER'S GUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW GUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW GUARTERS, AUX. CONTROL, PERSONNEL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER CONTROL, PHASER BANK [F], SENSOR AND SCANNER CONTROL EMERGENCY SEAL AND SEPARATION, STORAGE AUXILARY MACHINERY AUXILARY MACHINERY, REAR OBSERVATION DECKS, LOUNGES SHUTTLEBAY, SHUTTLE OBSERVATION SHUTTLEBAY, MEDICAL SECTION, COMPUTERS SHUTTLEBAY, MEDICAL SECTION, COMPUTERS SHUTTLE MAINTENANCE, GYMNASIUM, LOUNGE SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES RECREATION AREA CREW GUARTERS FABRICATION FACILITIES, FOOD STORES, WASTE RECLAMATION STORAGE, CARGO HOLDS CARGO HOLDS

HEAVY CRUISER CLASS

ENDEAVOUR CLASS STARSHIPS

GENERAL INFORMATION

WITH THE *CONSTITUTION* CLASS BEING MOST VERSATILE OF FEDERATION DESIGNS, IT WAS ONLY NATURAL THAT WHEN NEW ENGINE DESIGNS WERE APPROVED, THAT NEW CLASSES USING THE BASIC CONCEPTS OF THE *CONSTITUTION* CLASS WOULD BE FIELDED FOR THOSE NEW ENGINES. THIS IS HOW THE *ENDEAV*-*DUR* CLASS CAME INTO BEING.

THE *ENDEAVOUR*, HOWEVER, WAS NEVER MEANT TO BE A GEN-ERATIONAL REPLACEMENT TO THE *CONSTITUTION*, AND WAS DESIGNED AS AN INCREMENTAL IMPROVEMENT TO THE EXIST-ING FLEET, MAKING USE OF SOME OF THE NEW SYSTEMS AVAILABLE IN THE 2260'S. THE SHIPS PERFORM, PER SPEC, MARGINALLY BETTER THAN A STRICT SPECIFICATION *CONSTI-TUTION* CLASS, HOWEVER, MORE 'TWEAKED' *CONSTITUTION* CLASS SHIPS (SUCH AS THE LEGENDARY *ENTERPRISE*) STILL MANAGED TO BEST THE *ENDEAVOUR* IN TRIAL RUNS.

AS WITH OTHER SHIP CLASSES SPORTING THE LN-40 ENGINES, ONLY A HANDFUL OF *ENDEAVOUR* CLASS VESSELS WERE BUILT. CURRENT PLANS ARE TO ONLY REFIT ENDEAVOUR CLASS SHIPS TO THE NEW *CONSTITUTION* (REFIT) SPECIFICATIONS ONLY AFTER ALL REMAINING ORIGINAL DESIGN *CONSTITUTION* AND *ACHERNAR* CLASS VESSELS ARE COMPLETED. ENDEAVOUR CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED ARIDAS SOFIA UTOPIA PLANETIA JULY 2265, SD 3939 16

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS ENDEAVOUR	NCC-1716	CLASS SHIP; DESTROYED
USS YORKTOWN	NCC-1717	ACTIVE / STARFLEET COMMAND
USS VALIANT	NCC-1718	ACTIVE / STARFLEET COMMAND
USS ZUIHO	NCC-1719	ACTIVE / STARFLEET COMMAND
USS RADETSKY	NCC-1720	ACTIVE / STARFLEET COMMAND
USS UKRANIA	NCC-1721	ACTIVE / STARFLEET COMMAND
USS EL DORADO	NCC-1722	ACTIVE / STARFLEET COMMAND
USS ARI	NCC-1723	DESTROYED
USS KENT	NCC-1724	ACTIVE / STARFLEET COMMAND
USS TORI	NCC-1725	ACTIVE / STARFLEET COMMAND
USS KRIEGER	NCC-1726	ACTIVE / STARFLEET COMMAND
USS TRUXTON	NCC-1727	ACTIVE / STARFLEET COMMAND
USS TI-HO	NCC-1728	ACTIVE / STARFLEET COMMAND
USS CONFIANCE	NCC-1729	ACTIVE / STARFLEET COMMAND
USS BUNKER HILL	NCC-1730	ACTIVE / STARFLEET COMMAND
USS LA VENGEANCE	NCC-1731	ACTIVE / STARFLEET COMMAND



AUTHENTICATION NOTICE

AUTHENTICATION APPROVAL

ARIDAS SOFIA

SD 4840.55

SD 7411.27

CHIEF OF DESIGN

VERSION RELEASE

UNITED FEDERATION OF PLANETS

GENERAL PLANS:/RECOGNITION DETAIL

HEAVY CRUISER [CA] / ENDEAVOUR CLASS

STAR FLEET DIVISION

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



HEAVY CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND) CREW	43 387		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT	2 4
DIMENSIONS			TYPE HE SHUTTLECHAFT	2
Deadweight Tonnage Length	165,000 MT 290M		SECONDARY SYSTEMS	
BREADTH HEIGHT	127M 72M		MAIN COMPUTER ACTIVE SCANNER SUITE	DUOTRONIC MK III CU MK III LX HVY SENSORY SYSTEM
ARMAMENTS			PASSIVE SENSOR SUITE TRANSPORTERS	MK III HVY SENSORY SYSTEM 5 STD / 4 EVAC / 2 CARGO
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S) MK IV SINGLE EMITTER (A X2) MK XII/IF TWIN LAUNCHER (F)		LIFE SUPPORT	MK IV CT-3 SUITE
PHOTON TORPEDOES			MISSION PROFILE	
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	PFF3A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	exploration/patrol, Ca 12 years at Lyv
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	LN-40 MK III—TANDEM (WF 7/9) IPI86E (.75C) CCR50C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK S	UMMARY	
DECK ONE		BRIDGE		

SCIENCE LABS PHOTON CONTROL

OFFICER'S QUARTERS, MAIN RECREATION DECK

EMEGENCY SEAL AND SEPERATION, STORAGE

SHUTTLEBAY, MAIN ENGINEERING, PHASER BANK (A) SHUTTLEBAY, MEDICAL SECTION, COMPUTERS SHUTTLE MAINTEINANCE, GYMNASIUM, LOUNGE

SHUTTLEBAY, SHUTTLE OBERSAVATION

FABRICATION FACILITIES, STORAGE

RECREATION DECKS, STORAGE

AUXILLARY MACHINERY,

RECREATION AREA CREW QUARTERS

CARGO HOLDS

STORAGE, CARGO HOLDS

OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS

TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY

AUXILLARY MACHINERY, REAR OBSERVATION DECKS, LOUNGES

FABRICATION FACILITIES, FOOD STORES, WASTE RETREATMENT

PHASER COTNROL, PHASER BANK [F], SENSOR AND SCANNER CONTROL

SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES

DECK ONE
DECK TWO
DECK THREE
DECK FOUR
DECK FIVE
DECK SIX
DECK SEVEN
DECK EIGHT
DECK NINE
DECK TEN
DECK ELEVEN
DECK EIGHT
DECK NINE
DECK TEN THRU FOURTEEN
DECK FIFTEEN
DECK SIXTEEN
DECK SEVENTEEN
DECK EIGHTEEN
DECK NINETEEN
DECK TWENTY
DECK TWENTY-ONE
DECK TWENTY-TWO
DECK TWENTY-THREE
DECK TWENTY-FOUR

FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)

COMMAND CRUISER CLASS

BALSON CLASS STARSHIPS

GENERAL INFORMATION

THE *BALSON* CLASS IS ONE OF A HANDFUL OF STARSHIP CLASSES BORN OUT OF THE REDUCTIONS OF THE DREAD-NOUGHT PROJECT. THIS VESSEL, HOWEVER, WOULD RETAIN MUCH OF THE DREADNOUGHT'S CAPABILITIES, MAKING USE OF THE SECONDARY HULL ASSEMBLY.

THE PRIMARY "MARK-DOWN" FOR THE *BALSON* IS THE RE-MOVAL OF THE *FEDERATION*'S PRIMARY HULL AND THIRD PB-32 WARP ENGINE, REPLACING THE UPPER ASSEMBLY WITH A TRA-DITIONAL PRIMARY SAUCER. THE RESULT IS A SLEEKER, LIGHTER VESSEL WITH A SUBSTANTIAL DECREASE IN OVERALL COST, AND WITH NOT TOO MUCH REDUCTION IN CAPABILITIES.

DESPITE BEING LARGELY CONSIDERED A SUCCESS, THE BALSON CLASS WAS INTENDED ALL ALONG TO BE A REDUCED VERSION OF THE DREADNOUGHT, AND WAS APPROPRIATED ACCORD-INGLY. THE THREE SHIPS OF THE CLASS HAVE BEEN ASSIGNED LARGELY AS DETERRENTS AGAINST KLINGON OR ROMULAN AGGRESSION, AND ARE OFTEN BEING EMPLOYED AS THE CEN-TERPIECE OF A BATTLE GROUP.

THOUGH NOT AS CONTROVERSIAL AS THE 'POLITICALLY INCOR-RECT" DREADNOUGHT SERIES, THE *BALSON* IS SEEN, AND RIGHTFULLY SO, AS A COMBAT VESSEL FIRST. WITH THAT DISTINCTION, NUMEROUS MEMBERS OF THE FEDERATION (MOST NOTABLY VULCANS) ARE DRAMATICALLY OPPOSED TO EXPAND THE PROGRAM BEYOND THE UPRATING OF THE EXISTING SHIPS OF THE CLASS. BALSON CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED TODD GUENTHER UTOPIA PLANITIA MARCH 2269, SD 5920 3

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS BALSON	NCC-2105	CLASS SHIP, INACTIVE/ UNDERGOING UPRATING TO BALSON CLASS (U) SPEC.
USS CARLUSSI	NCC-2113	ACTIVE / STARFLEET COMMAND
USS DIEKMANN	NCC-2114	ACTIVE / STARFLEET COMMAND



GENERAL PLANS:/RECOGNITION DETAIL COMMAND CRUISER [CC] / BALSON CLASS

STAR FLEET DIVISION

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

TODD GUENTHER SD 2401.55 SD 7411.27



GENERAL PLANS:/RECOGNITION DETAIL COMMAND CRUISER (CC) / BALSON CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE TODD GUENTHER SD 2401.55 SD 7411.27



COMMAND CRUISER CLASS

CLASS SPECIFICS

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT
OFFICERS (COMMAND) CREW	50 380	TYPE H TRAVEL POD 2 TYPE F SHUTTLECRAFT 4 TYPE HE SHUTTLECRAFT 2
DIMENSIONS		
deadweight tonnage Length Breadth Height	215,000 MT 302 M 127 M 72 M	SELUNDARY SYSTEMSMAIN COMPUTERDUOTRONIC MK II CUACTIVE SCANNER SUITEMK III LX ADV SENSORY SYSTEMPASSIVE SENSOR SUITEMK III ADV SENSORY SYSTEM
ARMAMENTS		TRANSPORTERS 2 STD / 2 EVAC / 2 CARGO LIFE SUPPORT MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S) MK IV SINGLE EMITTER (A X2)	MISSION PROFILE
Photon torpedoes Defense deflector shield Passive deflector Tractor beam emitter	MK IV SINGLE EMITTER (V X2) MK XII/IF TWIN LAUNCHER (F) PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (F, A)	MISSION TYPE PATROL LEADER, CC MAXIMUM OPERATING RANGE 9 YEARS AT LYV
PROPULSION SYSTEMS		
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (0.75C) CCR45C (500 KPM)	
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK ELEVEN DECK EIGHT DECK KINE DECK TEN DECK TEN DECK TEN DECK FIFTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK TWENTY-ONE DECK TWENTY-TWO DECK TWENTY-FOUR DECK TWENTY-FOUR DECK TWENTY-FOUR	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) SN DORSAL (PYLON)	BRIDGE SCIENCE LABS PHOTON CONTROL OFFICER'S GUARTERS OFFICER'S GUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW GUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW GUARTERS, AUX. CONTROL, PERSONNEL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE RECREATION DECKS, STORAGE PHASER CONTROL, PHASER BANK [F] EMERGENCY SEAL AND SEPARATION, STORAGE AUXILARY MACHINERY, REAR OBSERVATION DECK STORAGE, REAR OBSERVATION DECK STORAGE, REAR OBSERVATION DECK FORWARD SHUTTLEBAY, SHUTTLE OBSERVATION FORWARD SHUTTLEBAY, MEDICAL SECTION, COMPUTERS SHUTTLE MAINTENANCE, GYMNASIUM, LOUNGE SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES RECREATION AREA CREW GUARTERS CREW GUARTERS FABRICATION FACILITIES, FOOD STORES, WASTE RECLAMATION STORAGE, CARGO HOLDS, VENTRAL PHASER CONTROL, PHASER BANK [V]

BATTLECRUISER CLASS

KIROV CLASS STARSHIPS

GENERAL INFORMATION

IN THE 2250S, THREATS TO THE FEDERATION WERE INCREASING AND SEEMINGLY EVER-PRESENT. IT WAS BELIEVED BY MANY THAT STAR FLEET NEEDED TO BOLSTER ITS COMBAT CAPABILI-TIES FAR BEYOND WHAT EARTH HAD MAINTAINED ALONE. UN-FORTUNATELY, THE BUDGET FOR THE FLEET WASN'T IN-CREASED ACCORDINGLY.

WITH THIS IN MIND, THE DECISION WAS MADE FOR A BATTLE-CRUISER VARIANT OF THE VENERABLE *CONSTITUTION* CLASS. THE BASIC PLAN WAS SIMPLE, CUT DOWN ON THE SCIENCE EQUIPMENT, AND BOLSTER THE SHIP'S DESIGN INSTEAD WITH INCREASED FIREPOWER AND A TOUGHER OVERALL STRUCTURE.

It's not too supprising, then, that the kirov performs much like the *constitution* herself. Stronger in combat than her cousin, the *kirov* sports an aft torpedo launcher (a modification which would be found later on many individual ships of the *constitution* class) and a more rigid structure thanks primarily to its more substantial engine pylons.

AS EXPECTED, HOWEVER, THE *KIROV*'S PERFORMANCE SUFFERS DRAMATICALLY IN EXPLORATION AND SCIENTIFIC DUTIES. THE LACK OF EXTENDED SENSORS ALSO HAMPERS THE SHIP TACTI-CALLY, PARTICULARLY WHEN DEALING WITH CLOAKED ROMU-LAN VESSELS. DESPITE THIS SHORTCOMING, THE *KIROV* IS A FORMIDABLE DEFENDER OF FEDERATION SPACE. KIROV CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED STEVE COLE SAN FRANCISCO ORBITAL MARCH 2264, SD 4840 9

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS KIROV USS AUSTRALIA USS NEW ZEALAND USS SHANGRI-LA USS NEW JERSEY USS FORREST	NCC-1751 NCC-1752 NCC-1753 NCC-1754 NCC-1755	CLASS SHIP, ACTIVE / STARFLEET COMMAND DECOMMISSIONED ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND DESTROYED ACTIVE / STARFLEET COMMAND
USS OGARKOV USS MONTANA USS LEMURIA	NCC-1763 NCC-1765 NCC-1766	ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND ACTIVE / STARFLEET COMMAND



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL BATTLECRUISER (BC) / KIROV CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE STEVE COLE SD 4840.55 SD 7411.27



GENERAL PLANS:/RECOGNITION DETAIL BATTLECRUISER (BC) / KIROV CLASS

AUTHENTICATION APPROVAL VERSION RELEASE

SD 4840.55 SD 7411.27



BATTLECRUISER CLASS

CLASS SPECIFICS

				2
OFFICERS (COMMAND) CREW	32 345		TYPE H TRAVEL POD TYPE F SHUTTLECRAFT	2 4
DIMENSIONS			SECONDARY SYSTEMS	
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	192,000 MT 290 M 127 M 67 M	_	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 4 STD / 3 EVAC / 2 CARGO MK IV CT-3 SIJITE
ARMAMENTS				
PHASERS	MK IV TWIN EMITTER (F, F/P, F/S) MK IV SINGLE EMITTER (A X2)		MISSION PHUHLE MISSION TYPE	PATROL COMBATANT, BC
PHOTON TORPEDDES	MK XII/IF TWIN LAUNCHÈR (F) MK XIV/IF SINGLE LAUNCHER (F)		MAXIMUM OPERATING RANGE	3 YEARS AT LYV
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)			
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (0.75C) CCR45C (500 KPM)	_		
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SU	JMMARY	
DECK ONE DECK TWO DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK SIX DECK SEVEN DECK EIGHT DECK TEN DECK TEN DECK ELEVEN DECK TEN DECK TEN DECK TEN DECK TEN DECK TEN DECK TEN DECK TEN DECK TEN DECK TEN DECK THIRTEEN DECK FIFTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK TWENTY DECK TWENTY-ONE DECK TWENTY-TWO	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE LABS PHOTON CONTROL OFFICER'S QUARTERS OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS [F/P, F/S] CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY FABRICATION FACILITIES, STORAGE PHASER CONTROL, PHASER BANK [F], SENSOR AND SCANNER CONTROL EMEGENCY SEAL AND SEPERATION, STORAGE AUXILARY MACHINERY AUXILARY MACHINERY, REAR OBSERVATION DECK AUXILARY MACHINERY, REAR OBSERVATION DECK MK XIV PRIMARY TORPEDO DECK, TORPEDO STORAGE, INERTIAL CONTROL SHUTTLEBAY, SHUTTLE OBSERVATION SHUTTLEBAY, MAIN ENGINEERING, PHASER BANK [A] SHUTTLEBAY, MEDICAL SECTION, COMPUTERS SHUTTLE MAINTENANCE, GYMINASIUM, LOUNGE SENSOR, SCANNER, AND DEFLECTION CONTROL, SHUTTLECRAFT SUPPLIES RECREATION AREA CREW QUARTERS FABRICATION FACILITIES, FOOD STORES, WASTE RETREATMENT STORAGE, CARGO HOLDS CARGO HOLDS		

BATTLESHIP CLASS

DIRECTORATE CLASS STARSHIPS

GENERAL INFORMATION

THE TERM DREADNOUGHT' NEVER SAT WELL WITH MANY MEMBERS OF THE FEDERATION COUNCIL, AND STAR FLEET FOUND ITSELF CONSTANTLY AT ODDS IN ATTEMPTING TO JUS-TIFY AND MAINTAIN A LINE OF CRAFT THAT MANY IN THE COUNCIL FELT WAS 'TOO POWERFUL' AND 'TOO MILITARISTIC'.

WHEN A VARIANT ARRANGEMENT OF THE THIRD PB-32 WAS PROPOSED TO THE USS DIRECTORATE, STAR FLEET DECIDED TO ALTER THE FUNCTION OF THE CLASS JUST SLIGHTLY, 'DOWNGRADING' THE DIRECTORATE TO A REGULAR-SERIES BATTLESHIP. ODDLY ENOUGH, DESPITE THE NEAR IDENTICAL ARRANGEMENT AND CAPABILITIES OF THE VESSEL, STAR FLEET WOUND UP HAVING A MUCH EASIER TIME OF THE APPROVAL PROCESS.

THE 'RE-CLASSIFICATION' OF THE HANDFUL OF SHIPS OF THE DIRECTORATE VARIANT WOULD, ACCORDING TO THE REGISTRY, CREATE A NEW 'BATTESHIP' CLASS. FUNCTIONALLY, HOWEVER, THE DIRECTORATE IS NEARLY IDENTICAL TO THE EXISTING FED-ERATION CLASS.

THE DIRECTORATE'S VARIANT ENGINE WAS HOPED TO ALLEVI-ATE SOME OF THE BALANCE ISSUES FOUND IN THE PB-32 'ODD ENGINE' DESIGNS. UNFORTUNATELY, AS WITH THE *SALADIN* (WHICH ALREADY HAD THE ROTATED ALIGNMENT), THE BAL-ANCE ISSUES CHANGED, BUT WENT UNSOLVED, KEEPING THE *DIRECTORATE* FROM REALIZING HER THEORHETICAL HIGHEST SPEEDS. DIRECTORATE CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED Franz Joseph Utopia planetia March 2269, SD 5920 3

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DIRECTORATE	NCC-2110	CLASS SHIP; ACTIVE / STARFLEET COMMAND
USS ORGANIZATION	NCC-2111	ACTIVE / STARFLEET COMMAND
USS STAR UNION	NCC-2112	ACTIVE / STARFLEET COMMAND
USS DOMINION	NCC-2115	ACTIVE / STARFLEET COMMAND

BATTLESHIP CLASS DIRECTORATE CLASS STARSHIPS - DORSAL VIEW PB32 WARP FIELD GENERATOR COWLING (P/C/S) PB-32 INTERCOOLER (P/S) ACTIVE SCANNER AND MK IV SINGLE EMITTER DEFLECTOR SYSTEM PHASER BANK (P/S) PB-32 PRIMARY WARP ENGINES (P/S) EMERGENCY FLUSH VENTS CENTRAL PB-32 WARP ENGINE AIRLOCK LIFT, LIFEBOAT LAUNCH [2X P/S] IPI86E IMPULSE UNIT HOUSING MK IV TWIN EMITTER PHASER BANK (P/S) o 0 NAVIGATION LIGHTS (P/S) PRIMARY HULL [SAUCER] VESSEL'S COMMISIONED NAME U.S.S. DIRECTORATE 00 2 -STARFLEET REGISTRY ID

> UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL BATTLESHIP (BB) / DIRECTORATE CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 2401.55 SD 7411.27
STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL

BATTLESHIP (BB) / DIRECTORATE CLASS

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

FRANZ JOSEPH SD 2401.55 SD 7411.27

BATTLESHIP CLASS

STANDARD COMPLEMENT				SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	43			TYPE H TRAVEL POD	2
CREW	387			TYPE F SHUTTLECRAFT	4
DIMENSIONS				SECONDARY SYSTEMS	-
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	285,000 MT 316M 140M 87M			MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE	DUDTRONIC MK II CU MK III LX HVY SENSORY SYSTEM MK III HVY SENSORY SYSTEM
ARMAMENTS				LIFE SUPPORT	5 STD 7 4 EVAC 7 2 CAHGU MK IV CT-3 SUITE
PHASERS	MK IV TWIN MK IV SINGLI	EMITTER (F, F/P, F/S) E EMITTER (A X2, P/S V)		MISSION PROFILE	
PHOTON TORPEDOES	MK XII/IF TW MK XII/IF SIN	IN LAUNCHER (F) GLE LAUNCHER (A)		MISSION TYPE MAXIMUM OPERATING RANGE	EXPLORATION/PATROL, CA 9 YEARS AT LYV
DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	PFF2A MK VI/AS MK IV SS MI	CRO-COMPRESSOR (A)			
PROPULSION SYSTEMS					
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III IPI86E (.75C) CCR45C (50	—TRIPLE (WF 6/8) OKPM]			
DECK ARRANGEMENT (GENERAL)		VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK TWREE DECK FOUR DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK THIRTEEN DECK THIRTEEN DECK FORTEEN DECK FORTEEN DECK FORTEEN DECK SIXTEEN DECK SIXTEN DECK SEVENTEN DECK SEVENTEN DECK SEVENTEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK SIXTEEN DECK TWENTY DECK TWENTY-DNE DECK TWENTY-TWO DECK TWENTY-FOUR DECK TWENTY-FOUR DECK TWENTY-FOUR DECK TWENTY-FOUR	TEEN	FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) FORWARD (SAUCER) DORSAL (PYLON) DORSAL (PYLON) DORSAL (PYLON)	BRIDGE SCIENCE GENERA OFFICER OFFICER CREW G CREW G TRAVEL MEDICAL CARGO I FABRICA RECREA PHASER SENSOR EMEGEN AUXILLA STORAG FORWAF FORWAF FORWAF SHUTTL SENSOR RECREA CREW G CREW G FABRICA STORAG STORAG	LABS L FACILITIES, SCIENCE LABS 'S GUARTERS 'S GUARTERS, PHASER CONTRO UARTERS, ENGINEERING, IMPULS UARTERS, AUX CONTROL, PERS PODS, PERSONNEL GANGWAY . SECTION, CREW GUARTERS, A MAINTENANCE FACILITIES .TION FACILITIES, STORAGE TION DECKS, STORAGE COTNROL, PHASER BANK (F) AND SCANNER CONTROL CY SEAL AND SEPERATION, STO RY MACHINERY, REAR OBSERV, E, REAR OBSERVATION DECK 20 SHUTTLEBAY, MAIN ENGINEE 20 SHUTTLEBAY, MAIN ENGINEE 20 SHUTTLEBAY, MEDICAL SEC' E MAINTEINANCE, GYMNASIUM, , SCANNER, AND DEFLECTION CI TION AREA UARTERS UARTERS .TION FACILITIES, FOOD STORES E, CARGO HOLDS E, CARGO HOLDS, VENTRAL PH	DL, PHASER BANKS (F/P, F/S) SE REACTOR CONTROL CONELL GANGWAY ACCESS ACCESS, COMPUTER ARRAY UX ENGINEEERING DRAGE ATION DECK RSAVATION RING, PHASER BANK (A) FION, COMPUTERS LOUNGE DNTROL, SHUTTLECRAFT SUPPLIES , WASTE RETREATMENT ASER CONTROL, PHASER BANK (V)

TRANSPORT CLASS

OSMANIEH CLASS STARSHIPS

GENERAL INFORMATION

SINCE THE EARLY CLASSIFIED SPACEFLIGHT PROJECTS OF THE 1990 AND WELL INTO THE LATE 2100S, THE DY SERIES OF TRANPORTS HAVE BEEN A MAINSTAY FOR EARTH'S STAR-FARING EFFORTS. A SIDE EFFECT OF THIS HAS BEEN THE HEAVY RELIANCE ON THE DY SERIES OF TRANSPORT PODS ON MUCH OF EARTH'S FLEET, EVEN WELL AFTER THE DY SERIES OF SHIPS HAVE LONG SINCE BEEN RETIRED.

Though the *Ptolemy* and her pods was supposed to be the New 'Long distance transport design' of choice, starfleet, earth found itself far too reliant on the dy pods to completely ditch them. A transition carrier ship was needed, and the *Osmanieh* would be calle in to serve.

THE *OSMANEIH* WAS NEVER DESIGNED AS A MAINLINE VESSEL, MAKING USE OF THE 'BUDGET' SIZE PRIMARY HULL AND SNUBBED PB-32 ENGINES AS FOUND ON THE *BURKE* CLASS. DESPITE THE 'COST CUTTING' IN THE DESIGN, MANY RESPONSI-BLE FOR TRADE AND TRANSIT CONSIDER THE CLASS A GOD-SEND, ALLOWING THE STILL MANUFACTURED DY PODS TO BE USED ON A DECIDEDLY MORE MODERN VESSEL.

It's very possible that the intention of the *Osmanieh* May have had the opposite of the intended effect. Rather than providing a stop-gap measure for transitioning away from the dy pods, it seems that the *Os-Manieh* simply prolonged their use for another generation.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED NEALE DAVIDSON UTOPIA PLANETIA MAY 2258, SD 1313 22

VESSEL NAME (MOST RECENT)	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
SS OSMANEIH	NFT-1425	ACTIVE / STARFLEET COMMAND
SS MAHMUDIEH	NFT-1426	ACTIVE / STARFLEET COMMAND
SS ORKANIEH	NFT-1427	ACTIVE / STARFLEET COMMAND
SS ABDUL AZIZ	NFT-1428	ACTIVE / STARFLEET COMMAND
SS ASSARI TEVFIK	NFT-1429	ACTIVE / STARFLEET COMMAND
SS ASSARI SHEVKET	NFT-1430	DECOMISSIONED
SS NIJIMI SEVKET	NFT-1431	ACTIVE / STARFLEET COMMAND
SS AVNI ILLAH	NFT-1432	ACTIVE / STARFLEET COMMAND
SS MUIN-I-ZAFFER	NFT-1433	DECOMISSIONED
SS IDJALIEH	NFT-1434	ACTIVE / STARFLEET COMMAND
SS FETHI BULEND	NFT-1435	ACTIVE / STARFLEET COMMAND
SS MUKADDAMI KHAIR	NFT-1436	ACTIVE / STARFLEET COMMAND
SS MESSUDIEH	NFT-1437	ACTIVE / STARFLEET COMMAND
SS YAVUZ SULTAN SELIM	NFT-1438	ACTIVE / STARFLEET COMMAND
SS RESADIYE	NFT-1439	ACTIVE / STARFLEET COMMAND
SS FETH UL ISLAM	NFT-1440	ACTIVE / STARFLEET COMMAND
SS TURGUT REIS	NFT-1441	ACTIVE / STARFLEET COMMAND
SS MEHMET SELIM	NFT-1442	ACTIVE / STARFLEET COMMAND
SS HEIBETNUMA	NFT-1443	DECOMISSIONED
SS LUFT HUMAYUN	NFT-1444	DECOMISSIONED
SS ABDUL HAMID	NFT-1445	ACTIVE / STARFLEET COMMAND
SS ABDUL MECID	NFT-1448	ACTIVE / STARFLEET COMMAND

RS: 480372-4 TO 01:04:111

OSMANIEH CLASS - BOW VIEW

RS: 480372-4 TO 01:04:112

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT (TDY) / OSMANIEH CLASS

STAR FLEET DIVISION

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

NEALE DAVIDSON SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT (TDY) / OSMANIEH CLASS AUTHENTICATION APPROVAL VERSION RELEASE

SD 2401.55 SD 7411.27



TRANSPORT CLASS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	12		TYPE H TRAVEL POD	2
	60		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	130,000 MT 265 M 95 M 37 M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX SENSORY SYSTEM MK III SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDDES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV SINGLE EMITTER (P, S, A) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	TRANSPORT, TDY (DY) 9 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-325 MK III—TANDEM (WF 5/7) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX DECK EIGHT DECK NINE DECK TEN		BRIDGE SCIENCE PHOTON OFFICER OFFICER ENGINEE CREW G COMPUT PHASER	LABS I Control, 'S Quarters 'S Quarters, Phaser Control, Ring, Impulse Reactor Control Uarters, Aux Control, Person 'Er Array, Fabrication Facilitie Cotnrol, Phaser Bank (F), Sen	, DY CARGO SPIRE, GANGWAY ELL GANGWAY ACCESS S, STORAGE SOR AND SCANNER CONTROL

TRANSPORT/TUG CLASS

PTOLEMY CLASS STARSHIPS

GENERAL INFORMATION

THE *PTOLEMY* CLASS WAS ONE OF THE FIRST FEW 'SISTER DESIGNS' TO BE CONCEIVED TO BE CONSTRUCTED FROM *CON-STITUTION*-STYLE PARTS. INDEED, A NEW CLASS OF 'ALL PUR-POSE TRANSPORT' WAS SORELY NEEDED, AS OLD-TECHNOLOGY TRANSPORTS WERE EITHER BECOMING HOPE-LESSLY OBSOLETE, OR PROVED OTHERWISE INSUFFICIENT FOR DELIBERING GOODS, CARGO, AND PERSONNEL INTO THE FEDERA-TION FRONTIER.

THE *PTOLEMY*, PERHAPS, MAY BE OVERKILL FOR ITS INTENDED ASSIGNMENT. WITH THE HEAVY PRIMARY HULL, THE CLASS BOATS STRONG DEFENSE CAPABILITIES AND PLENTY OF INTE-RIOR HULL FOR SUPPLIES AND CREW FOR LONG-DISTANCE MISSIONS.

IN ADDITION TO THE SACUER'S CAPABILITIES, THE *PTOLEMY* IS THE LEAD SHIP IN THE 'TRANSPORT POD' PROJECT. BORROWING REFINING, AND EXPANDING ON THE IDEA OF 'CARGO PODS' FIRST INITIIATED ON THE DY SERIES,

TRANSPORT PODS ARE LARGE, MODULAR SYSTEMS WHICH CAN BE ADAPTED TO DIFFERENT ROLES. MOST PODS CURRENTLY IN USE ARE FOR ONE FORM OR CARGO OR ANOTHER, BUT THERE ARE ALSO PODS FOR STARLINERS, DEFENSE, FIGHTER-DEPLOYMENT, AND SO ON. THE ABILITIES OF A *PTOLEMY* MAY VARY WIDELY DEPENDING ON THE PODS SHE'S HAULING. POMPEY CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

FRANZ JOSEPH UTOPIA PLANETIA MAY 2258, SD 1313 15

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS PTOLEMY	NCC-3801	CLASS SHIP, DECOMISSIONED
USS AL RASHID	NCC-3802	INACTIVE/ UNDERGOING RECONSTRUCTION TO AL RASHID SPEC.
USS ANAXAGORIS	NCC-3803	INACTIVE/ UNDERGOING RECONSTRUCTION TO AL RASHID SPEC.
USS ANAXIMANDER	NCC-3804	INACTIVE/ UNDERGOING RECONSTRUCTION TO AL RASHID SPEC.
USS ARISTARCHUS	NCC-3805	ACTIVE / UESPA DEFENSE COMMAND
USS IBN DAUD	NCC-3806	ACTIVE / UESPA DEFENSE COMMAND
USS ERATOSTHENES	NCC-3807	ACTIVE / UESPA DEFENSE COMMAND
USS GALILEI	NCC-3808	DECOMISSIONED
USS HIPPARCHOS	NCC-3809	ACTIVE / STARFLEET COMMAND
USS ULUGH BEG	NCC-3810	ACTIVE / STARFLEET COMMAND
USS PHILOLAUS	NCC-3811	ACTIVE / STARFLEET COMMAND
USS PYTHAGORAS	NCC-3812	ACTIVE / STARFLEET COMMAND
USS THALES	NCC-3813	ACTIVE / STARFLEET COMMAND
USS HEVELIUS	NCC-3814	ACTIVE / STARFLEET COMMAND
USS COPERNICUS	NCC-3815	ACTIVE / STARFLEET COMMAND



GENERAL PLANS:/RECOGNITION DETAIL TUG/TRANS. (TT) / PTOLEMY CLASS CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



TUG/TRANSPORT CLASS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	22		TYPE H TRAVEL POD	2
CREW	198		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	126,500 MT 222M 127 M 66 M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F) MK IV SINGLE EMITTER (R/P, R/S) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	SUPPLY TRANSPORT (TT) 5 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK THREE		BRIDGE SCIENCE PHOTON	LABS CONTROL,	

[GENERAL]		
DECK ONE		BRIDGE
DECK TWO		SCIENCE LABS
DECK THREE		PHOTON CONTROL,
DECK FOUR		OFFICER'S QUARTERS
DECK FIVE		OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS (R/P, R/S)
DECK SIX		CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL
DECK SEVEN		CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS
DECK EIGHT	FORWARD (SAUCER)	TRAVEL PODS, PERSONNEL GANGWAY ACCESS, COMPUTER ARRAY
DECK NINE	FORWARD (SAUCER)	FABRICATION FACILITIES, STORAGE
DECK TEN	FORWARD (SAUCER)	RECREATION DECKS, STORAGE
DECK ELEVEN	FORWARD (SAUCER)	PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL
DECK EIGHT	DORSAL (PYLON)	EMEGENCY SEAL AND SEPERATION, STORAGE
DECK NINE	DORSAL (PYLON)	AUXILLARY MACHINERY,
DECK TEN	DORSAL (PYLON)	AUXILLARY MACHINERY, REAR OBSERVATION DECK
DECK ELEVEN	DORSAL (PYLON)	POD CONNECTION MOORING CONTROLS, AUXILLARY SYSTEMS

RS: 480372-1 TO 01:04:119

HEAVY TRANSPORT/TUG CLASS

DOLLAND CLASS STARSHIPS

GENERAL INFORMATION

THE *DOLLAND* WAS BORN OF THE SUCCESS OF THE *COVENTRY* CLASS, AND IS, EFFECTIVELY, A MODIFIED VERSION OF THAT SHIP. THE *DOLLAND* IS RIGGED AS A 'LONG RANGE' TRANSPORT, WITH GREATER CAPABILITIES EVEN THAN THAT OF THE *PTOLEMY* CLASS.

THE BENEFITS OF THE CLASS ARE THE HEAVIER FIREPOWER, COMBAT CAPABILITIES AND INCREASED SUPPORT SYSTEMS FOUND IN THE 'TEARDROP' HULL. INDEED, *DOLLAND* CLASS TRANSPORTS HAVE EVEN TRIUMPHED IN BATTLE OVER KLIN-GON AND ORION FRIGATES MATCHING HER WEIGHT, NEARLY UNHEARED OF FOR A MERE TRANSPORT!

THE *DOLLAND*, HOWEVER, IS AN EXTREMELY EXPENSIVE TRANSPORT CRAFT TO PRODUCE, AND ITS CARGO CAPACITY ISN'T ANY GREATER THAN THAT OF THE *PTOLEMY*. AS A RE-SULT, MOST OF THE PLANNED RUN OF FORTY SHIPS WERE CUT BACK, WITH INTENDED DUTIES ASSIGNED TO MORE-AFFORDABLE VESSELS.

WITH THE EXPENSE IN MAINTAINING THESE VESSELS, *DOLLAND* CLASS TRANSPORTS PRIMARY SERVE IN FRONTIER AREAS DEEMED 'VULERNABLE' AND TOO UNSAFE FOR 'LESSER' TRANS-PORTS TO GO WITHOUT ESCORT. AS SUCH, THE SHIPS ARE PLACED IN HARM'S WAY MORE OFTEN THAN NOT. DESPITE THIS, THE LOSS RECORD FOR *DOLLAND* CLASS TRANSPORTS HAVE BEEN REMARKABLY STRONG. DOLLAND CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED Patrick Lichty Rakala Fleet Yards March 2259, SD 1740 20

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS DOLLAND	NCC-3900	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS GOLDREICH	NCC-3901	ACTIVE / STARFLEET COMMAND.
USS HERTZSPRUING	NCC-3902	ACTIVE / STARFLEET COMMAND
USS IRWIN	NCC-3903	ACTIVE / STARFLEET COMMAND
USS KOHLSHUTTER	NCC-3904	DECOMISSIONED
USS MOULTON	NCC-3905	ACTIVE / STARFLEET COMMAND
USS POGSON	NCC-3906	ACTIVE / STARFLEET COMMAND
USS RUSSEL	NCC-3907	ACTIVE / STARFLEET COMMAND
USS SLIPHER	NCC-3908	ACTIVE / STARFLEET COMMAND
USS VAN DE HULST	NCC-3909	DESTROYED
USS YOUNG	NCC-3910	ACTIVE / STARFLEET COMMAND
USS BESSEL	NCC-3911	ACTIVE / STARFLEET COMMAND
USS CHALLIS	NCC-3912	ACTIVE / STARFLEET COMMAND
USS FLAMSTEED	NCC-3913	ACTIVE / STARFLEET COMMAND
USS HENDERSON	NCC-3914	ACTIVE / STARFLEET COMMAND



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL HVY TUG/TRANS. (TT+) / DOLLAND CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE PATRICK LICHTY SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



HEAVY TUG/TRANSPORT CLASS

STANDARD COMPLEMENT		SUPPLEMENTAL CHAFT	
OFFICERS (COMMAND)	32	TYPE H TRAVEL POD	2
CREW	195	TYPE F SHUTLECRAFT	4
DIMENSIONS		SECONDARY SYSTEMS	
deadweight tonnage Length Breadth Height	152,000 MT 244M 149 M 65 M	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 2 STD / 2 EVAC / 2 CARGO
ARMAMENTS		LIFE SUPPUR I	MK IV CT-3 SUITE
PHASERS	MK IV TWIN EMITTER (F)	MISSION PROFILE	
PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE MAXIMUM OPERATING RANGE	SUPPLY TRANSPORT (TT+) 7 YEARS AT LYV
PROPULSION SYSTEMS			
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32 MK III—TANDEM (WF 6/8) IPI86E (.75C) CCR45C (500KPM)		

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE		BRIDGE
DECK TWO		SCIENCE LABS
DECK THREE		PHOTON CONTROL,
DECK FOUR		OFFICER'S QUARTERS
DECK FIVE		OFFICER'S QUARTERS, PHASER CONTROL, PHASER BANKS (F/P, F/S)
DECK SIX		CREW QUARTERS, ENGINEERING, IMPULSE REACTOR CONTROL
DECK SEVEN		CREW QUARTERS, AUX CONTROL, PERSONELL GANGWAY ACCESS
DECK EIGHT	FORWARD (SAUCER)	TRAVEL PODS, PERSONNEL GANGWAY ACCESS, SHUTTLEBAYS
DECK NINE	FORWARD (SAUCER)	FABRICATION FACILITIES, STORAGE
DECK TEN	FORWARD (SAUCER)	RECREATION DECKS, STORAGE
DECK ELEVEN	FORWARD (SAUCER)	PHASER COTNROL, PHASER BANK (F), SENSOR AND SCANNER CONTROL
DECK EIGHT	DORSAL (PYLON)	EMEGENCY SEAL AND SEPERATION, STORAGE
DECK NINE	DORSAL (PYLON)	AUXILLARY MACHINERY,
DECK TEN	DORSAL (PYLON)	AUXILLARY MACHINERY, REAR OBSERVATION DECK
DECK ELEVEN	DORSAL (PYLON)	POD CONNECTION MOORING CONTROLS, AUXILLARY SYSTEMS

CIVILIAN TRANSPORT

DY-250 "ZEUS" CLASS VESSELS

GENERAL INFORMATION

THE DY-250 CLASS OF TRANSPORTS WAS DESIGNED AS A 'SOLID-PERFORMANCE' VERSION IN THE DY SERIES OF TRANS-PORTS. IT HAD A MUCH MORE RIGID STRUCTURE THAN ITS PREDECESSOR, AND AN UPPER LIMIT OF FIVE OF THE DY SERIES CARGO CONTAINERS.

THE DESIGN MOSTLY SAW USE AS 'COLONY SEEDERS', WITH SUPPLIES AND CRYOGENICALLY-SUSPENDED COLONISTS KEPT WITHIN THE DY-TYPE CONTAINERS. WHEN THE SHIP ARRIVED AT ITS DESTINATION (WITH MOST TRIPS TAKING DECADES), THE CREW WAS AWOKEN AND THE SIHIP ITSELF USED TO FORM THE COLONY.

THE MAIN ADVANTAGE OF THE DY-250 SERIES OVER ITS PREDECESSOR WAS AN INCREASE IN THE POWER OF ITS ION DRIVE, AS WELL AS A MORE HARDENED LIFE-SUPPORT SYSTEM, MAKING LONGER TRIPS MORE POSSIBLE. DESPITE THESE AD-VANCES, HOWEVER, THE DY-250 SERIES DID NOT CATCH ON, PARTICULARLY ONCE RELATIVISTIC TRAVEL BECAME POSSIBLE.

TODAY, A FEW OF THESE AGING FRAMES HAVE BEEN CON-VERTED TO AUTOMATION, HAULING ORE OR OTHER MATERIALS WITHIN COLONY SYSTEMS. STAR FLEET CONSIDERS THESE SHIPS HOPELESSLY OBSOLETE, HOWEVER.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED

MITCH O'CONNELL EARTH, VARIOUS AUGUST 2024 22

VESSEL NAME (MOST RECENT)	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
SS ZEUS	DY-250	DECOMISSIONED
SS ZENITH	DY-251	DESTROYED
SS MERCUIS	DY-252	Converted to Automation
SS PASTER	DY-253	Converted to Automation
SS AMBROSIA	DY-254	DECOMISSIONED
SS HARRISON	DY-255	DECOMISSIONED
SS BLACK YONDER	DY-256	DECOMISSIONED, CONVERTED AS COLONY BASE
SS CONQUEST	DY-257	DECOMISSIONED, CONVERTED AS COLONY BASE
SS CILANTRO	DY-258	CONVERTED TO AUTOMATION
SS MILAN	DY-259	DESTROYED
SS RACHEL SIERRA	DY-260	DECOMISSIONED
SS MINA RENEE	DY-261	DECOMISSIONED
SS PACIFICA	DY-262	DECOMISSIONED, CONVERTED AS COLONY BASE
SS VENUSIA	DY-263	DESTROYED
SS JOVIA	DY-264	DESTROYED
SS BLARNEY STONE	DY-265	DECOMISSIONED
SS SPREADING THE WORD	DY-266	DECOMISSIONED, CONVERTED AS COLONY BASE
SS JENNIFER MARIE	DY-267	DECOMISSIONED, CONVERTED AS COLONY BASE
SS BONNE CHANCE	DY-268	DECOMISSIONED, CONVERTED AS COLONY BASE
SS LOLTH	DY-269	CONVERTED TO AUTOMATION
SS MIDNIGHT	DY-270	CONVERTED TO AUTOMATION
SS LONGINGER	DY-271	DESTROYED



DY-250 CLASS - BOW VIEW



GENERAL PLANS:/RECOGNITION DETAIL CIVILIAN DY-250 TRANSPORT CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MITCH 0'DONNELL SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



CIVILIAN TRANSPORT

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT		
OFFICERS (COMMAND) 2	2	NONE		
	12	SECONDARY SYSTEMS		
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	22,000 MT 111M 32M 33M	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	TR-VIII ASTROTRONICS NONE SL BASIC RADAR NONE TYPE II SUITE	
ARMAMENTS		MISSION PROFILE		
PASSIVE DEFLECTOR	MK II ECM	MISSION TYPE	TRANSPORT	
PROPULSION SYSTEMS		MAXIMUM OPERATING RANGE	25 YEARS AT LYV	
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	NONE NONE RCS-151 (.15C)			

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK THREE DECK FOUR DECK FIVE DECK SIX		Command Area (Bridge) Officer Quarters Main Hatch, computer center Ship Stores, crew Quarters Dy Container Spire and Access, engineering Boom Auxillary Maxhines, engineering Boom, Ion Engine

COLONY TRANSPORT CLASS

EDWARD CLASS STARSHIPS

GENERAL INFORMATION

A MASSIVE SERIES OF SHIPS DESIGNED TO TRANSPORT ENTIRE COLONIES OF 5,000 PEOPLE TO THEIR DESTINATION WORLDS. PRODUCED IN RAPID SUCESSION IN THE 2260'S, THE *EDWARD* CLASS WAS MEANT TO EXPAND THE FEDERATION'S INFLUENCE IMMEDIATELY ONTO NEWLY-CLAIMED WORLDS, AS WELL AS GIVE THE MORE CROWDED POPULATIONS OF THE HOME WORLDS SOME MUCH-NEEDED BREATHING ROOM.

THE *EDWARD* MAKES USE OF MUCH OF THE INNOVATIONS OF THE *CONSTITUTION* CLASS, INCLUDING THE POWERFUL PB-32 ENGINES AND BASIC STRUCTURE DESIGN. AS A RESULT, THE SHIP IS STURDY AND WELL SUITED FOR ITS LONG-DISTANCE MISSIONS. IT IS NOT, HOWEVER, A COMBATANT, AND IS COM-PLETELY UNARMED. AS A RESULT, EDWARD CLASS SHIPS ARE OFTEN ESCORTED IF THERE'S THE SLIGHTEST POSSIBILITY OF DANGER.

As the 2270's begin, the federation's efforts on building out its infrastructure to new worlds continue. While no more ships of the *Edward* class have been ordered, it's believed that those which remain will continue in service, due to high demand, for guite some time in the future.

EDWARD CLASS - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED RIMA LITONJUA SAN FRANCISCO ORBITAL MARCH 2264, SD 3220 25

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANUARY 2272)
USS EDWARD	NDT-1200	CLASS SHIP, ACTIVE / STARFLEET COMMAND
USS EDMUND	NDT-1201	ACTIVE / STARFLEET COMMAND
USS ELIZABETH	NDT-1202	DECOMISSIONED
USS CHARLES	NDT-1203	ACTIVE / STARFLEET COMMAND
USS RICHARD	NDT-1204	ACTIVE / STARFLEET COMMAND
USS DARLING	NDT-1205	ACTIVE / STARFLEET COMMAND
USS GEORGE	NDT-1206	ACTIVE / STARFLEET COMMAND
USS PERCY	NDT-1207	ACTIVE / STARFLEET COMMAND
USS HENRY	NDT-1208	ACTIVE / STARFLEET COMMAND
USS HARRY	NDT-1209	ACTIVE / STARFLEET COMMAND
USS DOUGAL	NDT-1210	DECOMISSIONED
USS MELCHETT	NDT-1211	ACTIVE / STARFLEET COMMAND
USS FLASHHEART	NDT-1212	ACTIVE / STARFLEET COMMAND
USS AMY	NDT-1213	ACTIVE / STARFLEET COMMAND
USS WALTER	NDT-1214	ACTIVE / STARFLEET COMMAND
USS KEANRICK	NDT-1215	ACTIVE / STARFLEET COMMAND
USS MOSSOP	NDT-1216	ACTIVE / STARFLEET COMMAND
USS KATE	NDT-1217	ACTIVE / STARFLEET COMMAND
USS PITT	NDT-1218	ACTIVE / STARFLEET COMMAND
USS SMEDLEY	NDT-1219	ACTIVE / STARFLEET COMMAND
USS TOPPER	NDT-1220	ACTIVE / STARFLEET COMMAND
USS LUDWIG	NDT-1221	ACTIVE / STARFLEET COMMAND
USS BERNARD	NDT-1222	ACTIVE / STARFLEET COMMAND
USS FARROW	NDT-1223	DESTROYED
USS BALDRICK	NDT-1224	SCRAPPED





COLONY TRANSPORT CLASS

STANDARD COMPLEMENT			SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)	20		TYPE H TRAVEL POD	4
CHEW	180		SECONDARY SYSTEMS	
DIMENSIONS DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	731,500 MT 420M 140M 76M		MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK II CU MK III LX ADV SENSORY SYSTEM MK III ADV SENSORY SYSTEM 10 STD / 10 EVAC / 4 CARGO MK IV CT-3 SUITE
ARMAMENTS			MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	NONE NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)		MISSION TYPE MAXIMUM OPERATING RANGE	COLONY TRANSPORT, TTC 18 YEARS AT LYV
PROPULSION SYSTEMS				
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-32S MK III—TRIPLE (WF 6/8) IPI86E (.75C) CCR5OC (500KPM)			
DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SL	JMMARY	
DECK ONE DECK TWO DECK THREE THRU FIVE DECK SIX DECK SEVEN DECK EIGHT DECK NINE DECK TEN DECK ELEVEN		BRIDGE CREW LU OFFICER MAIN HA CREW Q TRAVEL FABRICA RECREA SENSOR	Dunge 's Quarters, Main Recreation (Ibitation access, Engineering, Uarters, Aux Control, Person Pods, Personnel Gangway ac Tion Facilities, Storage Tion Decks, Storage AND Scanner Control	DECKS, STORES IMPULSE REACTOR CONTROL IELL GANGWAY ACCESS CESS, COMPUTER ARRAY

AUTOMATED FREIGHTER

SHERMAN TYPE AUTOMATED VESSEL

GENERAL INFORMATION

AS EXPECTED FROM A LARGELY AUTOMATED SHIP CLASS, THE SHERMAN IS AN AGING DESIGN. THIS DESIGN, HOWEVER, WAS CONSTRUCTED WITH HER EVENTUAL OBSELENCE IN MIND. AS AN AUTOMATED FREIGHTER, THE *SHERMAN* CAN PERFORM ROUTINE, MUNDANE MISSIONS UNDER HER OWN PROGRAMMING, OR BE DIRECTED VIA SUBSPACE LINK FOR MORE HAZARDOUS DUTIES.

STARFLEET MAINTAINS A SMALL NUMBER OF THESE FREIGHT-ERS IN ACTIVE DUTY, LARGELY TO SERVIVE AND SUPPLY OUT-POSTS AND STARBASES. THE BULK OF THE SHIPS OF THIS TYPE ARE UNDER CIVILIANS ARRANGEMENTS OR SLATED AS RESERVES. THE SINGLE PHASER BANK FOUND ON THE STAR FLEET VERSION OF THIS SHIP IS NOT AVAILABLE ONLY THE CIVILIAN VERSION, AND IS DISABLED FOR ANY AUTOMATED USE.

THOUGH THE AGE OF THE *SHERIMAN*'S ACTUAL DESIGN IS NOW WELL OVER, THE CLASS WILL LIKELY CONTINUE TO SEE SER-VICE FOR A FEW DECADES TO COME, THOUGH INCREASINGLY IN 'AUTOMATED ONLY' ROLES. SURPRISINGLY, HOWEVER, A NEW VERSION OF THE DESIGN IS BEING CONSIDERED FOR PURELY CIVILIAN PURPOSES, BASED ON RECENTLY DECLASSIFIED FED-ERATION TECHNOLOGY.

SHERMAN TYPE - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DON CHRISTIANSON UTOPIA PLANETIA JULY 2245, SD 0965 16

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
VESSEL NAME USS SHERMAN USS VON DRAKE USS PEABODY USS NELL USS DUDLEY USS JAMHILL USS SANDRA USS MAYAGUEZ USS GAMESA USS KHRON USS PUENTE CANARIO USS CAMPONALON USS ALECIA USS VICTORIA ELENA	REGISTRY NCC-G-1400 NCC-G-1401 NCC-G-1402 NCC-G-1403 NCC-G-1404 NCC-G-1405 NCC-G-1406 NCC-G-1407 NCC-G-1408 NCC-G-1409 NCC-G-1460 NCC-G-1460	STATUS AS OF SD 7411.3 (JANURARY 2272) CLASS SHIP, ACTIVE / STARFLEET TRANSPORT COMMAND ACTIVE / STARFLEET TRANSPORT COMMAND
USS VILLA DE ORIO USS URLEA	NCC-G-1464 NCC-G-1465	DESTROYED



UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL AUTO. FREIGHTER (TTR) / SHERMAN TYPE

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE DON CHRISTIANSON SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



AUTOMATED FREIGHTER

STANDARD COMPLEMENT		SUPPLEMENTAL CRAFT	
OFFICERS (COMMAND)		NONE	0
CHEW	26 [WHEN NUT AUTUMATED]	SECONDARY SYSTEMS	
DIMENSIONS		MAIN COMPUTER	DUOTRONIC MK II CU (EXP)
Deadweight Tonnage Length Breadth Height	78,000MT 113M 52M 55M	ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	MK III LX SENSORY SYSTEM MK III SENSORY SYSTEM 1 STD / 1 EVAC / 4 CARGO MK IV CT-3 SUITE
ARMAMENTS		MISSION PROFILE	
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	MK IV TWIN EMITTER (F) (OPT) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE MAXIMUM OPERATING RANGE	AUTOMATED TRANSPORT, TTR 20 YEARS AT LYV
PROPULSION SYSTEMS			
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	PB-26-S MK V—TANDEM (WF 5/6) IPI86E (.75C) CCR45C (500KPM)		

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK TWO DECK THREE, FOUR DECK FIVE DECK SIX, SEVEN DECK EIGHT DECK NINE THRU FOURTEEN		Auxillary Manual Control Automation Control, Computer Array Officer's Quarters, Crew Quarters, Subspace Relay Control Sensor Control, Phaser Control (OPT), Storage Engineering, Impulse Reactor Control Main and Secondary Cargo Holds

ARMED FREIGHTER

INDEPENDENCE CLASS AUTOMATED VESSEL

GENERAL INFORMATION

THOUGH THE FEDERATION AND KLINGON EMPIRE ARE UNDER TREATY TO AVOID OPEN WAREFARE, COLONIES AND OUTPOSTS WITHIN THE NEUTRAL ZONE ARE IN NEED OF CONSTANT SUP-PLY AND ARE ALSO IN CONSTANT DANGER OF RAIDS. THE *INDE-PENDENCE* CLASS ARMED FREIGHTER IS LARGELY USED TO FUFILL BOTH NEEDS IN AREAS KNOWN FOR HOSTILIEIS, WHERE IT'S NOT ADVISABLE FOR CIVILIAN SHIPS TO GO IN WITHOUT ESCORT.

THOUGH THE *INDEPENDENCE* IS, BY NO MEANS, A VESSEL MEANT FOR COMBAT, HER PHASER BANKS HAVE CAUSED MORE THAN ONE WOULD-BE RAIDER TO RECONSIDERED TARGETING THEM AS PREY. THOUGH NOT TRULY DESIGNED TO ACTUALLY WIN A CONFLICT, THE DESIGN IS FOR WITHSTANDING AN AT-TACK LONG ENOUGH FOR HELP TO ARRIVE. AS SUCH, FOR A FREIGHTER, THE *INDEPENDENCE* CAN WITHSTAND A TREMEN-DOUS POUNDING.

THOUGH THE CLASS IS NEARING THE END OF ITS TECHNOLOGI-CAL HEY-DAY, IT REMAINS A FAVORITE WITHIN THE NEUTRAL ZONE AND LIKELY WON'T BE COMPLETELY PHASED OUT FOR A NUMBER OF YEARS, DESPITE 'REPLACEMENT' CLASSES AL-READY FIELDED.

INDEPENDENCE TYPE - BOW VIEW



CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED DON CHRISTIANSON UTOPIA PLANETIA JULY 2245, SD 0965 15

VESSEL NAME	REGISTRY	STATUS AS OF SD 7411.3 (JANURARY 2272)
USS SHERMAN	NCC-F-1900	CLASS SHIP, DECOMISSIONED
USS VON DRAKE	NCC-F-1901	DECOMISSIONED
USS PEABODY	NCC-F-1902	DECOMISSIONED
USS NELL	NCC-F-1903	ACTIVE / STARFLEET TRANSPORT COMMAND
USS DUDLEY	NCC-F-1904	ACTIVE / STARFLEET TRANSPORT COMMAND
USS YAMHILL	NCC-F-1905	ACTIVE / STARFLEET TRANSPORT COMMAND
USS SANDRA	NCC-F-1906	ACTIVE / STARFLEET TRANSPORT COMMAND
USS MAYAGUEZ	NCC-F-1907	ACTIVE / STARFLEET TRANSPORT COMMAND
USS GAMESA	NCC-F-1908	ACTIVE / STARFLEET TRANSPORT COMMAND
USS KHRON	NCC-F-1909	ACTIVE / STARFLEET TRANSPORT COMMAND
USS PUENTE CANARIO	NCC-F-1910	ACTIVE / STARFLEET TRANSPORT COMMAND
USS CAMPONALON	NCC-F-1911	ACTIVE / STARFLEET TRANSPORT COMMAND
USS ALECIA	NCC-F-1912	ACTIVE / STARFLEET TRANSPORT COMMAND
USS VICTORIA ELENA	NCC-F-1913	ACTIVE / STARFLEET TRANSPORT COMMAND
USS VILLA DE ORIO	NCC-F-1914	ACTIVE / STARFLEET TRANSPORT COMMAND



STAR FLEET DIVISION GENERAL PLANS:/RECOGNITION DETAIL

ARMED FRIEGHTER (FT) / INDEPENDENCE CLASS

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

DON CHRISTIANSON SD 2401.55 SD 7411.27

STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27



GENERAL PLANS:/RECOGNITION DETAIL ARMED FRIEGHTER (FT) / INDEPENDENCE CLASS AUTHENTICATION APPROVAL

VERSION RELEASE

SD 2401.55 SD 7411.27

ARMED FREIGHTER CLASS

	SUPPLEMENTAL CRAFT	
4	TYPE H TRAVEL POD	2
26	SECONDARY SYSTEMS	
	MAIN COMPUTER	DUOTRONIC MK II CU (EXP)
85,000 MT 117M 69M 60M	ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	MK III LX SENSORY SYSTEM MK III SENSORY SYSTEM 1 STD / 1 EVAC / 4 CARGO MK IV CT-3 SUITE
	MISSION PROFILE	
MK IV TWIN EMITTER (F) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A)	MISSION TYPE MAXIMUM OPERATING RANGE	TRANSPORT, FT 20 YEARS AT LYV
PB-26 MK V—TANDEM (WF 6/7) IPI65C (.50C) CCR45C (500KPM)		
	4 26 85,000 MT 177M 69M 60M MK IV TWIN EMITTER (F) NONE PFF2A MK VI/AS MK IV SS MICRO-COMPRESSOR (A) PF526 MK V—TANDEM (WF 6/7) PI65C (50C) CCR45C (500KPM)	4 26SUPPLEMENTAL CRAFT85,000 MT 117M 69M 60MMAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORTMK IV TWIN EMITTER [F] NONE PFF2A MK VI/AS MK IV SS MICRD-COMPRESSOR [A]MISSION TYPE MAXIMUM OPERATING RANGEPB-26 MK V—TANDEM [WF 6/7] PI65C [SODKPM]MISSION COMPRESSOR [A]

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE DECK ONE DECK TWO, THREE DECK FOUR , FIVE DECK SIX THRU EIGHT DECK NINE THRU FOURTEEN	(FORWARD) (AFT)	BRIDGE MAIN ENGINEERING GANGWAY, OFFICER'S QUARTERS, CREW QUARTERS, PHASER CONTROL MAINTEINANCE, TRANSPOTER ROOMS, SHIP'S STORES, CARGO HOLD MAIN AND SECONDARY CARGO HOLDS SENSOR SYSTEM, SECONDARY CARGO HOLDS

RS: 480372-4 TO 01:04:139

TRANSPORT CONTAINER

DRKY BULK SERIES

GENERAL INFORMATION

THE 'DRY BULK' CONTAINER POD IS BASICALLY THE 'STRIPPED DOWN' TRANSPORT POD, WHERE LITTLE EQUIPMENT IS USED FOR SPECIAL HANDLING AND ENVIRONMENTAL CONCERNS.

FOR ITS DESIGN, THE 'DRY BULK' POD IS BASICALLY A STRIPPED-DOWN AND SOMEWHAT MORE ECONOMICAL POD WHEN COMPARED TO THE GENERAL PRODUCTS DESIGN. STAR-FLEET DOES KEEP A LARGE NUMBER OF THESE PODS ON HAND, AND ARE OFTEN REFERRED TO AS 'SNAIL MAIL' PODS, SINCE THEY OFTEN DELIVER STELLAR MAIL BETWEEN SHIPS, STAR-BASES, AND FEDERATION WORLDS.

LIKE THE OTHER 'STANDARD' CONTAINER TYPES, THE FDB-OO1 TYPE WOULD FIND COMMON USE IN CIVILIAN ROLES AND BE IN COMMON USE FOR DECADES FOLLOWING THEIR RELEASE.

CONSTRUCTION DETAILS

CHIEF OF DESIGN	
PRIMARY SHIPYARD	
PROJECT INITIATION	
VESSELS CONSTRUCTED	

SUPPLEMENTAL CRAFT

FRANZ JOSEPH VARIOUS MAY 2258, SD 1313 349 (AUTHORIZED)

NONE		
SECONDARY SYSTEMS		
MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT		DUOTRONIC MK III CU NONE 1 STD / 1 EVAC / 4 CARGO MK IV CT-3 SUITE
MISSION PROFILE		
MISSION TYPE MAXIMUM OPERATING RATING	3	GENERAL PURPOSE 25 YEARS
STANDARD COMPLEMENT		
OFFICERS (COMMAND) CREW	2 18	
DIMENSIONS		
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	122,00 203M 44M 44M	D MT
ARMAMENTS		
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	NONE NONE PFF3AE MK VI/ MK IV S	= AS SS MICRO-COMPRESSOR (A)
PROPULSION SYSTEMS		
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	NONE NONE CCR50	С (500КРМ)

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE		LINKAGE SYSTEM, EMERGENCY SEAL,
DECK TWO		Control, Crew Quarters, Maintenance, Personell Transporters
DECK THREE		BULK STORAGE
DECK FOUR		FORWARD/AFT LINKAGE SYSTEM, BULK STORAGE
DECK FIVE THRU NINE		BULK STORAGE
DECK TEN		TRACTOR BEAM COTNROL, STORES, BULK STORAGE



GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT CONTAINER / BULK-SERIES CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

FRANZ JOSEPH SD 4840.55 SD 7411.27

TRANSPORT CONTAINER

LIQUIDS SERIES

GENERAL INFORMATION

THE 'LIQUIDS' POD IS DESIGNED WITH MULTIPLE PRESSURE AND TEMPERATURE-CONTROLLED COMPARTMENTS TO HANDLE THE TRANSPORTATION OF LIQUIDS OF VARIOUS TYPES, RANGING FROM COMMON WATER TO LOW-YIELD HYDROGEN PLASMA. THE POD'S SYSTEMS ARE DESIGNED TO KEEP EACH COMPART-MENTS' LIQUIDS AS STABLE AND SECURE AS POSSIBLE.

SINCE THE FGP POD HAS SIMILAR CAPACITIES OF ITS OWN, THE FGL PODS ARE RESERVED FOR LARGE-SCALE TRANSPORT OF LIQUIDS, SUCH AS INITIAL COLONY SUPPLIES, BECAUSE OF THIS, THERE ARE SIGNIFICANTLY FEWER 'LIQUIDS' PODS THAN GEN-ERAL PRODUCTS PODS IN THE SPACE-LANES.

CONSTRUCTION DETAILS

VESSEL SECTION

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED		FRANZ JOSEPH VARIOUS MAY 2258, SD 1313 349 (AUTHORIZED)
SUPPLEMENTAL CRAFT		
NONE		
SECONDARY SYSTEMS		
MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT		Duotronic MK III Cu None 1 STD / 1 Evac / 4 Cargo MK IV CT-3 Suite
MISSION PROFILE		
MISSION TYPE MAXIMUM OPERATING RATING	3	general purpose 25 years
STANDARD COMPLEMENT		
OFFICERS (COMMAND) CREW	2 18	
DIMENSIONS		
deadweight tonnage Length Breadth Height	122,000 203M 44M 44M	J MT
ARMAMENTS		
PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	None None PFF3Ae MK VI// MK IV S	: AS SS MICRO-COMPRESSOR (A)
PROPULSION SYSTEMS		
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	NONE NONE CCR50	C (500KPM)
DECK SUMMARY		

DECK ONE
DECK TWO
DECK THREE
DECK FOUR
DECK FIVE THRU NINE

DECK TEN

DECK ARRANGEMENT [GENERAL]

LINKAGE SYSTEM, EMERGENCY SEAL, CONTROL, CREW QUARTERS, MAINTENANCE, PERSONELL TRANSPORTERS LIQUIDS STORAGE FORWARD/AFT LINKAGE SYSTEM, LIQUIDS STORAGE LIQUIDS STORAGE TRACTOR BEAM COTNROL, STORES, LIQUIDS STORAGE



GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT CONTAINER / LIQUID-SERIES CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 4840.55 SD 7411.27

TRANSPORT CONTAINER

PRODUCTS SERIES

GENERAL INFORMATION

THE 'PRODUCTS' POD IS DESIGNED FOR MASS TRANSIT OF 'FINISHED' GOODS AND MATERIALS. THE POD CAN CARRY UP TO 300,000 CUBIC METERS OF ASSORTED FREIGHT, IDEAL FOR RESUPPLYING STARBASES AND OUTPOSTS, AS WELL AS MAIN-TAINING SUPPLY LINES FOR STARFLEET ACTIVITIES.

THE FGP POD IS DESIGNED TO CARRY AN ASSORTMENT OF GOODS, SO IT MAINTAINS SEVERAL COMPARTMENTS FOR RE-FRIGERATION, LIQUID TRANSPORT, AND SO ON. DUE TO ITS GEN-ERAL PURPOSE SUE AND LARGE CAPACITY, THE FGP POD IS THE MOST COMMON TYPE OF TRANSPORT CONTAINER CUR-RENTLY IN USE.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED	FRANZ JOSEPH VARIOUS MAY 2258, SD 1313 349 (AUTHORIZED)
SUPPLEMENTAL CRAFT	
NONE	
SECONDARY SYSTEMS	
MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT	DUOTRONIC MK III CU NONE 1 STD / 1 EVAC / 4 CARGO MK IV CT-3 SUITE
MISSION PROFILE	

MISSION TYPE MAXIMUM OPERATING RATING

GENERAL PURPOSE 25 YEARS

STANDARD COMPLEMENT

OFFICERS (COMMAND)	2
CREW	18
DIMENSIONS	

DEADWEIGHT TONNAGE 122,000 MT LENGTH 203M BREADTH 44M HEIGHT 44M

ARMAMENTS

PHASERS	NONE
PHOTON TORPEDOES	NONE
DEFENSE DEFLECTOR SHIELD	PFF3AE
PASSIVE DEFLECTOR	MK VI/AS
TRACTOR BEAM EMITTER	MK IV SS MICRO-COMPRESSOR (A)

PROPULSION SYSTEMS

WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM

NONE NONE CCR5OC (500KPM)

DECK ARRANGEMENT [GENERAL] VESSEL SECTION DECK SUMMARY DECK ONE LINKAGE SYSTEM, EMERGENCY SEAL, DECK TWO CONTROL, CREW QUARTERS, MAINTENANCE, PERSONELL TRANSPORTERS DECK THREE PRODUCTS STORAGE DECK FOUR FORWARD/AFT LINKAGE SYSTEM, PRODUCT STORAGE DECK FIVE THRU NINE PRODUCTS STORAGE DECK TEN TRACTOR BEAM COTNROL, STORES, PRODUCT STORAGE



GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT CONTAINER / PRODUCTS-SERIES CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

FRANZ JOSEPH SD 4840.55 SD 7411.27
TRANSPORT CONTAINER

REEFER SERIES

GENERAL INFORMATION

THE 'REEFER', OR REFRIGERATION POD, IS USED TO TRANSPORT MATERIALS THAT ARE ENVIRONMENT-SENSITIVE. 'REFREIGERATION' MAY BE A MISNOMER, SINCE THE PODS ARE CAPABLE OF TRANSPOTING AND DELIVERING GOODS WHILE MAINTAINING 'HIGH HEAT' CONDITIONS AS WELL.

SINCE THE FPG POD HAS REFRIGERATION CAPABILITIES OF ITS OWN, THE FRF PODS ARE RESERVED FOR LARGE-SCALE TRANSPOT OF ENVIRONMENTALLY SENSITIVE GOODS. CONSE-QUENTLY, THERE ARE SIGNIFICANTLY FEWER 'REEFER' PODS THAN GENERAL PRODUCTS PODS IN THE SPACELANES.

CONSTRUCTION DETAILS

CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED		FRANZ JOSEPH VARIOUS MAY 2258, SD 1313 349 (AUTHORIZED)							
SUPPLEMENTAL CRAFT									
NONE									
SECONDARY SYSTEMS									
MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT		DUOTRONIC MK III CU NONE 1 STD / 1 EVAC / 4 CARGO MK IV CT-3 SUITE							
MISSION PROFILE									
MISSION TYPE MAXIMUM OPERATING RATING	3	GENERAL PURPOSE 25 YEARS							
STANDARD COMPLEMENT									
OFFICERS (COMMAND) CREW	2 18								
DIMENSIONS									
DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	100,00 203M 44M 44M	O MT							
ARMAMENTS									
PHASERS PHOTON TORPEDDES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	None None PFF3AE MK VI/ MK IV S	IONE IONE IFF3AE IK VI/AS IK IV SS MICRO-COMPRESSOR (A)							
PROPULSION SYSTEMS									
WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	NONE NONE CCR50	C (500KPM)							

DECK ARRANGEMENT (GENERAL)	VESSEL SECTION	DECK SUMMARY
DECK ONE		LINKAGE SYSTEM, EMERGENCY SEAL,
DECK TWO		Control, Crew Quarters, Maintenance, Personell Transporters
DECK THREE		MATERALS STORAGE, CLIMATE CONTROL
DECK FOUR		FORWARD/AFT LINKAGE SYSTEM, MATERIALS STORAGE, CLIMATE CONTROL
DECK FIVE THRU NINE		MATERIALS STORAGE, CLIMATE CONTROL
DECK TEN		TRACTOR BEAM COTNROL, STORES, GENERAL STORAGE



GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT CONTAINER / REEFER-SERIES CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE FRANZ JOSEPH SD 4840.55 SD 7411.27

RS: 480372-5 TO 01:04:147

TRANSPORT CONTAINER

STARLINER SERIES

GENERAL INFORMATION

THE 'STARLINER' POD IS NORMALLY IN USE BY CIVILIAN AGEN-CIES WITH AUXILLARY SHIPS RATHER THAN FORMAL USE BY STARFLEET, THOUGH THERE HAVE BEEN A FEW EXCEPTIONS -MOSTLY FOR DIPLOMATIC PURPOSES, OR FOR THE YEARLY STARFLEET ACADEMY GRADUATION CRUISE.

AN SLR-OO1 TYPE POD CAN ACCOMMODATE BETWEEN 300 TO 500 GUESTS IN HIGH LUXURY, WITH A WIDE VARIETY OF EN-TERTAINMENT SERVICES, SPACIOUS ROOMS, AND FULLY STOCKED GALLEY. TO GET AN UNDERSTANDING OF THE LUXURY FOUND WITHIN THIS STARLINER, THE SLR-OO1 ITSELF [SOMEWHAT MODIFIED FROM SPEC] IS THE 'PRESIDENTIAL LINER', RESERVED FOR THE FEDERATION PRESIDENT AND HIS STAFF.

	CONSTRUCTION DETAILS										
	CHIEF OF DESIGN PRIMARY SHIPYARD PROJECT INITIATION VESSELS CONSTRUCTED		FRANZ JOSEPH VARIOUS MAY 2258, SD 1313 349 (AUTHORIZED)								
	SUPPLEMENTAL CRAFT										
	TYPE H TRAVEL POD TYPE F SHUTTLECRAFT		4 6								
	SECONDARY SYSTEMS										
	MAIN COMPUTER ACTIVE SCANNER SUITE PASSIVE SENSOR SUITE TRANSPORTERS LIFE SUPPORT		DUDTRONIC MK III CU NONE 4 STD / 4 EVAC / 2 CARGO MK IV CT-3 SUITE								
	MISSION PROFILE										
	MISSION TYPE MAXIMUM OPERATING RATING	3	GENERAL PURPOSE 25 YEARS								
	STANDARD COMPLEMENT										
	OFFICERS (COMMAND) CREW	20 175									
	DIMENSIONS										
	DEADWEIGHT TONNAGE LENGTH BREADTH HEIGHT	85,000 MT 203M 44M 44M									
	ARMAMENTS										
	PHASERS PHOTON TORPEDOES DEFENSE DEFLECTOR SHIELD PASSIVE DEFLECTOR TRACTOR BEAM EMITTER	NONE NONE PFF3AE MK VI/AS (REINFORCED) MK IV SS MICRO-COMPRESSOR (A,FX2)									
	PROPULSION SYSTEMS										
	WARP/FTL DRIVE IMPULSE/SL DRIVE RCS SYSTEM	NONE IP186E (.75C) CCR5OC (500KPM)									
0	DECK SUMMARY										
L C T F	.INKAGE SYSTEM, EMERGENCY DFFICER QUARTERS, PASSENGE FHEATRE, PROMENADE PASSENGER CABINS, CREW CAB	SEAL, F R CABIN BINS, TR	RECREATION CENTERS IS, TRANSPORTERS ANSPORTERS								

MAIN CONTROL,, MAINTENANCE, ENGINEERING DECK

STORAGE, CARGO HOLDS, MAINTENANCE SYSTEMS

TRACTOR BEAM CONTROL, SHUTTLECRAFT HANGARS, EMERGENCY EVAC

DECK ONE DECK TWO, THREE DECK FOUR DECK FIVE DECK SIX DECK SEVEN DECK EIGHT THRU TEN

DECK ARRANGEMENT [GENERAL]

VESSEL SECTION

TRANSPORT CONTAINER STARLINER SERIES - TRI-VIEW DORSAL LINKAGE/ NAVIGATION LIGHTS (F/A) MOUNT HOUSING FORWARD LINKAGE/ _____ MOUNT HOUSING -----**IPI86E IMPULSE** STAR FLEET TRANSPORT COMMAND С UNIT HOUSING SLR-001 00 ACTIVE SCANNER AND SENSOR STAR FLEET TRANSPORT SHUTTLECRAFT TYPE AND REGISTRY SYSTEM PENNANT HANGERS (P/S, X6) MARKING NAVIGATION LIGHTS (F/A) FORWARD LINKAGE/ HEAVY DEFLECTOR TRACTOR BEAM MOUNT HOUSING SYSTEM (P/S) EMITTER (P/S) ۰ ACTIVE SCANNER DOCKING GUIDANCE LIGHTS AND SENSOR SYSTEM NAVIGATION LIGHT NAVIGATION LIGHT SYSTEM AND PERSONNEL CONDUITS -----DOCKING GUIDANCE LIGHTS

UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL TRANSPORT CONTAINER / STARLINER-SERIES

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE

FRANZ JOSEPH SD 4840.55 SD 7411.27

BEAM EMITTER (MK IV)

OFFENSIVE/POINT-DEFENSE STARSHIP WEAPONRY SYSTEM

GENERAL INFORMATION

THE MK IV BEAM EMITTER IS THE SECOND MAJOR CLASS OF PHASER WEAPON TO BE IN SERVICE ABOARD FEDERATION STAR-SHIPS. THESE WEAPONS SERVE AS A SHIP'S MAIN 'GUNS' AND POINT-DEFENSE SYSTEMS. AS OF SD 2232, THE MK IV SYSTEM BECAME THE STANDARD PHASER WEAPON FOR ALL FEDERATION SHIPS.

THOUGH THE MK IV IS NOT A DRAMATIC IMPROVEMENT OVER THE MK III (STILL THE PRIMARY WEAPON FOR 'NON-SHIPS OF THE LINE'), IT DOES PROVIDE A MARGINAL INCREASE OF RANGE, YIELD, AND WEAPON SPEED OVER ITS PREDECESSOR. SINCE THE MK IV SYSTEM USES THE SAME FP-3 HOUSING AS THE MK III, THE DECISION TO UPGRADE SEEMED OBVIOUS.

Like the MK III emitter, the MK IV system is designed for allowing a "bank" of two phasers linked together. A bank effectively adds 50 percent more yield to the weapon out-put.

STARSHIPS OF THE LINE WITH MK III EMITTERS WERE SCHEDULED FOR UPGRADES TO THE MK IV STYLE STARTING IN 2264 AS EACH VESSEL IS OVERHAULED. THE PROCESS WAS EFFECTIVELY COM-PLETED IN 2268.

NEW STARSHIP BUILDS MEANT FOR SHIPS OF THE LINE FROM 2265 THROUGH 2270 WOULD ALL INCLUDE THE MK IV PHASER EMITTER BY DEFAULT.

SYSTEM DETAILS

DESIGNATION SYSTEM COMMISSION SYSTEM FUNCTION PHASER BEAM EMITTER, MK IV MARCH 2263, SD 2232 PRIMARY OFFENSIVE WEAPONRY SECONDARY POINT-DEFENSE

SYSTEM SPECIFICS

 LENGTH
 2.2 M

 WIDTH
 1.2 M

 HEIGHT
 1,2 M

 MASS (DEADWEIGHT)
 855 KG

 MASS (LOADED AND POWERED)
 2.2 MT

PERFORMANCE INFORMATION

POWER FEED

YIELD [APP. MAXIMUM]

RANGE (APP. MAX. EFFECTIVE) AREA OF EFFECT SPADIS CAPABILITY VARIABLE SETTINGS FH-3 Housing (IMPULSE POWER CHANNEL) 3.2 MT TNT 8.0 MT TNT (BANK) 250,000 KM PINPOINT (SEE NOTES) WF 12 (SEE NOTES)

PHASER SETTINGS

THE MULTI-FACETED DESIGN OF THE PHASER MK IV ALLOWS FOR SEVERAL VARIATIONS ON HOW THE BEAM IS EMPLOYED. A BREAK-DOWN OF STANDARD OPTIONS OF THE WEAPON FOLLOWS:

SPADIS SYSTEM

THE SPADIS (SPATIAL DISTORTION) SYSTEM IS EMPLOYED TO BOTH STRIKE TARGETS AT GREAT DISTANCE, AND TO ALLOW FOR THE USE OF PHASERS AT WARP SPEED, USING A SYSTEM SIMILAR TO SUB-SPACE RADIO. THOUGH THE SYSTEM REQUIRES A DRAMATICALLY HIGHER POWER CURVE THAN OLDER WEAPONS SYSTEMS, ITS BENE-FITS ARE OBVIOUS.

PHASER LOCK

PHASERS CAN BE SET TO TIE INTO THE SHIP'S SCANNER AND SEN-SOR SYSTEMS TO GAIN A "LOCK" ON A TARGET, GENERALLY BY TRACKING POWER EMISSIONS OF AN ENEMY VESSEL. IN THE EVENT THE PHASER LOCK IS DISABLED, OR AN OPPONENT HAS ACTIVE COUNTERMEASURES, MANUAL CONTROL OF PHASERS IS POSSIBLE WITH REGULAR FIRING CONTROL SYSTEMS.

STUN SETTING

LIKE HAND PHASERS, THE ELECTROMAGNETIC FIELD GENERATED BY SHIPBOARD PHASERS CAN BE USED TO INVOKE BOTH A NEUROLOGI-CALLY DISRUPTIVE PULSE AT LOW POWER, OR A MUCH MORE PO-TENT EMP PULSE AT HIGHER POWER SETTINGS. STUN SETTINGS ON SHIPBOARD PHASERS HAVE EXTREMELY LIMITED RANGE OF ONLY 200 KM MAX. EFFECTIVE RANGE.

PROXIMITY FUSE

PHASER EMISSION ILLUSTRATION

PHASERS CAN BE SET TO "EXPLODE" THEIR YIELD AT LONG DIS-TANCE BY DISRUPTING THE SPADIS FIELD AT THE DESIGNATED RANGE. THE YIELD FOR THIS EFFECT IS TREMENDOUSLY REDUCED, THOUGH THE AREA OF EFFECT OF THE WEAPON CAN SPREAD UP TO 5 KM FROM ITS CENTER, DEPENDING ON THE DISTANCE INVOLVED TO TARGET AND THE AMOUNT OF POWER EMPLOYED WITHIN THE SPADIS FIELD.





UNITED FEDERATION OF PLANETS STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL MK IV PHASER EMITTER

AUTHENTICATION NOTICE

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MATTHEW JEFFERIES SD 2401.55 SD 7411.27

PHOTON TORPEDO - MK-III

STARSHIP PRIMARY HEAVY WEAPON SYSTEM

GENERAL INFORMATION

THE MARK III TORPEDO IS THE STARFLEET'S MAINSTAY HEAVY WEAPON. CAPABLE OF HIGH WARP SPEEDS AND HEAVY DE-STRUCTIVE POWER. THE MARK III CAME INTO SERVICE IN 2239 ABOARD THE USS RANGER AND QUICKLY SAW FAVOR IN THE FED-ERATION'S ARSENAL THOUGH CURRENTLY INFERIOR TO THE KLINGON AND ROMULAN'S HEAVIEST WEAPONS. THE MK III PHO-TON TORPEDO REMAINS ONE OF THE PREMIERE STARSHIP WEAPONS.

THE MARK III HOUSING IS NOTABLY MORE COMPACT THAN THE PRE-VIDUS VERSIONS., MAKING IT A COMFORTABLE FIT WITHIN THE MK XII/IF TORPEDO LAUNCHER FOUND IN MOST SHIPS OF THE *BATON ROUGE* AND *CONTITUTION* CLASS DESIGN ERAS.

TACTICALLY. THE MARK III IS EQUIPPED WITH A MID-GRADE SENSOR SUITE THAT ALLOWS FOR TRACKING OF ENERGY SIG-NATURES. AL-LOWING THE TORPEDD TO HOME IN ON TARGETS EVEN WHILE AT WARP SPEED. THIS TRACKING SYSTEM HAS PROVEN QUITE EFFEC-TIVE IN GENERAL.

UNFORTUNATELY, THE CLOAKING DEVICES FOUND ABOARD LARGER ROMULAN VESSELS AND A SELECT FEW KLINGON VESSELS POSE A SEVERE PROBLEM FOR THE ON-BOARD TRACKING SYSTEMS AT THIS TIME.

VARIABLE SETTINGS

THE MULTI-FACETED DESIGN OF THE MK-III TORPEDO ALLOWS FOR SEVERAL VARIATIONS ON HOW THE WEAPON CAN BE DEPLOYED. A BREAKDOWN OF STANDARD OPTIONS OF THE WEAPON FOLLOWS:

OVERLOADED SETTING

PHOTON TORPEDOES MAY BE SET ON AN 'OVERLOADED' SETTING, WHICH INCREASES THE DESTRUCTIVE POWER OF THE TORPEDO AT A DRAMATIC DECREASE IN RANGE. IN GENERAL, THIS PRACTICE IS FROWNED UPON BY STAR FLEET COMMAND, BUT IS SOMETIMES USED TO PIERCE THE SHIELDING OF VERY HEAVY VESSELS.

PROMIXITY SETTING

PHOTON TORPEDOES CAN BE RIGGED TO AFFECT A MUCH WIDER AREA OF SPACE THAN NORMAL, THOUGH AT GREATLY REDUCED YIELD. PROXIMITY SETTINGS CAN BE EXPANDED TO A MAXIMUM OF 20,000KM, BUT DOING SO YIELDS ONLY A MAXIMUM 0.5 MT.

PENETRATION SETTING

WHEN SET FOR HIGH-PENETRATION, THE EXPLOSIVE YIELD OF THE TORPEDO IS HEAVILY SACRIFICED FOR THE SAKE OF PENETRATING SHIELDING OR HEAVY ARMOR. THIS IS THE PREFERRED SETTING FOR CLOSE-RANGE, SHIP TO SHIP COMBAT, WHERE SHIELD PENETRATION IS FAR MORE IMPORTANT THAN EXPLOSIVE YIELD.

PROBE MODIFICATION

MK-III TORPEDDES MAY BE MODIFIED INTO CLASS I OR CLASS II PROBES BY SWAPING OUT WEAPONRY PAYLOAD COMPONENTS WITH ENCHANCED SENSOR SYSTEMS AND A SUBSPACE TRANSCEIVER SYSTEM.

SYSTEM DETAILS

DESIGNATION	PHOTON TORPEDO, MKIII
SYSTEM COMMISION	MARCH 2239, SD N/A
SYSTEM FUNCTION	PRIMARY
	OFFENSIVE WEAPONRY
	SECONDARY
	DEMOLITIONS

SYSTEM SPECIFICS

LENGTH	1.7M
WIDTH	1.OM
HEIGHT	0,3M
MASS (DEADWEIGHT)	315KG
MASS (LOADED AND POWERED)	315MT

PERFORMANCE INFORMATION

POWER FEED

	(IMPULSE POWER CHANNEL)
YIELD (APPROX MAX)	30 MT TNT
	45 MT TNT (OVERLOADED)
RANGE (APPROX MAX EFFECTIVE)	1,800,000KM
AREA OF EFFECT	10KM
SPADIS CAPABILITY	WF 10
VARIABLE SETTINGS	(SEE NOTES)

MK XII/IF TORPEDO LAUNCHER

PHOTON TORPEDO - MK-III STARSHIP PRIMARY HEAVY WEAPON SYSTEM ONBOARD CONTROL ANTI-DEUTERIUM ANTI-DEUTERIUM WARP SUSTAINER COMPUTER CONTROL LOOP MAGNETIC STORAGE GENERATION SYSTEM MICRO-IMPULSE DRIVE FEED INTERMIX SYSTEM / \odot REACTION FUSE Θ SPACE WARP CONTROL SENSORS (P/V/S) PLASMA INJECTOR ACCESS HATCH IMPULSE PLASMA TRACKING EXHAUST TRANSCIEVERS MK-Ⅲ MK-Ⅲ UNITED FEDERATION OF PLANETS AUTHENTICATION NOTICE STAR FLEET DIVISION

GENERAL PLANS:/RECOGNITION DETAIL PHOTON TORPEDO - MK-III

CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE NEALE DAVIDSON SD 2401.55 SD 7411.27

WARP ENGINE - PB-32

STARSHIP "FASTER THAN LIGHT" MAIN DRIVE SYSTEM

GENERAL INFORMATION

THE PB-32 FTL ENGINE WOULD BE THE FIRST PRODUCED DILITHIUM-FOCUSED MATTER/ANTI-MATTER WARP DRIVE SYSTEM. INTRODUCED IN 2240 ON THE PROTOTYPE *USS BONA VENTURE*, THE SYSTEM PROVED TO BE MORE POWERFUL, MORE CAPABLE, AND MORE VER-SATILE THAN ANY ENGINE FIELED BY ANY FEDERATION WORLD BE-FORE. THE DRAMATIC IMPROVEMENTS IN WARP SPEEDS (ALONG WITH REDUCTION IN TIME DILATION PROBLEMS) WOULD BE CONSID-ERED BY MANY TO BE 'BREAKING THE TMIE BARRIER' IN FASTER-THAN-LIGHT TRAVEL.

THE PB-32 WOULD GO THROUGH A FEW MINIOR REVISIONS OVER HER DESIGN HISTORY (WITH THE LATEST BEING MOD 3), WITH ENGI-NEERS IN MANY SHIPS (SUCH AS THE *ENTERPRISE*) TAKING THE IMPRESSIVE ENGINES AND PUSHING THEIR PERFORMANCE TO UN-HEARD-OF LEVELS.

THE BASIC DESIGN OF THE PB-32 WOULD NOT ONLY SPAWN TRUE VARIANTS OF THE ENGINE, BUT ALSO A NUMBER OF CLOSE RELA-TIVES FOR USE IN OTHER SHIP CLASSES. EVEN THE TYPE F SHUT-TLECRAFT MAKES USE OF THE PB-32'S OVERALL ARCHETETCTURE WITH ITS FB-24 MICRO-WARP ENGINES,

By the 2260's, however, it was becoming overvious that the Venerable PB-32 engine design was beginning to hit the end of its 'heyday'. Though tweaks and modifications continued to make the PB-32 driven *enterprise* the fastest of all starships within the fleet, it was becoming increasingly clear that it was time to look for New Designs.

AS OF 2265, THE LN-48, CONSIDERED BY MANY ENGINEERS TO BE A 'STOP GAP' MEASURE TO TECHNOLOGICAL IMPROVEMENTS WAS TO BE USED ON NEW SHIPS OF THE LINE, THOUGH NO UPRATING PRO-GRAMS WERE AUTHORIZED. IN 2270, OF COURSE, THE LN-64 ENGINE SERIES FINISHED THEIR TRIALS, MARKING A FORMAL END TO THE PB-32'S RUN AS THE FEDERATIONS' MAINSTAY ENGINE.

VARIANT ENGINES OF THE SERIES

PB-32-S

INTRODUCED IN 2244 AND COMMONLY FOUND ON LIGHTER, 'SUPPORT' SHIPS, THE PB-32-S IS, IN A PRACTICAL SENSE, THE PB-32 WITHOUT THE SECONDARY COMPRESSOR FIELDS AND A REDUCED OVERALL POWER OUTPUT. AS A RESULT, THE PB-32-S IS CONSID-ERED THE 'SHORT' MODEL, WITH SLIGHTLY LESS OPTIMAL PERFORM-ANCE THAN THE PB-32.

PB-32-L

INTRODUCED IN 2255, THE "LONG" VERSION OF THE PB-32 ENGINE IS RESERVED PRIMARILY FOR ULTRA-HEAVY SHIPS, SUCH AS CARRIERS AND PROPOSED HEAVY BATTLESHIPS. AS EXPECTED, THESE ENGINES EXTEND THE SECONDARY COMPRESSOR FIELD SYSTEM AND GENER-ATE A HIGHER OVERALL POWER OUTPUT. THOUGH RATED AT HIGHER SPEEDS THAN THE PB-32 ITSELF, THE GENERAL HIGH COST AND MAINTENANCE REQUIREMENTS ON THE ENGINES HAVE KEPT THEM OUT OF FAVOR FOR MOST DESIGNS.

PB-32 VARIANT COMPARISON SCHEMATIC



PB-32-S "SHORT" VARIANT



PB-32 MAIN DESIGN



PB-32-L "LONG" VARIANT

SYSTEM DETAILS			
DESIGNATION SYSTEM COMMISION SYSTEM FUNCTION	PB-32 'FTL'' WARP ENGINE MARCH 2240, SD 1113 MAIN WARP DRIVE UNIT M/AM POWER SOURCE	PB-32-S "FTL" WARP ENGINE FEBRURARY 2244, SD 1217 MAIN WARP DRIVE UNIT M/AM POWER SOURCE	PB-32-S "FTL" WARP ENGINE FEBRURARY 2255, SD 3141 MAIN WARP DRIVE UNIT M/AM POWER SOURCE
SYSTEM SPECIFICS			
LENGTH WIDTH HEIGHT MASS	157M 18M 18M 35,000MT	130M 18M 18M 28,000MT	183M 18M 18M 45,000MT
PERFORMANCE INFORMATION			
WARP SPEED RATING	SINGLE WF 5/7* TANDEM WF 6/8 TRIPLE WF 7/9*	SINGLE WF 4/6* TANDEM WF 5/7 TRIPLE WF 6/8*	SINGLE WF 6/8* TANDEM WF 7/9 TRIPLE WF 8/10*

WARP ENGINE - PB-32 STARSHIP "FASTER THAN LIGHT" MAIN DRIVE SYSTEM NANO-POROUS BUSSARD PRIMARY CHILLERS INTERCOOLER HOUSING NORMALIZER COWLING COLLECTOR COWLING SPACE WARP M/AM REACTION SECONDARY CONTROL SENSORS CONTROL LOOP CHILLERS [P/V/S] DILITHIUM CRYSTAL DEUTERIUM EMERGENCY FLUSH **REGEN DEUTERIUM** ECM M/AM INTERMIX SUBSPACE COLLECTION GRID NORMALIZER ANTI-DEUTERIUM CONVERTOR ASSEMBLY VENT FUEL STORES MAIN POWER CONDIUT PRIMARY ACCESS SECONDARY BUSSARD COLLECTOR FIELD COMPRESSORS (P/S) GANGWAY FIELD COMPRESSORS (P/S) UNITED FEDERATION OF PLANETS AUTHENTICATION NOTICE STAR FLEET DIVISION CHIEF OF DESIGN MATTHEW JEFFERIES

General Plans:/recognition detail Warp Engine - PB-32 CHIEF OF DESIGN AUTHENTICATION APPROVAL VERSION RELEASE MATTHEW JEFFERIES SD 2401.55 SD 7411.27

WARP ENGINE - LN-40

STARSHIP "FASTER THAN LIGHT" MAIN DRIVE SYSTEM

GENERAL INFORMATION

THOUGH THE PB-32 ENGINE HAD SERVED THE FEDERATION WELL SINCE THE 2240S, BY THE 2260S THEY WERE BEGINNING TO PUSH THEIR REASONABLE LIMITS OF DESIGN. THOUGH THE *ENTERPRISE* HAD BROKEN NUMEROUS SPEED RECORDS AS LATE AS 2269, IT WAS BECOMING CLEAR THAT A NEW APPROACH TO WARP DYNAMICS WAS BECOMING NEEDED.

IN THE LATE 2250'S, A PROJECT WAS BEGUN FOCUSING ON THE CONCEPT OF 'LINEAR' WARP DRIVE, WHICH WAS BASED ON THE THEORY OF TIGHTER CONTROL OF A WARP FIELD BY SMALLER IN-LINE SUBSPACE COMPRESSORS RATHER THAN THE LARGE ONE IN USE. AFTER A DECADE OF RESEARCH AND EXPERIMENTS, THE LN-40 WAS SUCCESSFULLY TESTED ON THE *MONOCEROS*.

THE LN-40 WAS NOT ENVISIONED AS A REVOLUTION ON ITS OWN RIGHT, BUT RATHER A 'PROOF OF CONCEPT' OF LINEAR WARP DRIVES. AS SUCH, IT RETAINS AN INITIAL 'REGULAR' SUBSPACE COM-PRESSOR BEFORE ENTERING THE LINEAR SUSSPACE CONTROL SYS-TEM. THE RESULT IS AN ENGINE DESIGN THAT, PER SPEC, IS SUPE-RIOR TO THE PB-32 SERIES, BUT NOT SPECTACULARLY SO.

IN THE MID 2260'S, HOWEVER, THE DECISION WAS MADE THAT FOR KEY STARSHIP CLASSES, RUNNING DESIGN CHANGES WOULD BE MADE FOR NEW BUILDS. THIS WAS LARGELY DUE TO THE REALIZA-TION THAT THE KLINGON EMPIRE WAS IN THE PROCESS OF UPGRAD-ING THEIR OWN FLEET (THOUGH FEDERATION ESTIMATES WERE FAR TOO GENEROUS IN JUST HOW MUCH).

THOUGH AN IMPROVEMENT, THE FEDERATION FELT THAT THE BULK OF THE FLEET WOULD NOT NEED UPRATING JUST YET. OLDER SHIPS WOULD RETAIN THE PB-32 BASED ENGINES, WITH THE LN-40 SEEING LIMITED INTRODUCTION. THE REASON FOR THIS WAS SIMPLE. THE LN-40 WAS JUST THE FIRST PROOF OF CONCEPT AND SERVED AS A STOP-GAP MEASURE. THE DESIGN SPECIFICS SOUGHT WOULD BE MET LATER, BY THE LN-64.

SYSTEM DETAILS

SYSTEM FUNCTION

SYSTEM SPECIFICS

PERFORMANCE INFORMATION

WARP SPEED RATING

DESIGNATION SYSTEM COMMISION

LENGTH

WIDTH

HEIGHT

MASS

VARIANT ENGINES OF THE SERIES

LN-40-S

THE 'SHORT' VERSION OF THE LN-40 DESIGN CUTS BACK ON THE PRIMARY 'OLD STYLE' FIELD GENERATOR AND CUTS DOWN ON THE NUMBER OF LINEAR COMPRESSORS. THE RESULT, AS EXPECTED, IS A LESS POWERFUL AND EFFICIENT WARP FIELD THAN THE LARGER COUSIN.

THOUGH PLANS FOR STAR FLEET SHIPS UTILIZING THE LN-40-S WERE CONSIDERED, NONE CAME TO FRUITION. THE SMALL WARP ENGINES FOUND ON THE *OBERTH* CLASS FULFILLED THE INTENDED ROLE MORE EFFICIENTLY FOR LIGHTER VESSELS THAN THE LN-40 WAS DELIVERING.

THE LN-40-S MAY SEE SOME LIFE, HOWEVER, AS STAR FLEET IS CONSIDERING DECLASSIFICATION OF THE DRIVE SYSTEM FOR USE ON CIVILIAN VESSELS. WHILE THIS IS CURRENTLY HOTLY DEBATED, IT'S EXPECTED THAT WITH THE NEW LN-64 SERIES ENGINES ALREADY FIELDED, THERE IS LITTLE NEED TO GUARD 'OLD TECHNOLOGY'.

LN-40 VARIANT COMPARISON SCHEMATIC





STARFLEET TECHNICAL ORDER

AUTHENTICATED STARDATE 7411.27

<u> </u>																					
L		L												L		L					
┣──																					
									-		-						 			 	
<u> </u>																					

